



**Amerivantage Classic (HMO)**

## **2016 Formulary (List of Covered Drugs)**

Please read: This document contains information about  
some of the drugs we cover in this plan.

This formulary was updated on August 1, 2015. For more recent information or other questions, please contact **Amerivantage Classic (HMO)** Customer Service at 1-866-805-4589, 8 a.m. to 8 p.m., seven days a week (except Thanksgiving and Christmas) from October 1 through February 14, and Monday to Friday (except holidays) from February 15 through September 30, or visit [www.myamerigroup.com/medicare](http://www.myamerigroup.com/medicare).

## **Note to existing members:**

**This formulary has changed since last year.** Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us” or “our,” it means Amerigroup. When it refers to “plan” or “our plan,” it means Amerivantage Classic (HMO).

This document includes a list of the drugs (formulary) for our plan which is current as of August 1, 2015. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2017 and from time to time during the year.

The Formulary, pharmacy network, and/or provider network may change at any time. You will receive notice when necessary.

## **What is the Amerivantage Classic (HMO) formulary?**

A formulary is a list of covered drugs selected by our plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Our plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## **Can the formulary (drug list) change?**

Generally, if you are taking a drug on our 2016 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2016 coverage year except when a new, less expensive generic drug becomes available or when new adverse information about the safety or effectiveness of a drug is released. Other types of formulary changes, such as removing a drug from our formulary, will not affect members who are currently taking the drug. It will remain available at the same cost sharing for those members taking it for the remainder of the coverage year. We feel it is important that you have continued access for the remainder of the coverage year to the formulary drugs that were available when you chose our plan, except for cases in which you can save additional money or we can ensure your safety.

If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step-therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 60 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 60-day supply of the drug. If the Food and Drug Administration (FDA) deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug. The enclosed formulary is current as of January 1, 2016. To get updated information about the drugs covered by our plan, please contact us. Our contact information appears on the front and back cover pages. If any other

type of approved formulary change (nonmaintenance change) is made during the year, we will notify you by sending you a list of these changes, or by sending you an updated formulary.

## **How do I use the formulary?**

There are two ways to find your drug within the formulary:

### **Medical Condition**

The formulary begins on page 8. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, "Cardiovascular Medications." If you know what your drug is used for, look for the category name in the list that begins on page 8. Then look under the category name for your drug.

### **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 59. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## **What are generic drugs?**

Our plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

## **Are there any restrictions on my coverage?**

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

**Prior Authorization:** Our plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from our plan before you fill your prescriptions. If you don't get approval, our plan may not cover the drug.

**Quantity Limits:** For certain drugs, our plan limits the amount of the drug that our plan will cover. For example, our plan provides 30 tablets per prescription for *irbesartan 75mg tablets*. This may be in addition to a standard one-month or three-month supply.

**Step Therapy:** In some cases, our plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, our plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, our plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 8. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask our plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the Amerivantage Classic (HMO)'s formulary?” on page 4 for information about how to request an exception.

## What if my drug is not on the formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Customer Service and ask if your drug is covered.

If you learn that our plan does not cover your drug, you have two options:

You can ask Customer Service for a list of similar drugs that are covered by our plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by our plan.

You can ask our plan to make an exception and cover your drug. See below for information about how to request an exception.

## How do I request an exception to the Amerivantage Classic (HMO)'s formulary?

You can ask our plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make:

**You can ask us to cover a drug even if it is not on our formulary.** If approved, this drug will be covered at a predetermined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.

**You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier.** If approved this would lower the amount you must pay for your drug.

**You can ask us to waive coverage restrictions or limits on your drug.** For example, for certain drugs, our plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, our plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tiering or utilization restriction exception. **When you request a formulary, tiering or utilization restriction exception, you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan, you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary, or if your ability to get your drugs is limited, we will cover a temporary 30-day supply (unless you have a prescription written for fewer days) when you go to a network pharmacy. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term-care facility, we will allow you to refill your prescription until we have provided you with a 98-day transition supply, consistent with dispensing increment (unless you have a prescription written for fewer days). We will cover more than one refill of these drugs for the first 90 days you are a member of our plan. If you need a drug that is not on our formulary, or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug (unless you have a prescription for fewer days) while you pursue a formulary exception.

During the time when you are getting a temporary supply of a drug, you should talk to your prescriber or prescribing physician to decide what to do when your supply runs out. You can call Customer Service to ask for a list of covered drugs that treat the same medical condition. This list can help your doctor find a covered drug that might work for you while you pursue a formulary exception. Please refer to the Evidence of Coverage for more information about exceptions.

## For more information

For more detailed information about our plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about our plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at **1-800-MEDICARE (1-800-633-4227)**, 24 hours a day/7 days a week. TTY users should call **1-877-486-2048**. Or, visit <http://www.medicare.gov>.

## Our plan's formulary

The formulary 8 provides coverage information about the drugs covered by our plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 59.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., CRESTOR) and generic drugs are listed in lowercase italics (e.g., *atenolol*).

The information in the Requirements/Limits column tells you if our plan has any special requirements for coverage of your drug.

**QLL - Quantity Limits:** Restricts the frequency, amount or dosage of medication for which you can obtain benefits each time you get a prescription filled (most often set on a monthly basis).

**PAR - Prior Authorization:** The process of obtaining approval for certain prescriptions before benefits will be approved. You, your doctor or other network provider will need to request prior authorization before you fill the prescription.

**ST - Step Therapy:** The process of first trying a certain drug or drugs to determine if that drug or those drugs will treat your medical condition before your plan will cover another drug for that condition.

**B/D - Part B vs. Part D:** This drug may be covered under either your Part D prescription drug benefits or as a Part B

drug under your medical benefits, as determined by Medicare.

**LA - Limited Access:** This prescription may be available only at certain pharmacies. For more information, consult your Pharmacy Directory or call Customer Service at 1-866-805-4589, 8 a.m. to 8 p.m., seven days a week (except Thanksgiving and Christmas) from October 1 through February 14, and Monday to Friday (except holidays) from February 15 through September 30. TTY/TDD users should call 711.

**INJ - Injectable:** The drug is available in injectable form.

**MO - Mail Orders:** Prescription drugs available through mail order.

**CG – Coverage Gap:** We provide additional coverage of this prescription drug in the coverage gap. Please refer to your Evidence of Coverage for more information about this coverage.

## Cost-sharing for a one-month supply of a covered Part D prescription drug during the Initial Coverage Stage:

|                                                                                                        |          |
|--------------------------------------------------------------------------------------------------------|----------|
| Cost-Sharing Tier 1: Preferred Generic                                                                 |          |
| Network Pharmacy with preferred cost-sharing (30-day supply) or Mail-Order Pharmacy** (30-day supply)  | \$4.00   |
| Network Pharmacy with standard cost-sharing (30-day supply) or Long-Term-Care Pharmacy (34-day supply) | \$9.00   |
| Cost-Sharing Tier 2: Generic                                                                           |          |
| Network Pharmacy with preferred cost-sharing (30-day supply) or Mail-Order Pharmacy** (30-day supply)  | \$12.00  |
| Network Pharmacy with standard cost-sharing (30-day supply) or Long-Term-Care Pharmacy (34-day supply) | \$17.00  |
| Cost-Sharing Tier 3: Preferred Brand                                                                   |          |
| Network Pharmacy with preferred cost-sharing (30-day supply) or Mail-Order Pharmacy** (30-day supply)  | \$42.00  |
| Network Pharmacy with standard cost-sharing (30-day supply) or Long-Term-Care Pharmacy (34-day supply) | \$47.00  |
| Cost-Sharing Tier 4: Nonpreferred Brand                                                                |          |
| Network Pharmacy with preferred cost-sharing (30-day supply) or Mail-Order Pharmacy** (30-day supply)  | \$95.00  |
| Network Pharmacy with standard cost-sharing (30-day supply) or Long-Term-Care Pharmacy (34-day supply) | \$100.00 |
| Cost-Sharing Tier 5: Specialty Tier*                                                                   |          |
| Network Pharmacy with preferred cost-sharing (30-day supply) or Mail-Order Pharmacy** (30-day supply)  | 33%      |
| Network Pharmacy with standard cost-sharing (30-day supply) or Long-Term-Care Pharmacy (34-day supply) | 33%      |
| Cost-Sharing Tier 6: Select Care Drugs                                                                 |          |
| Network Pharmacy with preferred cost-sharing (30-day supply) or Mail-Order Pharmacy** (30-day supply)  | \$0.00   |
| Network Pharmacy with standard cost-sharing (30-day supply) or Long-Term-Care Pharmacy (34-day supply) | \$0.00   |

**Please refer to our Evidence of Coverage for more information for cost sharing.**

Network Pharmacy with preferred cost-sharing – A network pharmacy that offers covered drugs to members of our plan that may have lower cost-sharing levels than other network pharmacies with standard cost-sharing.

\* A long-term supply is not available for drugs in the Tier 5: Specialty Tier

\*\* Mail-Order Pharmacy – Mail-order service allows you to order a 30–90-day supply of drugs. The drugs available through our plan’s mail-order service are marked as “mail-order” drugs in our drug list.

# Covered Medications by Therapeutic Category

## Legend

Generic drugs are shown in lowercase italic (e.g., *atenolol*).

Brand-name drugs are shown in capital letters (e.g., CRESTOR).

**QLL - Quantity Limits:** Restricts the frequency, amount or dosage of medication for which you can obtain benefits each time you get a prescription filled (most often set on a monthly basis).

**PAR - Prior Authorization:** The process of obtaining approval for certain prescriptions before benefits will be approved. You, your doctor or other network provider will need to request prior authorization before you fill the prescription.

**ST - Step Therapy:** The process of first trying a certain drug or drugs to determine if that drug or those drugs will treat your medical condition before your plan will cover another drug for that condition.

**B/D - Part B vs Part D:** This drug may be covered under either your Part D prescription drug benefits or as a Part B drug under your medical benefits, as determined by Medicare.

**LA - Limited Access:** This prescription may be available only at certain pharmacies. For more information, consult your Pharmacy Directory or call Customer Service 1-866-805-4589, 8 a.m. to 8 p.m., seven days a week (except Thanksgiving and Christmas) from October 1 through February 14, and Monday to Friday (except holidays) from February 15 through September 30. TTY/TDD users should call 711.

**INJ - Injectable:** The drug is available in injectable form.

**MO - Mail Orders:** Prescription drugs available through mail order.

**CG – Coverage Gap:** We provide additional coverage of this prescription drug in the coverage gap. Please refer to your Evidence of Coverage for more information about this coverage.

| <b>Drug Name</b>                                      | <b>Drug Tier</b> | <b>Requirements/ Limits</b> |
|-------------------------------------------------------|------------------|-----------------------------|
| <b>Anti - Infectives</b>                              |                  |                             |
| <i>abacavir</i>                                       | 4                | MO; QLL (60 per 30 days)    |
| <i>abacavir-lamivudine-zidovudine</i>                 | 5                | MO; QLL (60 per 30 days)    |
| ABELCET                                               | 5                | B/D PAR; MO                 |
| <i>acyclovir oral capsule</i>                         | 2                | MO                          |
| <i>acyclovir oral suspension 200 mg/5 ml</i>          | 4                | MO                          |
| <i>acyclovir oral tablet</i>                          | 2                | MO                          |
| <i>acyclovir sodium intravenous recon soln 500 mg</i> | 4                | B/D PAR                     |
| <i>acyclovir sodium intravenous solution</i>          | 4                | B/D PAR; MO                 |
| <i>adefovir</i>                                       | 5                | MO                          |
| ALBENZA                                               | 4                | MO                          |
| ALINIA ORAL SUSPENSION FOR RECONSTITUTION             | 4                | MO; QLL (180 per 3 days)    |
| ALINIA ORAL TABLET                                    | 4                | MO                          |
| <i>amantadine hcl oral capsule</i>                    | 3                | MO                          |
| <i>amantadine hcl oral tablet</i>                     | 3                | MO                          |
| AMBISOME                                              | 5                | B/D PAR; MO                 |

| <b>Drug Name</b>                                                                                                         | <b>Drug Tier</b> | <b>Requirements/ Limits</b> |
|--------------------------------------------------------------------------------------------------------------------------|------------------|-----------------------------|
| <i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i>                                                            | 4                | MO                          |
| <i>amoxicillin oral capsule</i>                                                                                          | 1                | MO                          |
| <i>amoxicillin oral suspension for reconstitution</i>                                                                    | 1                | MO                          |
| <i>amoxicillin oral tablet</i>                                                                                           | 1                | MO                          |
| <i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>                                                                  | 2                | MO                          |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml</i> | 3                | MO                          |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i>                                   | 4                | MO                          |
| <i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i>                                                                | 3                | MO                          |
| <i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i>                                                    | 2                | MO                          |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------|------------------|----------------------------|
| <i>amoxicillin-pot clavulanate oral tablet extended release 12 hr</i> | 4                | MO                         |
| <i>amoxicillin-pot clavulanate oral tablet, chewable</i>              | 3                | MO                         |
| <i>amphotericin b</i>                                                 | 4                | B/D PAR; MO                |
| <i>ampicillin oral capsule</i>                                        | 1                | MO                         |
| <i>ampicillin oral suspension for reconstitution</i>                  | 2                | MO                         |
| <i>ampicillin sodium injection</i>                                    | 4                | MO                         |
| <i>ampicillin sodium intravenous</i>                                  | 4                |                            |
| <i>ampicillin-sulbactam injection recon soln 1.5 gram, 3 gram</i>     | 4                | MO                         |
| <i>ampicillin-sulbactam injection recon soln 15 gram</i>              | 4                |                            |
| <i>ampicillin-sulbactam intravenous recon soln 1.5 gram</i>           | 4                |                            |
| <i>ampicillin-sulbactam intravenous recon soln 3 gram</i>             | 4                | MO                         |
| APTIVUS ORAL CAPSULE                                                  | 5                | MO; QLL (120 per 30 days)  |
| APTIVUS ORAL SOLUTION                                                 | 5                | QLL (380 per 30 days)      |
| <i>atovaquone</i>                                                     | 5                | PAR; MO                    |
| <i>atovaquone-proguanil</i>                                           | 4                | MO                         |
| ATRIPLA                                                               | 5                | MO; QLL (30 per 30 days)   |
| <i>azithromycin intravenous recon soln 500 mg</i>                     | 4                | MO                         |
| <i>azithromycin intravenous recon soln 500 mg (2 mg/ml)</i>           | 4                |                            |
| <i>azithromycin oral packet</i>                                       | 2                | MO                         |
| <i>azithromycin oral suspension for reconstitution 100 mg/5 ml</i>    | 4                | MO                         |
| <i>azithromycin oral suspension for reconstitution 200 mg/5 ml</i>    | 2                | MO                         |
| <i>azithromycin oral tablet</i>                                       | 2                | MO                         |
| <i>aztreonam</i>                                                      | 4                | MO                         |
| BARACLUDE ORAL SOLUTION                                               | 5                | PAR; MO                    |

| <b>Drug Name</b>                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------------|------------------|----------------------------|
| BICILLIN C-R                                                                             | 4                | MO                         |
| BICILLIN L-A                                                                             | 4                | MO                         |
| CANCIDAS                                                                                 | 5                | B/D PAR; MO                |
| CAPASTAT                                                                                 | 4                |                            |
| CAYSTON                                                                                  | 5                | PAR; MO; LA                |
| <i>cefaclor oral capsule</i>                                                             | 3                | MO                         |
| <i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i> | 2                | MO                         |
| <i>cefaclor oral tablet extended release 12 hr</i>                                       | 3                | MO                         |
| <i>cefadroxil oral capsule</i>                                                           | 2                | MO                         |
| <i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>            | 3                | MO                         |
| <i>cefadroxil oral tablet</i>                                                            | 4                | MO                         |
| <i>cefazolin in dextrose (iso-os) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i>   | 4                | MO                         |
| <i>cefazolin injection recon soln 1 gram, 500 mg</i>                                     | 4                | MO                         |
| <i>cefazolin injection recon soln 10 gram, 100 gram, 20 gram, 300 g</i>                  | 4                |                            |
| <i>cefazolin intravenous</i>                                                             | 4                |                            |
| <i>cefdinir oral capsule</i>                                                             | 2                | MO                         |
| <i>cefdinir oral suspension for reconstitution</i>                                       | 4                | MO                         |
| <i>cefepime</i>                                                                          | 4                | MO                         |
| <i>cefepime in dextrose, iso-osm intravenous piggyback 1 gram/50 ml</i>                  | 4                | B/D PAR                    |
| <i>cefepime in dextrose, iso-osm intravenous piggyback 2 gram/100 ml</i>                 | 4                | B/D PAR; MO                |
| <i>cefotaxime injection recon soln 1 gram, 2 gram, 500 mg</i>                            | 4                |                            |
| <i>cefotetan</i>                                                                         | 4                |                            |
| <i>cefoxitin in dextrose, iso-osm</i>                                                    | 4                |                            |
| <i>cefoxitin intravenous recon soln 1 gram</i>                                           | 4                | MO                         |
| <i>cefoxitin intravenous recon soln 10 gram, 2 gram</i>                                  | 4                |                            |
| <i>cefpodoxime oral suspension for reconstitution</i>                                    | 4                | MO                         |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------|------------------|----------------------------|
| <i>cefepodoxime oral tablet 100 mg</i>                                   | 3                | MO                         |
| <i>cefepodoxime oral tablet 200 mg</i>                                   | 4                | MO                         |
| <i>cefprozil oral suspension for reconstitution</i>                      | 3                | MO                         |
| <i>cefprozil oral tablet 250 mg</i>                                      | 2                | MO                         |
| <i>cefprozil oral tablet 500 mg</i>                                      | 3                | MO                         |
| CEFTAZIDIME IN D5W                                                       | 4                | B/D PAR                    |
| <i>ceftazidime injection recon soln 1 gram, 2 gram</i>                   | 4                | MO                         |
| <i>ceftazidime injection recon soln 6 gram</i>                           | 4                |                            |
| <i>ceftriaxone in dextrose, iso-os</i>                                   | 4                | MO                         |
| <i>ceftriaxone injection recon soln 1 gram, 2 gram, 250 mg, 500 mg</i>   | 4                | MO                         |
| <i>ceftriaxone injection recon soln 10 gram</i>                          | 4                |                            |
| <i>ceftriaxone intravenous recon soln</i>                                | 4                | MO                         |
| <i>cefuroxime axetil oral tablet 250 mg</i>                              | 1                | MO                         |
| <i>cefuroxime axetil oral tablet 500 mg</i>                              | 2                | MO                         |
| <i>cefuroxime sodium injection recon soln 1.5 gram, 750 mg</i>           | 4                | MO                         |
| <i>cefuroxime sodium intravenous vial</i>                                | 4                |                            |
| <i>cephalexin oral capsule 250 mg, 500 mg</i>                            | 1                | MO                         |
| <i>cephalexin oral suspension for reconstitution</i>                     | 2                | MO                         |
| <i>cephalexin oral tablet</i>                                            | 1                | MO                         |
| <i>chloramphenicol sod succinate</i>                                     | 4                |                            |
| <i>chloroquine phosphate oral tablet 250 mg</i>                          | 4                | MO                         |
| <i>chloroquine phosphate oral tablet 500 mg</i>                          | 3                | MO                         |
| <i>cidofovir</i>                                                         | 5                | B/D PAR; MO                |
| <i>ciprofloxacin (mixture) oral tablet, er multiphase 24 hr 1,000 mg</i> | 3                | MO; QLL (14 per 2 days)    |

| <b>Drug Name</b>                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------|------------------|----------------------------|
| <i>ciprofloxacin (mixture) oral tablet, er multiphase 24 hr 500 mg</i>     | 2                | MO; QLL (3 per 2 days)     |
| <i>ciprofloxacin hcl oral tablet</i>                                       | 2                | MO                         |
| <i>ciprofloxacin in 5 % dextrose</i>                                       | 4                | B/D PAR; MO                |
| <i>ciprofloxacin lactate intravenous solution 200 mg/20 ml</i>             | 4                | MO                         |
| <i>ciprofloxacin lactate intravenous solution 400 mg/40 ml</i>             | 4                |                            |
| <i>ciprofloxacin oral suspension</i>                                       | 4                |                            |
| <i>clarithromycin oral suspension for reconstitution 125 mg/5 ml</i>       | 2                | MO                         |
| <i>clarithromycin oral suspension for reconstitution 250 mg/5 ml</i>       | 4                | MO                         |
| <i>clarithromycin oral tablet</i>                                          | 3                | MO                         |
| <i>clarithromycin oral tablet extended release 24 hr</i>                   | 3                | MO; QLL (28 per 2 days)    |
| <i>clindamycin hcl oral capsule</i>                                        | 2                | MO                         |
| <i>clindamycin in 5 % dextrose</i>                                         | 4                | MO                         |
| <i>clindamycin phosphate injection</i>                                     | 4                | MO                         |
| <i>clindamycin phosphate intravenous solution 300 mg/2 ml, 900 mg/6 ml</i> | 4                |                            |
| <i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>              | 4                | MO                         |
| <i>clotrimazole mucous membrane</i>                                        | 3                | MO                         |
| COARTEM                                                                    | 4                | MO                         |
| <i>colistin (colistimethate na)</i>                                        | 4                | MO                         |
| COMPLERA                                                                   | 5                | MO; QLL (30 per 30 days)   |
| CRIXIVAN ORAL CAPSULE 200 MG                                               | 4                | MO; QLL (360 per 30 days)  |
| CRIXIVAN ORAL CAPSULE 400 MG                                               | 4                | MO; QLL (180 per 30 days)  |
| CUBICIN                                                                    | 5                | B/D PAR; MO                |
| DAPSONE                                                                    | 3                | MO                         |
| DARAPRIM                                                                   | 3                | MO                         |
| <i>demeclocycline oral</i>                                                 | 4                | MO                         |
| <i>dicloxacillin</i>                                                       | 2                | MO                         |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------|------------------|----------------------------|
| <i>didanosine oral capsule, delayed release(dr/ec) 125 mg</i>      | 3                | MO; QLL (90 per 30 days)   |
| <i>didanosine oral capsule, delayed release(dr/ec) 200 mg</i>      | 4                | MO; QLL (60 per 30 days)   |
| <i>didanosine oral capsule, delayed release(dr/ec) 250 mg</i>      | 3                | MO; QLL (30 per 30 days)   |
| <i>didanosine oral capsule, delayed release(dr/ec) 400 mg</i>      | 4                | MO; QLL (30 per 30 days)   |
| DIFICID                                                            | 5                | PAR; MO                    |
| DORIBAX                                                            | 4                |                            |
| DOXY-100                                                           | 4                | MO                         |
| <i>doxycycline hyclate intravenous</i>                             | 4                |                            |
| <i>doxycycline hyclate oral capsule</i>                            | 4                | MO                         |
| <i>doxycycline hyclate oral tablet 100 mg</i>                      | 4                | MO                         |
| <i>doxycycline hyclate oral tablet 20 mg</i>                       | 3                | MO                         |
| <i>doxycycline hyclate oral tablet 50 mg</i>                       | 4                |                            |
| <i>doxycycline monohydrate oral tablet 100 mg</i>                  | 2                | MO                         |
| <i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>    | 4                | MO                         |
| <i>e.e.s. 400 oral tablet</i>                                      | 3                | MO                         |
| EDURANT                                                            | 5                | MO; QLL (30 per 30 days)   |
| EMTRIVA ORAL CAPSULE                                               | 4                | MO; QLL (30 per 30 days)   |
| EMTRIVA ORAL SOLUTION                                              | 4                | MO; QLL (850 per 30 days)  |
| <i>entecavir</i>                                                   | 5                | PAR; MO                    |
| EPIVIR HBV ORAL SOLUTION                                           | 3                | MO                         |
| EPIVIR ORAL SOLUTION                                               | 4                | MO; QLL (900 per 30 days)  |
| EPZICOM                                                            | 5                | MO; QLL (30 per 30 days)   |
| <i>ery-tab oral tablet, delayed release (dr/ec) 250 mg, 333 mg</i> | 3                | MO                         |

| <b>Drug Name</b>                                                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>erythrocin (as stearate) oral tablet 250 mg</i>                                     | 3                | MO                         |
| ERYTHROCIN INTRAVENOUS RECON SOLN 500 MG                                               | 4                |                            |
| <i>erythromycin ethylsuccinate oral tablet</i>                                         | 3                | MO                         |
| <i>erythromycin oral capsule, delayed release(dr/ec)</i>                               | 2                | MO                         |
| <i>erythromycin oral tablet</i>                                                        | 4                | MO                         |
| <i>ethambutol</i>                                                                      | 4                | MO                         |
| EVOTAZ                                                                                 | 5                | MO; QLL (30 per 30 days)   |
| <i>famciclovir oral tablet 125 mg, 250 mg</i>                                          | 3                | MO; QLL (60 per 30 days)   |
| <i>famciclovir oral tablet 500 mg</i>                                                  | 4                | MO; QLL (21 per 7 days)    |
| <i>fluconazole in dextrose(iso-o)</i>                                                  | 4                |                            |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 400 mg/200 ml</i> | 4                |                            |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml</i>               | 4                | MO                         |
| <i>fluconazole oral suspension for reconstitution 10 mg/ml</i>                         | 3                | MO                         |
| <i>fluconazole oral suspension for reconstitution 40 mg/ml</i>                         | 4                | MO                         |
| <i>fluconazole oral tablet 100 mg</i>                                                  | 3                | MO                         |
| <i>fluconazole oral tablet 150 mg, 50 mg</i>                                           | 2                | MO                         |
| <i>fluconazole oral tablet 200 mg</i>                                                  | 4                | MO                         |
| <i>flucytosine</i>                                                                     | 5                | MO                         |
| <i>foscarnet</i>                                                                       | 3                | B/D PAR; MO                |
| FUZEON SUBCUTANEOUS RECON SOLN                                                         | 5                | MO; QLL (60 per 30 days)   |
| <i>ganciclovir sodium</i>                                                              | 4                | MO                         |
| <i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 60 mg/50 ml</i>   | 4                | MO                         |
| GENTAMICIN IN NACL (ISO-OSM) INTRAVENOUS PIGGYBACK 100 MG/50 ML, 120 MG/100 ML         | 4                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b>    | <b>Drug Name</b>                                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------------------------|------------------|-------------------------------|-------------------------------------------------------------------------------|------------------|----------------------------|
| <i>gentamicin in nacl (iso-osm) intravenous piggyback 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml</i> | 4                |                               | ISENTRESS ORAL TABLET, CHEWABLE 100 MG                                        | 5                | MO; QLL (180 per 30 days)  |
| <i>gentamicin injection</i>                                                                                    | 4                | MO                            | ISENTRESS ORAL TABLET, CHEWABLE 25 MG                                         | 3                | MO; QLL (720 per 30 days)  |
| <i>gentamicin sulfate (ped) (pf)</i>                                                                           | 4                | MO                            | <i>isoniazid injection</i>                                                    | 4                |                            |
| <i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml</i>                                               | 4                | MO                            | <i>isoniazid oral solution</i>                                                | 4                | MO                         |
| GENTAMICIN SULFATE (PF) INTRAVENOUS SOLUTION 60 MG/6 ML                                                        | 4                |                               | <i>isoniazid oral tablet 100 mg</i>                                           | 1                | MO                         |
| <i>gentamicin sulfate (pf) intravenous solution 80 mg/8 ml</i>                                                 | 4                |                               | <i>isoniazid oral tablet 300 mg</i>                                           | 2                | MO                         |
| GRIS-PEG (ULTRAMICROSIZED) ORAL TABLET 250 MG                                                                  | 4                | MO                            | <i>itraconazole</i>                                                           | 4                | PAR; MO                    |
| <i>griseofulvin microsize oral suspension</i>                                                                  | 4                | MO                            | <i>ivermectin oral</i>                                                        | 3                | MO                         |
| <i>griseofulvin ultramicrosize</i>                                                                             | 4                | MO                            | KALETRA ORAL SOLUTION                                                         | 4                | MO; QLL (480 per 30 days)  |
| HARVONI                                                                                                        | 5                | PAR; MO; QLL (28 per 28 days) | KALETRA ORAL TABLET 100-25 MG                                                 | 5                | MO; QLL (300 per 30 days)  |
| <i>hydroxychloroquine oral</i>                                                                                 | 2                | MO                            | KALETRA ORAL TABLET 200-50 MG                                                 | 5                | MO; QLL (120 per 30 days)  |
| <i>imipenem-cilastatin intravenous recon soln 250 mg</i>                                                       | 3                | MO                            | KETEK                                                                         | 3                | MO; QLL (20 per 2 days)    |
| <i>imipenem-cilastatin intravenous recon soln 500 mg</i>                                                       | 4                | MO                            | <i>ketoconazole oral</i>                                                      | 3                | MO                         |
| INTELENCE ORAL TABLET 100 MG                                                                                   | 5                | MO; QLL (120 per 30 days)     | LAMISIL ORAL TABLET                                                           | 4                | MO; QLL (30 per 30 days)   |
| INTELENCE ORAL TABLET 200 MG                                                                                   | 5                | MO; QLL (60 per 30 days)      | <i>lamivudine oral solution</i>                                               | 4                | MO; QLL (900 per 30 days)  |
| INTELENCE ORAL TABLET 25 MG                                                                                    | 4                | QLL (480 per 30 days)         | <i>lamivudine oral tablet 100 mg</i>                                          | 4                | MO                         |
| INVANZ 1 GM ADD-VANTAGE VIAL                                                                                   | 4                |                               | <i>lamivudine oral tablet 150 mg</i>                                          | 4                | MO; QLL (60 per 30 days)   |
| INVIRASE ORAL CAPSULE                                                                                          | 5                | MO; QLL (300 per 30 days)     | <i>lamivudine oral tablet 300 mg</i>                                          | 4                | MO; QLL (30 per 30 days)   |
| INVIRASE ORAL TABLET                                                                                           | 5                | MO; QLL (120 per 30 days)     | <i>lamivudine-zidovudine</i>                                                  | 5                | MO; QLL (60 per 30 days)   |
| ISENTRESS ORAL POWDER IN PACKET                                                                                | 4                |                               | <i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml</i>                 | 4                |                            |
| ISENTRESS ORAL TABLET                                                                                          | 5                | MO; QLL (120 per 30 days)     | <i>levofloxacin in d5w intravenous piggyback 500 mg/100 ml, 750 mg/150 ml</i> | 4                | MO                         |
|                                                                                                                |                  |                               | <i>levofloxacin oral tablet</i>                                               | 2                | MO; QLL (14 per 2 days)    |
|                                                                                                                |                  |                               | LEXIVA ORAL SUSPENSION                                                        | 4                | MO; QLL (1800 per 30 days) |
|                                                                                                                |                  |                               | LEXIVA ORAL TABLET                                                            | 5                | MO; QLL (120 per 30 days)  |
|                                                                                                                |                  |                               | LINCOCIN                                                                      | 4                | MO                         |
|                                                                                                                |                  |                               | <i>linezolid intravenous</i>                                                  | 5                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                        | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|-------------------------------------------------------------------------|------------------|------------------------------|
| <i>linezolid oral</i>                                                   | 5                | PAR; MO; QLL (28 per 2 days) |
| <i>linezolid-0.9% sodium chloride</i>                                   | 5                |                              |
| MALARONE                                                                | 4                | MO                           |
| <i>mefloquine</i>                                                       | 3                | MO                           |
| <i>meropenem</i>                                                        | 4                | MO                           |
| <i>methenamine hippurate</i>                                            | 4                | MO                           |
| <i>methenamine mandelate</i>                                            | 2                | MO                           |
| <i>metro i.v.</i>                                                       | 4                | MO                           |
| <i>metronidazole in nacl (iso-os)</i>                                   | 4                | MO                           |
| <i>metronidazole oral capsule</i>                                       | 4                |                              |
| <i>metronidazole oral tablet</i>                                        | 2                | MO                           |
| <i>minocycline oral capsule 100 mg, 50 mg</i>                           | 2                | MO                           |
| <i>minocycline oral capsule 75 mg</i>                                   | 3                | MO                           |
| <i>minocycline oral tablet</i>                                          | 4                | MO                           |
| <i>moxifloxacin</i>                                                     | 3                | MO; QLL (21 per 2 days)      |
| MYCAMINE                                                                | 5                | MO                           |
| <i>nafcilin</i>                                                         | 5                | MO                           |
| <i>nafcilin in dextrose iso-osm intravenous piggyback 1 gram/50 ml</i>  | 4                |                              |
| <i>nafcilin in dextrose iso-osm intravenous piggyback 2 gram/100 ml</i> | 4                | MO                           |
| NEBUPENT                                                                | 3                | B/D PAR; MO                  |
| <i>neomycin</i>                                                         | 2                | MO                           |
| <i>nevirapine oral suspension</i>                                       | 4                | MO; QLL (1200 per 30 days)   |
| <i>nevirapine oral tablet</i>                                           | 3                | MO; QLL (60 per 30 days)     |
| <i>nevirapine oral tablet extended release 24 hr</i>                    | 4                | MO; QLL (30 per 30 days)     |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i>           | 4                | PAR; MO                      |
| <i>nitrofurantoin monohyd/m-cryst</i>                                   | 4                | PAR; MO                      |
| NORVIR ORAL CAPSULE                                                     | 4                | MO; QLL (360 per 30 days)    |
| NORVIR ORAL SOLUTION                                                    | 4                | MO; QLL (480 per 30 days)    |

| <b>Drug Name</b>                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|--------------------------------------------------------------------------|------------------|--------------------------------|
| NORVIR ORAL TABLET                                                       | 3                | MO; QLL (360 per 30 days)      |
| NOXAFIL ORAL SUSPENSION                                                  | 5                | PAR; MO; QLL (630 per 30 days) |
| <i>nystatin oral suspension</i>                                          | 2                | MO                             |
| <i>nystatin oral tablet</i>                                              | 2                | MO                             |
| <i>ofloxacin oral tablet 400 mg</i>                                      | 3                | MO                             |
| OLYSIO                                                                   | 5                | PAR; MO                        |
| <i>oxacillin in dextrose(iso-osm) intravenous piggyback 1 gram/50 ml</i> | 4                |                                |
| <i>oxacillin in dextrose(iso-osm) intravenous piggyback 2 gram/50 ml</i> | 5                | MO                             |
| <i>oxacillin injection</i>                                               | 5                | MO                             |
| <i>oxacillin intravenous</i>                                             | 5                |                                |
| <i>paromomycin</i>                                                       | 4                | MO                             |
| PASER                                                                    | 4                | MO                             |
| PENICILLIN G POT IN DEXTROSE                                             | 4                |                                |
| <i>penicillin g potassium</i>                                            | 5                | MO                             |
| <i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml</i> | 4                | MO                             |
| <i>penicillin g procaine intramuscular syringe 600,000 unit/ml</i>       | 4                |                                |
| <i>penicillin g sodium</i>                                               | 4                | MO                             |
| <i>penicillin v potassium oral recon soln</i>                            | 1                | MO                             |
| <i>penicillin v potassium oral tablet 250 mg</i>                         | 1                | MO                             |
| <i>penicillin v potassium oral tablet 500 mg</i>                         | 2                | MO                             |
| PENTAM                                                                   | 4                | MO                             |
| <i>pfizerpen-g</i>                                                       | 4                |                                |
| <i>piperacillin-tazobactam</i>                                           | 4                | MO                             |
| <i>polymyxin b sulfate</i>                                               | 4                |                                |
| PREZCOBIX                                                                | 5                | MO; QLL (30 per 30 days)       |
| PREZISTA ORAL SUSPENSION                                                 | 5                | MO; QLL (400 per 30 days)      |
| PREZISTA ORAL TABLET 150 MG                                              | 4                | MO; QLL (180 per 30 days)      |
| PREZISTA ORAL TABLET 600 MG, 800 MG                                      | 5                | MO; QLL (60 per 30 days)       |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                     | <b>Drug Tier</b> | <b>Requirements/Limits</b> | <b>Drug Name</b>                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b>         |
|--------------------------------------|------------------|----------------------------|--------------------------------------------------------------------|------------------|------------------------------------|
| PREZISTA ORAL TABLET 75 MG           | 4                | MO; QLL (300 per 30 days)  | STROMECTOL                                                         | 3                | MO                                 |
| PRIFTIN                              | 4                | MO                         | <i>sulfadiazine oral</i>                                           | 4                | MO                                 |
| PRIMAQUINE                           | 3                | MO                         | <i>sulfamethoxazole-trimethoprim intravenous</i>                   | 4                | MO                                 |
| <i>pyrazinamide</i>                  | 4                | MO                         | <i>sulfamethoxazole-trimethoprim oral suspension</i>               | 2                | MO                                 |
| RELENZA DISKHALER                    | 3                | MO; QLL (60 per 180 days)  | <i>sulfamethoxazole-trimethoprim oral tablet</i>                   | 1                | MO                                 |
| RESCRIPTOR ORAL TABLET               | 4                | MO; QLL (180 per 30 days)  | SUSTIVA ORAL CAPSULE 200 MG                                        | 4                | MO; QLL (120 per 30 days)          |
| RESCRIPTOR ORAL TABLET, DISPERSIBLE  | 4                | MO; QLL (360 per 30 days)  | SUSTIVA ORAL CAPSULE 50 MG                                         | 4                | MO; QLL (360 per 30 days)          |
| RETROVIR INTRAVENOUS                 | 4                | MO                         | SUSTIVA ORAL TABLET                                                | 5                | MO; QLL (30 per 30 days)           |
| REYATAZ ORAL CAPSULE 150 MG, 200 MG  | 5                | MO; QLL (60 per 30 days)   | SYNAGIS                                                            | 5                | PAR; MO; LA                        |
| REYATAZ ORAL CAPSULE 300 MG          | 5                | MO; QLL (30 per 30 days)   | SYNERCID                                                           | 5                |                                    |
| REYATAZ ORAL POWDER IN PACKET        | 4                | MO; QLL (240 per 30 days)  | TAMIFLU                                                            | 3                | MO                                 |
| <i>ribasphere oral capsule</i>       | 4                | MO                         | TEFLARO INTRAVENOUS RECON SOLN 400 MG                              | 4                | MO                                 |
| <i>ribasphere oral tablet 200 mg</i> | 4                | MO                         | TEFLARO INTRAVENOUS RECON SOLN 600 MG                              | 5                | MO                                 |
| <i>ribavirin oral capsule</i>        | 4                | MO                         | <i>terbinafine hcl oral</i>                                        | 2                | MO; QLL (30 per 30 days)           |
| <i>ribavirin oral tablet 200 mg</i>  | 3                | MO                         | <i>tetracycline</i>                                                | 4                | MO                                 |
| <i>rifabutin</i>                     | 4                | MO                         | TIMENTIN INTRAVENOUS RECON SOLN 31 GRAM                            | 4                |                                    |
| <i>rifampin intravenous</i>          | 4                | MO                         | <i>tinidazole oral tablet 250 mg</i>                               | 2                | MO                                 |
| <i>rifampin oral</i>                 | 4                | MO                         | <i>tinidazole oral tablet 500 mg</i>                               | 4                | MO                                 |
| RIFATER                              | 4                | MO                         | TIVICAY                                                            | 5                | MO; QLL (60 per 30 days)           |
| <i>rimantadine</i>                   | 4                | MO                         | <i>tobramycin in 0.225 % nacl</i>                                  | 5                | B/D PAR; MO; QLL (280 per 28 days) |
| SELZENTRY                            | 5                | MO; QLL (120 per 30 days)  | <i>tobramycin in 0.9 % nacl intravenous piggyback 80 mg/100 ml</i> | 4                | B/D PAR; MO                        |
| SIRTURO                              | 5                | PAR; MO; LA                | <i>tobramycin sulfate injection recon soln</i>                     | 4                |                                    |
| SOVALDI                              | 5                | PAR; MO                    | <i>tobramycin sulfate injection solution</i>                       | 4                | MO                                 |
| <i>stavudine oral capsule 15 mg</i>  | 3                | MO; QLL (120 per 30 days)  | TRECATOR                                                           | 4                | MO                                 |
| <i>stavudine oral capsule 20 mg</i>  | 4                | MO; QLL (120 per 30 days)  | <i>trimethoprim</i>                                                | 2                | MO                                 |
| <i>stavudine oral capsule 30 mg</i>  | 3                | MO; QLL (60 per 30 days)   | TRIUMEQ                                                            | 5                | MO; QLL (30 per 30 days)           |
| <i>stavudine oral capsule 40 mg</i>  | 4                | MO; QLL (60 per 30 days)   | TRUVADA                                                            | 5                | MO; QLL (30 per 30 days)           |
| <i>stavudine oral recon soln</i>     | 3                | MO; QLL (2400 per 30 days) |                                                                    |                  |                                    |
| STREPTOMYCIN INTRAMUSCULAR           | 4                | MO                         |                                                                    |                  |                                    |
| STRIBILD                             | 5                | MO; QLL (30 per 30 days)   |                                                                    |                  |                                    |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|--------------------------------------------------------|------------------|--------------------------------|
| TYBOST                                                 | 3                | MO; QLL (30 per 30 days)       |
| TYGACIL                                                | 5                | MO                             |
| TYZEKA                                                 | 5                | PAR; MO                        |
| <i>valacyclovir</i>                                    | 3                | MO; QLL (30 per 2 days)        |
| <i>valganciclovir</i>                                  | 5                | MO                             |
| VANCOMYCIN 750 MG/150 ML BAG                           | 4                | B/D PAR                        |
| VANCOMYCIN IN D5W INTRAVENOUS PIGGYBACK 1 GRAM/200 ML  | 4                | B/D PAR; MO                    |
| VANCOMYCIN IN D5W INTRAVENOUS PIGGYBACK 500 MG/100 ML  | 4                | B/D PAR                        |
| <i>vancomycin intravenous</i>                          | 4                | B/D PAR; MO                    |
| VANCOMYCIN INTRAVENOUS 750 MG                          | 4                | B/D PAR; MO                    |
| <i>vancomycin oral capsule 125 mg</i>                  | 5                | PAR; MO; QLL (40 per 2 days)   |
| <i>vancomycin oral capsule 250 mg</i>                  | 5                | PAR; MO; QLL (80 per 2 days)   |
| VIDEX 2 GRAM PEDIATRIC                                 | 4                | MO; QLL (1200 per 30 days)     |
| VIDEX 4 GRAM PEDIATRIC                                 | 4                | MO; QLL (1200 per 30 days)     |
| VIEKIRA PAK                                            | 5                | PAR; MO                        |
| VIRACEPT ORAL TABLET 250 MG                            | 5                | MO; QLL (300 per 30 days)      |
| VIRACEPT ORAL TABLET 625 MG                            | 5                | MO; QLL (120 per 30 days)      |
| VIRAMUNE XR ORAL TABLET EXTENDED RELEASE 24 HR 100 MG  | 4                | MO                             |
| VIRAZOLE                                               | 5                | PAR; MO                        |
| VIREAD ORAL POWDER                                     | 5                | MO; QLL (240 per 30 days)      |
| VIREAD ORAL TABLET 150 MG, 250 MG, 300 MG              | 5                | MO; QLL (30 per 30 days)       |
| VIREAD ORAL TABLET 200 MG                              | 4                | MO; QLL (30 per 30 days)       |
| VITEKTA                                                | 5                | MO; QLL (30 per 30 days)       |
| <i>voriconazole intravenous</i>                        | 4                | MO                             |
| <i>voriconazole oral suspension for reconstitution</i> | 5                | PAR; MO; QLL (300 per 30 days) |

| <b>Drug Name</b>                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|-----------------------------------------------------------------|------------------|--------------------------------|
| <i>voriconazole oral tablet 200 mg</i>                          | 5                | PAR; MO; QLL (60 per 30 days)  |
| <i>voriconazole oral tablet 50 mg</i>                           | 5                | PAR; MO; QLL (120 per 30 days) |
| ZIAGEN ORAL SOLUTION                                            | 4                | MO; QLL (960 per 30 days)      |
| <i>zidovudine oral capsule</i>                                  | 4                | MO; QLL (180 per 30 days)      |
| <i>zidovudine oral syrup</i>                                    | 3                | MO; QLL (1920 per 30 days)     |
| <i>zidovudine oral tablet</i>                                   | 3                | MO; QLL (60 per 30 days)       |
| ZITHROMAX ORAL PACKET                                           | 4                | MO                             |
| ZITHROMAX ORAL TABLET 250 MG                                    | 4                | MO                             |
| ZITHROMAX Z-PAK                                                 | 4                | MO                             |
| ZMAX                                                            | 3                | MO                             |
| ZYVOX INTRAVENOUS PARENTERAL SOLUTION 200 MG/100 ML             | 5                |                                |
| ZYVOX INTRAVENOUS PARENTERAL SOLUTION 600 MG/300 ML             | 5                | MO                             |
| ZYVOX ORAL SUSPENSION FOR RECONSTITUTION                        | 5                | PAR; MO; QLL (1800 per 2 days) |
| <b>Antineoplastic / Immunosuppressant Drugs</b>                 |                  |                                |
| ABRAXANE                                                        | 5                | B/D PAR; MO                    |
| <i>adrucil intravenous solution 2.5 gram/50 ml</i>              | 4                | B/D PAR                        |
| <i>adrucil intravenous solution 5 gram/100 ml, 500 mg/10 ml</i> | 4                | B/D PAR; MO                    |
| AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 5 MG          | 5                | PAR; MO; QLL (60 per 30 days)  |
| AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 3 MG                | 5                | PAR; MO; QLL (90 per 30 days)  |
| AFINITOR ORAL TABLET 10 MG                                      | 5                | PAR; MO; QLL (30 per 30 days)  |
| AFINITOR ORAL TABLET 2.5 MG                                     | 5                | PAR; MO; QLL (120 per 30 days) |
| AFINITOR ORAL TABLET 5 MG                                       | 5                | PAR; MO; QLL (60 per 30 days)  |
| AFINITOR ORAL TABLET 7.5 MG                                     | 5                | PAR; MO; QLL (40 per 30 days)  |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|-----------------------------------------------------|------------------|-----------------------------------|
| ALIMTA                                              | 5                | PAR; MO                           |
| ALKERAN ORAL                                        | 4                | B/D PAR; MO                       |
| <i>amifostine crystalline</i>                       | 5                | PAR; MO                           |
| <i>anastrozole</i>                                  | 3                | MO; QLL (30 per 30 days)          |
| ARRANON                                             | 4                | B/D PAR                           |
| ARZERRA                                             | 5                | PAR; MO                           |
| AVASTIN                                             | 5                | PAR; MO                           |
| <i>azacitidine</i>                                  | 5                | PAR; MO                           |
| <i>azathioprine</i>                                 | 2                | B/D PAR; MO                       |
| BELEODAQ                                            | 5                | PAR; MO                           |
| <i>bicalutamide</i>                                 | 3                | MO                                |
| BICNU                                               | 4                | B/D PAR; MO                       |
| <i>bleomycin</i>                                    | 4                | B/D PAR; MO                       |
| BLINCYTO                                            | 5                | PAR; MO                           |
| BOSULIF ORAL TABLET 100 MG                          | 5                | PAR; MO; QLL (120 per 30 days)    |
| BOSULIF ORAL TABLET 500 MG                          | 5                | PAR; MO; QLL (30 per 30 days)     |
| BUSULFEX                                            | 4                | B/D PAR                           |
| CAPRELSA ORAL TABLET 100 MG                         | 5                | PAR; MO; LA; QLL (90 per 30 days) |
| CAPRELSA ORAL TABLET 300 MG                         | 5                | PAR; MO; LA; QLL (30 per 30 days) |
| <i>carboplatin intravenous solution</i>             | 4                | B/D PAR; MO                       |
| CELLCEPT INTRAVENOUS                                | 4                | B/D PAR; MO                       |
| <i>cisplatin</i>                                    | 4                | B/D PAR; MO                       |
| <i>cladribine</i>                                   | 5                | B/D PAR; MO                       |
| CLOLAR                                              | 5                | B/D PAR; MO                       |
| COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG[1]-20 MG[1]) | 5                | PAR; MO; QLL (56 per 28 days)     |
| COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG[1]-20 MG[3]) | 5                | PAR; MO; QLL (112 per 28 days)    |
| COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG [3]/DAY)     | 5                | PAR; MO; QLL (84 per 28 days)     |
| COSMEGEN                                            | 5                | B/D PAR; MO                       |
| <i>cyclophosphamide oral capsule</i>                | 4                | B/D PAR; MO                       |
| <i>cyclosporine intravenous</i>                     | 4                | B/D PAR                           |
| <i>cyclosporine modified</i>                        | 4                | B/D PAR; MO                       |
| <i>cyclosporine oral capsule</i>                    | 4                | B/D PAR; MO                       |
| CYRAMZA                                             | 5                | PAR; MO                           |

| <b>Drug Name</b>                                                                                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|------------------------------------------------------------------------------------------------------------------------|------------------|-------------------------------|
| <i>cytarabine</i>                                                                                                      | 4                | B/D PAR; MO                   |
| <i>cytarabine (pf) injection solution 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)</i>                             | 4                | B/D PAR; MO                   |
| <i>cytarabine (pf) injection solution 20 mg/ml</i>                                                                     | 4                | B/D PAR                       |
| <i>dacarbazine</i>                                                                                                     | 4                | B/D PAR; MO                   |
| <i>daunorubicin intravenous solution</i>                                                                               | 4                | B/D PAR                       |
| <i>decitabine</i>                                                                                                      | 5                | B/D PAR; MO                   |
| <i>dexrazoxane hcl intravenous recon soln 250 mg</i>                                                                   | 5                | B/D PAR                       |
| <i>dexrazoxane hcl intravenous recon soln 500 mg</i>                                                                   | 5                | B/D PAR; MO                   |
| DOCEFREZ INTRAVENOUS RECON SOLN 20 MG                                                                                  | 5                | B/D PAR                       |
| <i>docetaxel intravenous solution 10 mg/ml, 140 mg/7 ml (20 mg/ml), 160 mg/16 ml (10 mg/ml), 20 mg/2 ml (10 mg/ml)</i> | 5                | B/D PAR                       |
| <i>docetaxel intravenous solution 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml)</i>                    | 5                | B/D PAR; MO                   |
| <i>doxorubicin intravenous recon soln</i>                                                                              | 4                | B/D PAR                       |
| <i>doxorubicin intravenous solution</i>                                                                                | 4                | B/D PAR; MO                   |
| ELITEK                                                                                                                 | 5                | PAR                           |
| EMCYT                                                                                                                  | 5                | MO                            |
| <i>epirubicin intravenous solution 200 mg/100 ml</i>                                                                   | 4                | B/D PAR                       |
| <i>epirubicin intravenous solution 50 mg/25 ml</i>                                                                     | 4                | B/D PAR; MO                   |
| ERBITUX                                                                                                                | 5                | PAR; MO                       |
| ERIVEDGE                                                                                                               | 5                | PAR; MO; QLL (30 per 30 days) |
| ERWINAZE                                                                                                               | 5                | PAR; MO                       |
| ETOPOPHOS                                                                                                              | 5                | B/D PAR; MO                   |
| <i>etoposide intravenous</i>                                                                                           | 3                | B/D PAR; MO                   |
| <i>exemestane</i>                                                                                                      | 4                | MO; QLL (60 per 30 days)      |
| FARESTON                                                                                                               | 5                | MO; QLL (30 per 30 days)      |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|---------------------------------------------------------------|------------------|--------------------------------|
| FARYDAK ORAL CAPSULE 10 MG                                    | 5                | PAR; MO; QLL (60 per 30 days)  |
| FARYDAK ORAL CAPSULE 15 MG, 20 MG                             | 5                | PAR; MO; QLL (30 per 30 days)  |
| FASLODEX                                                      | 5                | PAR; MO                        |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG | 5                | PAR; MO                        |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG  | 4                | PAR; MO                        |
| <i>fludarabine intravenous recon soln</i>                     | 4                | B/D PAR; MO                    |
| <i>fludarabine intravenous solution</i>                       | 4                | B/D PAR                        |
| <i>fluorouracil intravenous</i>                               | 4                | B/D PAR; MO                    |
| <i>flutamide</i>                                              | 4                | MO                             |
| FOLOTYN                                                       | 5                | B/D PAR; MO                    |
| FUSILEV                                                       | 5                | B/D PAR; MO                    |
| GAZYVA                                                        | 5                | PAR; MO                        |
| <i>gemcitabine intravenous recon soln 1 gram, 200 mg</i>      | 5                | B/D PAR; MO                    |
| <i>gemcitabine intravenous recon soln 2 gram</i>              | 5                | B/D PAR                        |
| <i>gemcitabine intravenous solution</i>                       | 5                | B/D PAR                        |
| <i>gengraf</i>                                                | 4                | B/D PAR; MO                    |
| GILOTRIF                                                      | 5                | PAR; MO; QLL (30 per 30 days)  |
| GLEEVEC ORAL TABLET 100 MG                                    | 5                | PAR; MO; QLL (240 per 30 days) |
| GLEEVEC ORAL TABLET 400 MG                                    | 5                | PAR; MO; QLL (60 per 30 days)  |
| GLEOSTINE                                                     | 4                | MO                             |
| HALAVEN                                                       | 5                | PAR; MO                        |
| HERCEPTIN                                                     | 5                | PAR; MO                        |
| HEXALEN                                                       | 5                | MO                             |
| <i>hydroxyurea</i>                                            | 2                | MO                             |
| IBRANCE                                                       | 5                | PAR; MO; QLL (30 per 30 days)  |
| ICLUSIG ORAL TABLET 15 MG                                     | 5                | PAR; MO; QLL (60 per 30 days)  |
| ICLUSIG ORAL TABLET 45 MG                                     | 5                | PAR; MO; QLL (30 per 30 days)  |
| <i>idarubicin</i>                                             | 5                | B/D PAR                        |
| IFEX                                                          | 4                | B/D PAR; MO                    |

| <b>Drug Name</b>                                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|-------------------------------------------------------------------------------|------------------|--------------------------------|
| <i>ifosfamide intravenous recon soln 1 gram</i>                               | 4                | B/D PAR; MO                    |
| <i>ifosfamide intravenous recon soln 3 gram</i>                               | 4                | B/D PAR                        |
| <i>ifosfamide intravenous solution</i>                                        | 4                | B/D PAR                        |
| IMBRUVICA                                                                     | 5                | PAR; MO; QLL (120 per 30 days) |
| INLYTA ORAL TABLET 1 MG                                                       | 5                | PAR; MO; QLL (240 per 30 days) |
| INLYTA ORAL TABLET 5 MG                                                       | 5                | PAR; MO; QLL (120 per 30 days) |
| <i>irinotecan intravenous solution 100 mg/5 ml, 40 mg/2 ml</i>                | 4                | B/D PAR; MO                    |
| <i>irinotecan intravenous solution 500 mg/25 ml</i>                           | 4                | B/D PAR                        |
| ISTODAX                                                                       | 5                | PAR; MO                        |
| IXEMPRA                                                                       | 5                | B/D PAR; MO                    |
| JAKAFI ORAL TABLET 10 MG                                                      | 5                | PAR; MO; QLL (150 per 30 days) |
| JAKAFI ORAL TABLET 15 MG                                                      | 5                | PAR; MO; QLL (100 per 30 days) |
| JAKAFI ORAL TABLET 20 MG                                                      | 5                | PAR; MO; QLL (75 per 30 days)  |
| JAKAFI ORAL TABLET 25 MG                                                      | 5                | PAR; MO; QLL (60 per 30 days)  |
| JAKAFI ORAL TABLET 5 MG                                                       | 5                | PAR; MO; QLL (300 per 30 days) |
| JEVTANA                                                                       | 5                | B/D PAR; MO                    |
| KADCYLA                                                                       | 5                | PAR; MO                        |
| KEYTRUDA                                                                      | 5                | PAR; MO                        |
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG [1]/DAY)                                | 5                | PAR; MO; QLL (30 per 30 days)  |
| LENVIMA ORAL CAPSULE 14 MG (10 MG[1] -4 MG[1])/DAY, 20 MG/DAY (10 MG [2]/DAY) | 5                | PAR; MO; QLL (60 per 30 days)  |
| LENVIMA ORAL CAPSULE 24 MG (10 MG[2] -4 MG[1])/DAY                            | 5                | PAR; MO; QLL (90 per 30 days)  |
| <i>letrozole</i>                                                              | 3                | MO; QLL (30 per 30 days)       |
| <i>leucovorin calcium injection recon soln 100 mg, 350 mg</i>                 | 4                | B/D PAR; MO                    |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|--------------------------------------------------------------|------------------|--------------------------------|
| <i>leucovorin calcium injection recon soln 200 mg, 50 mg</i> | 4                | MO                             |
| <i>leucovorin calcium injection recon soln 500 mg</i>        | 4                | B/D PAR                        |
| <i>leucovorin calcium oral tablet 10 mg, 25 mg</i>           | 4                | MO                             |
| <i>leucovorin calcium oral tablet 15 mg, 5 mg</i>            | 2                | MO                             |
| LEUKERAN                                                     | 4                | MO                             |
| <i>leuprolide</i>                                            | 4                | PAR; MO                        |
| LOMUSTINE                                                    | 4                | MO                             |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG               | 5                | PAR; MO; QLL (1 per 28 days)   |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG                | 5                | PAR; MO                        |
| LUPRON DEPOT-PED INTRAMUSCULAR KIT 7.5 MG (PED)              | 5                | PAR; MO; QLL (1 per 28 days)   |
| LYNPARZA                                                     | 5                | PAR; MO; QLL (480 per 30 days) |
| LYSODREN                                                     | 3                | MO                             |
| MATULANE                                                     | 5                | MO                             |
| <i>megestrol oral suspension 400 mg/10 ml (10 ml)</i>        | 4                | PAR                            |
| <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>     | 4                | PAR; MO                        |
| <i>megestrol oral tablet</i>                                 | 3                | PAR; MO                        |
| MEKINIST ORAL TABLET 0.5 MG                                  | 5                | PAR; MO; QLL (90 per 30 days)  |
| MEKINIST ORAL TABLET 2 MG                                    | 5                | PAR; MO; QLL (30 per 30 days)  |
| <i>melphalan hcl</i>                                         | 3                | B/D PAR                        |
| <i>mercaptopurine</i>                                        | 3                | MO                             |
| <i>mesna</i>                                                 | 4                | B/D PAR; MO                    |
| MESNEX ORAL                                                  | 5                | MO                             |
| <i>methotrexate sodium (pf) injection recon soln</i>         | 4                | B/D PAR                        |
| <i>methotrexate sodium (pf) injection solution</i>           | 4                | B/D PAR; MO                    |
| <i>methotrexate sodium injection</i>                         | 4                | B/D PAR; MO                    |
| <i>methotrexate sodium oral</i>                              | 2                | MO                             |
| <i>mitomycin</i>                                             | 5                | B/D PAR; MO                    |
| <i>mitoxantrone</i>                                          | 3                | MO                             |

| <b>Drug Name</b>                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b>         |
|---------------------------------------------------------------------------------|------------------|------------------------------------|
| MUSTARGEN                                                                       | 4                | B/D PAR; MO                        |
| <i>mycophenolate mofetil oral capsule</i>                                       | 3                | B/D PAR; MO                        |
| <i>mycophenolate mofetil oral suspension for reconstitution</i>                 | 5                | B/D PAR; MO                        |
| <i>mycophenolate mofetil oral tablet</i>                                        | 3                | B/D PAR; MO                        |
| NEXAVAR                                                                         | 5                | PAR; MO; LA; QLL (120 per 30 days) |
| NILANDRON                                                                       | 5                | MO; QLL (30 per 30 days)           |
| NIPENT                                                                          | 5                | B/D PAR; MO                        |
| NULOJIX                                                                         | 5                | PAR; MO                            |
| <i>octreotide acetate injection solution 1,000 mcg/ml, 500 mcg/ml</i>           | 5                | PAR; MO                            |
| <i>octreotide acetate injection solution 100 mcg/ml, 200 mcg/ml, 50 mcg/ml</i>  | 4                | PAR; MO                            |
| <i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml)</i> | 4                | PAR; MO                            |
| <i>octreotide acetate injection syringe 500 mcg/ml (1 ml)</i>                   | 5                | PAR; MO                            |
| ONCASPAR                                                                        | 5                | PAR; MO                            |
| OPDIVO                                                                          | 5                | PAR; MO                            |
| <i>oxaliplatin intravenous recon soln 100 mg</i>                                | 5                | B/D PAR; MO                        |
| <i>oxaliplatin intravenous recon soln 50 mg</i>                                 | 5                | B/D PAR                            |
| <i>oxaliplatin intravenous solution</i>                                         | 5                | B/D PAR; MO                        |
| <i>paclitaxel</i>                                                               | 4                | B/D PAR; MO                        |
| PERJETA                                                                         | 5                | PAR; MO                            |
| POMALYST ORAL CAPSULE 1 MG                                                      | 5                | PAR; MO; QLL (120 per 30 days)     |
| POMALYST ORAL CAPSULE 2 MG                                                      | 5                | PAR; MO; QLL (60 per 30 days)      |
| POMALYST ORAL CAPSULE 3 MG, 4 MG                                                | 5                | PAR; MO; QLL (30 per 30 days)      |
| PROGRAF INTRAVENOUS                                                             | 4                | B/D PAR; MO                        |
| PURIXAN                                                                         | 5                | PAR; MO                            |
| RAPAMUNE ORAL SOLUTION                                                          | 5                | B/D PAR; MO                        |
| REVLIMID ORAL CAPSULE 10 MG                                                     | 5                | PAR; MO; LA; QLL (60 per 30 days)  |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                     | <b>Drug Tier</b> | <b>Requirements/Limits</b>         |
|----------------------------------------------------------------------|------------------|------------------------------------|
| REVLIMID ORAL CAPSULE 15 MG, 2.5 MG, 20 MG, 25 MG                    | 5                | PAR; MO; LA; QLL (30 per 30 days)  |
| REVLIMID ORAL CAPSULE 5 MG                                           | 5                | PAR; MO; LA; QLL (150 per 30 days) |
| RITUXAN                                                              | 5                | PAR; MO                            |
| SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON   | 5                | PAR; MO                            |
| SIGNIFOR                                                             | 5                | MO                                 |
| SIMULECT INTRAVENOUS RECON SOLN 10 MG                                | 5                | B/D PAR                            |
| SIMULECT INTRAVENOUS RECON SOLN 20 MG                                | 5                | B/D PAR; MO                        |
| <i>sirolimus</i>                                                     | 4                | B/D PAR; MO                        |
| SOLTAMOX                                                             | 4                | MO                                 |
| SOMATULINE DEPOT                                                     | 5                | PAR; MO                            |
| SPRYCEL                                                              | 5                | PAR; MO; QLL (30 per 30 days)      |
| STIVARGA                                                             | 5                | PAR; MO; QLL (120 per 30 days)     |
| SUTENT ORAL CAPSULE 12.5 MG                                          | 5                | PAR; MO; QLL (90 per 30 days)      |
| SUTENT ORAL CAPSULE 25 MG, 37.5 MG, 50 MG                            | 5                | PAR; MO; QLL (30 per 30 days)      |
| SYNRIBO                                                              | 5                | PAR; MO                            |
| TABLOID                                                              | 4                | MO                                 |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg</i>                          | 4                | B/D PAR; MO                        |
| <i>tacrolimus oral capsule 5 mg</i>                                  | 5                | B/D PAR; MO                        |
| TAFINLAR                                                             | 5                | PAR; MO; QLL (120 per 30 days)     |
| <i>tamoxifen</i>                                                     | 2                | MO                                 |
| TARCEVA ORAL TABLET 100 MG, 150 MG                                   | 5                | PAR; MO; QLL (30 per 30 days)      |
| TARCEVA ORAL TABLET 25 MG                                            | 5                | PAR; MO; QLL (90 per 30 days)      |
| TARGRETIN ORAL                                                       | 5                | PAR; MO; QLL (300 per 30 days)     |
| TARGRETIN TOPICAL                                                    | 5                | PAR; MO                            |
| TASIGNA                                                              | 5                | PAR; MO; QLL (120 per 30 days)     |
| TAXOTERE INTRAVENOUS SOLUTION 20 MG/ML (1 ML), 80 MG/4 ML (20 MG/ML) | 5                | B/D PAR; MO                        |

| <b>Drug Name</b>                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b>         |
|------------------------------------------------------------|------------------|------------------------------------|
| THALOMID ORAL CAPSULE 100 MG, 50 MG                        | 5                | PAR; MO; QLL (30 per 30 days)      |
| THALOMID ORAL CAPSULE 150 MG, 200 MG                       | 5                | PAR; MO; QLL (60 per 30 days)      |
| <i>toposar</i>                                             | 4                | B/D PAR; MO                        |
| <i>topotecan</i>                                           | 5                | B/D PAR; MO                        |
| TORISEL                                                    | 5                | B/D PAR; MO                        |
| TREANDA                                                    | 5                | B/D PAR; MO                        |
| TRELSTAR DEPOT                                             | 5                |                                    |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION       | 5                | MO; QLL (1 per 168 days)           |
| TRELSTAR INTRAMUSCULAR SYRINGE 11.25 MG/2 ML, 3.75 MG/2 ML | 5                | MO                                 |
| TRELSTAR INTRAMUSCULAR SYRINGE 22.5 MG/2 ML                | 5                | MO; QLL (1 per 168 days)           |
| TRELSTAR LA                                                | 5                |                                    |
| <i>tretinoin (chemotherapy) capsule</i>                    | 5                | MO                                 |
| TRISENOX                                                   | 5                | B/D PAR; MO                        |
| TYKERB                                                     | 5                | PAR; MO; LA; QLL (180 per 30 days) |
| VECTIBIX                                                   | 5                | PAR; MO                            |
| VELCADE                                                    | 5                | PAR; MO                            |
| <i>vinblastine intravenous solution</i>                    | 4                | B/D PAR; MO                        |
| VINCASAR PFS INTRAVENOUS SOLUTION 1 MG/ML                  | 4                | B/D PAR                            |
| <i>vincasar pfs intravenous solution 2 mg/2 ml</i>         | 4                | B/D PAR; MO                        |
| <i>vincristine</i>                                         | 4                | B/D PAR; MO                        |
| <i>vinorelbine</i>                                         | 4                | B/D PAR; MO                        |
| VOTRIENT                                                   | 5                | PAR; MO; QLL (120 per 30 days)     |
| XALKORI                                                    | 5                | PAR; MO; QLL (60 per 30 days)      |
| XGEVA                                                      | 5                | PAR; MO; QLL (1.7 per 28 days)     |
| XTANDI                                                     | 5                | PAR; MO; QLL (120 per 30 days)     |
| YERVOY                                                     | 5                | PAR; MO                            |
| ZALTRAP                                                    | 5                | PAR; MO                            |
| ZANOSAR                                                    | 4                | B/D PAR; MO                        |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>     | <b>Drug Name</b>                                                                     | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|--------------------------------------------------------------------------------------------------------------------------|------------------|--------------------------------|--------------------------------------------------------------------------------------|------------------|-----------------------------------|
| ZELBORAF                                                                                                                 | 5                | PAR; MO; QLL (240 per 30 days) | <i>amoxapine oral tablet 150 mg, 25 mg</i>                                           | 2                | MO                                |
| ZOLINZA                                                                                                                  | 5                | PAR; MO; QLL (120 per 30 days) | <i>amphetamine salt combo oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg</i> | 3                | PAR; MO; QLL (90 per 30 days)     |
| ZORTRESS ORAL TABLET 0.25 MG                                                                                             | 4                | B/D PAR; MO                    | <i>amphetamine salt combo oral tablet 30 mg</i>                                      | 3                | PAR; MO; QLL (60 per 30 days)     |
| ZORTRESS ORAL TABLET 0.5 MG, 0.75 MG                                                                                     | 5                | B/D PAR; MO                    | AMPYRA                                                                               | 5                | PAR; MO; LA; QLL (60 per 30 days) |
| ZYDELIG                                                                                                                  | 5                | PAR; MO; QLL (60 per 30 days)  | APOKYN                                                                               | 5                | PAR; MO; LA                       |
| ZYKADIA                                                                                                                  | 5                | PAR; MO; QLL (150 per 30 days) | APTOM ORAL TABLET 200 MG, 400 MG, 600 MG                                             | 5                | ST; MO                            |
| ZYTIGA                                                                                                                   | 5                | PAR; MO; QLL (120 per 30 days) | APTOM ORAL TABLET 800 MG                                                             | 4                | ST; MO                            |
| <b>Autonomic / Cns Drugs, Neurology / Psych</b>                                                                          |                  |                                | <i>aripiprazole oral tablet 10 mg</i>                                                | 5                | MO; QLL (90 per 30 days)          |
| ABILIFY DISCMELT ORAL TABLET,DISINTEGRATING 10 MG                                                                        | 5                | MO; QLL (90 per 30 days)       | <i>aripiprazole oral tablet 15 mg</i>                                                | 5                | MO; QLL (60 per 30 days)          |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON                                                             | 5                | MO; QLL (1 per 28 days)        | <i>aripiprazole oral tablet 2 mg</i>                                                 | 5                | MO; QLL (450 per 30 days)         |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING                                                            | 5                | QLL (1 per 28 days)            | <i>aripiprazole oral tablet 20 mg, 30 mg</i>                                         | 5                | MO; QLL (30 per 30 days)          |
| <i>acetaminophen-codeine oral solution 120 mg-12 mg /5 ml (5 ml), 240 mg-24 mg /10 ml (10 ml), 300 mg-30 mg /12.5 ml</i> | 3                | QLL (4500 per 30 days)         | <i>aripiprazole oral tablet 5 mg</i>                                                 | 5                | MO; QLL (180 per 30 days)         |
| <i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>                                                                | 3                | MO; QLL (4500 per 30 days)     | AZILECT                                                                              | 3                | MO                                |
| <i>acetaminophen-codeine oral tablet 300-15 mg</i>                                                                       | 3                | MO; QLL (390 per 30 days)      | <i>baclofen</i>                                                                      | 2                | MO                                |
| <i>acetaminophen-codeine oral tablet 300-30 mg</i>                                                                       | 3                | MO; QLL (360 per 30 days)      | BANZEL ORAL SUSPENSION                                                               | 5                | PAR; MO; QLL (2400 per 30 days)   |
| <i>acetaminophen-codeine oral tablet 300-60 mg</i>                                                                       | 3                | MO; QLL (180 per 30 days)      | BANZEL ORAL TABLET 200 MG                                                            | 4                | PAR; MO; QLL (480 per 30 days)    |
| ADASUVE                                                                                                                  | 4                |                                | BANZEL ORAL TABLET 400 MG                                                            | 5                | PAR; MO; QLL (240 per 30 days)    |
| <i>alprazolam oral tablet</i>                                                                                            | 3                | MO; QLL (90 per 30 days)       | <i>benztropine injection</i>                                                         | 4                | PAR; MO                           |
| <i>amitriptyline</i>                                                                                                     | 4                | PAR; MO                        | <i>benztropine oral</i>                                                              | 3                | PAR; MO                           |
| <i>amoxapine oral tablet 100 mg, 50 mg</i>                                                                               | 3                | MO                             | BRINTELLIX ORAL TABLET 10 MG                                                         | 4                | ST; MO; QLL (60 per 30 days)      |
|                                                                                                                          |                  |                                | BRINTELLIX ORAL TABLET 20 MG                                                         | 4                | ST; MO; QLL (30 per 30 days)      |
|                                                                                                                          |                  |                                | BRINTELLIX ORAL TABLET 5 MG                                                          | 4                | ST; MO; QLL (120 per 30 days)     |
|                                                                                                                          |                  |                                | <i>bromocriptine</i>                                                                 | 4                | MO                                |
|                                                                                                                          |                  |                                | <i>buprenorphine hcl injection syringe</i>                                           | 4                | QLL (150 per 30 days)             |
|                                                                                                                          |                  |                                | <i>buprenorphine hcl sublingual tablet 2 mg</i>                                      | 4                | PAR; MO; QLL (240 per 30 days)    |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|------------------------------------------------------------------|------------------|--------------------------------|
| <i>buprenorphine hcl sublingual tablet 8 mg</i>                  | 4                | PAR; MO; QLL (60 per 30 days)  |
| <i>buprenorphine-naloxone sublingual tablet 2-0.5 mg</i>         | 4                | PAR; MO; QLL (360 per 30 days) |
| <i>buprenorphine-naloxone sublingual tablet 8-2 mg</i>           | 4                | PAR; MO; QLL (90 per 30 days)  |
| <i>bupropion hcl oral tablet 100 mg</i>                          | 4                | MO; QLL (135 per 30 days)      |
| <i>bupropion hcl oral tablet 75 mg</i>                           | 3                | MO; QLL (180 per 30 days)      |
| <i>bupropion hcl oral tablet extended release 100 mg</i>         | 3                | MO; QLL (120 per 30 days)      |
| <i>bupropion hcl oral tablet extended release 150 mg, 200 mg</i> | 3                | MO; QLL (60 per 30 days)       |
| <i>bupropion hcl oral tablet extended release 24 hr 150 mg</i>   | 3                | MO; QLL (90 per 30 days)       |
| <i>bupropion hcl oral tablet extended release 24 hr 300 mg</i>   | 3                | MO; QLL (45 per 30 days)       |
| <i>bupirone oral tablet 10 mg, 15 mg, 5 mg</i>                   | 2                | MO                             |
| <i>bupirone oral tablet 30 mg, 7.5 mg</i>                        | 4                | MO                             |
| <i>butorphanol tartrate injection solution 1 mg/ml</i>           | 4                | MO; QLL (240 per 30 days)      |
| <i>butorphanol tartrate injection solution 2 mg/ml</i>           | 4                | MO; QLL (120 per 30 days)      |
| <i>butorphanol tartrate nasal</i>                                | 4                | MO; QLL (5 per 28 days)        |
| <i>carbamazepine oral capsule, er multiphase 12 hr</i>           | 4                | MO                             |
| <i>carbamazepine oral suspension 100 mg/5 ml</i>                 | 4                | MO                             |
| <i>carbamazepine oral tablet</i>                                 | 2                | MO                             |
| <i>carbamazepine oral tablet extended release 12 hr</i>          | 4                | MO                             |
| <i>carbamazepine oral tablet, chewable</i>                       | 2                | MO                             |
| <i>carbidopa-levodopa oral tablet</i>                            | 3                | MO                             |
| <i>carbidopa-levodopa oral tablet extended release 25-100 mg</i> | 3                | MO                             |

| <b>Drug Name</b>                                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b>      |
|------------------------------------------------------------------|------------------|---------------------------------|
| <i>carbidopa-levodopa oral tablet extended release 50-200 mg</i> | 4                | MO                              |
| <i>carbidopa-levodopa oral tablet, disintegrating</i>            | 4                | MO                              |
| CELONTIN ORAL CAPSULE 300 MG                                     | 4                | MO                              |
| <i>chlorpromazine</i>                                            | 4                | PAR; MO                         |
| <i>citalopram oral solution</i>                                  | 4                | MO; QLL (600 per 30 days)       |
| <i>citalopram oral tablet 10 mg</i>                              | 2                | MO; QLL (120 per 30 days)       |
| <i>citalopram oral tablet 20 mg</i>                              | 1                | MO; QLL (60 per 30 days)        |
| <i>citalopram oral tablet 40 mg</i>                              | 1                | MO; QLL (30 per 30 days)        |
| <i>clomipramine</i>                                              | 4                | PAR; MO                         |
| <i>clonazepam oral tablet 0.5 mg</i>                             | 2                | PAR; MO; QLL (1200 per 30 days) |
| <i>clonazepam oral tablet 1 mg</i>                               | 2                | PAR; MO; QLL (600 per 30 days)  |
| <i>clonazepam oral tablet 2 mg</i>                               | 3                | PAR; MO; QLL (300 per 30 days)  |
| <i>clonazepam oral tablet, disintegrating 0.125 mg</i>           | 4                | PAR; MO; QLL (4800 per 30 days) |
| <i>clonazepam oral tablet, disintegrating 0.25 mg</i>            | 4                | PAR; MO; QLL (2400 per 30 days) |
| <i>clonazepam oral tablet, disintegrating 0.5 mg</i>             | 4                | PAR; MO; QLL (1200 per 30 days) |
| <i>clonazepam oral tablet, disintegrating 1 mg</i>               | 4                | PAR; MO; QLL (600 per 30 days)  |
| <i>clonazepam oral tablet, disintegrating 2 mg</i>               | 4                | PAR; MO; QLL (300 per 30 days)  |
| <i>clorazepate dipotassium</i>                                   | 3                | MO; QLL (120 per 30 days)       |
| <i>clozapine oral tablet 100 mg</i>                              | 3                | MO; QLL (270 per 30 days)       |
| <i>clozapine oral tablet 200 mg</i>                              | 3                | QLL (135 per 30 days)           |
| <i>clozapine oral tablet 25 mg</i>                               | 2                | MO; QLL (1080 per 30 days)      |
| <i>clozapine oral tablet 50 mg</i>                               | 2                | MO; QLL (540 per 30 days)       |
| <i>clozapine oral tablet, disintegrating 100 mg</i>              | 4                | QLL (270 per 30 days)           |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b>      | <b>Drug Name</b>                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|------------------------------------------------------------------|------------------|---------------------------------|----------------------------------------------------------------------------|------------------|--------------------------------|
| <i>clozapine oral tablet, disintegrating 12.5 mg</i>             | 4                | QLL (2160 per 30 days)          | <i>diazepam oral tablet 10 mg</i>                                          | 3                | PAR; MO; QLL (120 per 30 days) |
| <i>clozapine oral tablet, disintegrating 150 mg</i>              | 4                | QLL (180 per 30 days)           | <i>diazepam oral tablet 2 mg</i>                                           | 3                | PAR; MO; QLL (600 per 30 days) |
| <i>clozapine oral tablet, disintegrating 200 mg</i>              | 4                | QLL (135 per 30 days)           | <i>diazepam oral tablet 5 mg</i>                                           | 3                | PAR; MO; QLL (240 per 30 days) |
| <i>clozapine oral tablet, disintegrating 25 mg</i>               | 4                | QLL (1080 per 30 days)          | <i>diazepam rectal kit 12.5-15-17.5-20 mg</i>                              | 4                | MO                             |
| COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML                           | 5                | PAR; MO; QLL (30 per 30 days)   | <i>diazepam rectal kit 2.5 mg, 5-7.5-10 mg</i>                             | 4                | MO; QLL (2 per 2 days)         |
| COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML                           | 5                | PAR; MO; QLL (12 per 28 days)   | <i>diclofenac potassium</i>                                                | 2                | MO                             |
| <i>cyclobenzaprine oral tablet</i>                               | 4                | PAR; MO                         | <i>diclofenac sodium oral tablet extended release 24 hr</i>                | 2                | MO                             |
| <i>dantrolene</i>                                                | 4                | MO                              | <i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i>        | 3                | MO                             |
| <i>desipramine oral</i>                                          | 4                | MO                              | <i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg, 75 mg</i> | 2                | MO                             |
| DESVENLAFAXINE FUMARATE ORAL TABLET EXTENDED RELEASE 24HR 100 MG | 4                | MO; QLL (120 per 30 days)       | <i>diflunisal</i>                                                          | 3                | MO                             |
| DESVENLAFAXINE FUMARATE ORAL TABLET EXTENDED RELEASE 24HR 50 MG  | 4                | MO; QLL (240 per 30 days)       | <i>dihydroergotamine injection</i>                                         | 5                | MO                             |
| DESVENLAFAXINE ORAL TABLET EXTENDED RELEASE 24 HR 100 MG         | 4                | MO; QLL (120 per 30 days)       | DILANTIN 30 MG CAPSULE                                                     | 3                | MO                             |
| DESVENLAFAXINE ORAL TABLET EXTENDED RELEASE 24 HR 50 MG          | 4                | MO; QLL (240 per 30 days)       | DILANTIN INFATABS                                                          | 3                | MO                             |
| DESVENLAFAXINE ORAL TABLET EXTENDED RELEASE 24HR 100 MG          | 4                | QLL (120 per 30 days)           | <i>diskets</i>                                                             | 3                | QLL (30 per 30 days)           |
| DESVENLAFAXINE ORAL TABLET EXTENDED RELEASE 24HR 50 MG           | 4                | QLL (240 per 30 days)           | <i>divalproex oral capsule, sprinkle</i>                                   | 4                | MO                             |
| <i>dextroamphetamine oral tablet 10 mg</i>                       | 4                | MO; QLL (180 per 30 days)       | <i>divalproex oral tablet extended release 24 hr</i>                       | 4                | MO                             |
| <i>dextroamphetamine oral tablet 5 mg</i>                        | 4                | MO; QLL (90 per 30 days)        | <i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg</i>      | 2                | MO                             |
| <i>diazepam intensol</i>                                         | 4                | PAR; MO; QLL (240 per 30 days)  | <i>divalproex oral tablet, delayed release (dr/ec) 500 mg</i>              | 3                | MO                             |
| <i>diazepam oral concentrate</i>                                 | 4                | PAR; QLL (240 per 30 days)      | <i>donepezil oral tablet 10 mg, 5 mg</i>                                   | 1                | MO; QLL (30 per 30 days)       |
| <i>diazepam oral solution 5 mg/5 ml</i>                          | 3                | PAR; MO; QLL (1200 per 30 days) | <i>donepezil oral tablet, disintegrating</i>                               | 1                | MO; QLL (30 per 30 days)       |
|                                                                  |                  |                                 | <i>doxepin oral</i>                                                        | 4                | PAR; MO                        |
|                                                                  |                  |                                 | <i>duloxetine oral capsule, delayed release(dr/ec) 20 mg</i>               | 4                | MO; QLL (180 per 30 days)      |
|                                                                  |                  |                                 | <i>duloxetine oral capsule, delayed release(dr/ec) 30 mg</i>               | 4                | MO; QLL (120 per 30 days)      |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b>         |
|--------------------------------------------------------------|------------------|------------------------------------|
| <i>duloxetine oral capsule, delayed release(dr/ec) 40 mg</i> | 4                | QLL (90 per 30 days)               |
| <i>duloxetine oral capsule, delayed release(dr/ec) 60 mg</i> | 4                | MO; QLL (60 per 30 days)           |
| <i>duramorph (pf) injection solution 0.5 mg/ml</i>           | 4                | B/D PAR; MO; QLL (180 per 30 days) |
| <i>duramorph (pf) injection solution 1 mg/ml</i>             | 4                | B/D PAR; QLL (180 per 30 days)     |
| EMSAM                                                        | 5                | PAR; MO; QLL (30 per 30 days)      |
| <i>endocet oral tablet 10-325 mg, 7.5-325 mg</i>             | 4                | MO; QLL (360 per 30 days)          |
| <i>endocet oral tablet 5-325 mg</i>                          | 3                | MO; QLL (360 per 30 days)          |
| <i>endodan</i>                                               | 3                | MO; QLL (360 per 30 days)          |
| <i>entacapone</i>                                            | 4                | MO                                 |
| <i>epitol</i>                                                | 1                | MO                                 |
| EQUETRO ORAL CAPSULE, ER MULTIPHASE 12 HR 100 MG             | 4                | MO; QLL (480 per 30 days)          |
| EQUETRO ORAL CAPSULE, ER MULTIPHASE 12 HR 200 MG             | 4                | MO; QLL (240 per 30 days)          |
| EQUETRO ORAL CAPSULE, ER MULTIPHASE 12 HR 300 MG             | 4                | MO; QLL (180 per 30 days)          |
| <i>ergoloid</i>                                              | 4                | PAR; MO                            |
| <i>escitalopram oxalate oral solution</i>                    | 4                | MO; QLL (600 per 30 days)          |
| <i>escitalopram oxalate oral tablet 10 mg</i>                | 3                | MO; QLL (60 per 30 days)           |
| <i>escitalopram oxalate oral tablet 20 mg</i>                | 3                | MO; QLL (30 per 30 days)           |
| <i>escitalopram oxalate oral tablet 5 mg</i>                 | 3                | MO; QLL (120 per 30 days)          |
| <i>ethosuximide oral capsule</i>                             | 4                | MO                                 |
| <i>ethosuximide oral solution</i>                            | 3                | MO                                 |
| <i>etodolac oral capsule</i>                                 | 3                | MO                                 |
| <i>etodolac oral tablet</i>                                  | 2                | MO                                 |
| <i>etodolac oral tablet extended release 24 hr</i>           | 3                | MO                                 |
| EXELON ORAL CAPSULE 1.5 MG, 4.5 MG                           | 4                | MO; QLL (60 per 30 days)           |

| <b>Drug Name</b>                                                                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|--------------------------------------------------------------------------------------------------|------------------|--------------------------------|
| FANAPT ORAL TABLET 1 MG                                                                          | 4                | ST; MO; QLL (720 per 30 days)  |
| FANAPT ORAL TABLET 10 MG                                                                         | 5                | ST; MO; QLL (72 per 30 days)   |
| FANAPT ORAL TABLET 12 MG                                                                         | 4                | ST; MO; QLL (60 per 30 days)   |
| FANAPT ORAL TABLET 2 MG                                                                          | 4                | ST; MO; QLL (360 per 30 days)  |
| FANAPT ORAL TABLET 4 MG                                                                          | 4                | ST; MO; QLL (180 per 30 days)  |
| FANAPT ORAL TABLET 6 MG                                                                          | 4                | ST; MO; QLL (120 per 30 days)  |
| FANAPT ORAL TABLET 8 MG                                                                          | 4                | ST; MO; QLL (90 per 30 days)   |
| FANAPT ORAL TABLETS, DOSE PACK                                                                   | 4                | ST; MO; QLL (16 per 365 days)  |
| <i>felbamate oral suspension</i>                                                                 | 5                | MO                             |
| <i>felbamate oral tablet 400 mg</i>                                                              | 4                | MO                             |
| <i>felbamate oral tablet 600 mg</i>                                                              | 5                | MO                             |
| FELBATOL ORAL TABLET 400 MG                                                                      | 4                | MO                             |
| <i>fenopropfen oral tablet</i>                                                                   | 4                | MO                             |
| <i>fentanyl citrate</i>                                                                          | 5                | PAR; MO; QLL (120 per 30 days) |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> | 4                | ST; MO; QLL (15 per 30 days)   |
| FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK                                                      | 4                | PAR; MO; QLL (56 per 365 days) |
| FETZIMA ORAL CAPSULE, EXTENDED RELEASE 24 HR 120 MG, 80 MG                                       | 4                | PAR; MO; QLL (30 per 30 days)  |
| FETZIMA ORAL CAPSULE, EXTENDED RELEASE 24 HR 20 MG                                               | 4                | PAR; MO; QLL (180 per 30 days) |
| FETZIMA ORAL CAPSULE, EXTENDED RELEASE 24 HR 40 MG                                               | 4                | PAR; MO; QLL (90 per 30 days)  |
| <i>fluoxetine oral capsule 10 mg</i>                                                             | 2                | MO; QLL (240 per 30 days)      |
| <i>fluoxetine oral capsule 20 mg</i>                                                             | 2                | MO; QLL (120 per 30 days)      |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------|------------------|----------------------------|
| <i>fluoxetine oral capsule 40 mg</i>                                   | 2                | MO; QLL (60 per 30 days)   |
| <i>fluoxetine oral solution</i>                                        | 2                | MO; QLL (600 per 30 days)  |
| <i>fluoxetine oral tablet 10 mg</i>                                    | 2                | MO; QLL (240 per 30 days)  |
| <i>fluoxetine oral tablet 20 mg</i>                                    | 3                | MO; QLL (120 per 30 days)  |
| <i>fluphenazine decanoate</i>                                          | 4                | MO                         |
| <i>fluphenazine hcl injection</i>                                      | 4                | MO                         |
| <i>fluphenazine hcl oral</i>                                           | 2                | MO                         |
| <i>flurbiprofen</i>                                                    | 2                | MO                         |
| <i>fluvoxamine oral tablet 100 mg</i>                                  | 3                | MO; QLL (90 per 30 days)   |
| <i>fluvoxamine oral tablet 25 mg</i>                                   | 3                | MO; QLL (360 per 30 days)  |
| <i>fluvoxamine oral tablet 50 mg</i>                                   | 3                | MO; QLL (180 per 30 days)  |
| <i>fosphenytoin</i>                                                    | 4                | B/D PAR; MO                |
| FYCOMPA ORAL TABLET 10 MG, 12 MG                                       | 4                | MO; QLL (30 per 30 days)   |
| FYCOMPA ORAL TABLET 2 MG                                               | 4                | MO; QLL (180 per 30 days)  |
| FYCOMPA ORAL TABLET 4 MG                                               | 4                | MO; QLL (90 per 30 days)   |
| FYCOMPA ORAL TABLET 6 MG                                               | 4                | MO; QLL (60 per 30 days)   |
| FYCOMPA ORAL TABLET 8 MG                                               | 4                | MO; QLL (45 per 30 days)   |
| <i>gabapentin oral capsule 100 mg</i>                                  | 2                | MO; QLL (1080 per 30 days) |
| <i>gabapentin oral capsule 300 mg</i>                                  | 2                | MO; QLL (360 per 30 days)  |
| <i>gabapentin oral capsule 400 mg</i>                                  | 3                | MO; QLL (270 per 30 days)  |
| <i>gabapentin oral solution 250 mg/5 ml</i>                            | 4                | MO; QLL (2160 per 30 days) |
| <i>gabapentin oral solution 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml)</i> | 4                | QLL (2160 per 30 days)     |
| <i>gabapentin oral tablet 600 mg</i>                                   | 4                | MO; QLL (180 per 30 days)  |
| <i>gabapentin oral tablet 800 mg</i>                                   | 4                | MO; QLL (135 per 30 days)  |
| GABITRIL ORAL TABLET 12 MG                                             | 4                | MO                         |

| <b>Drug Name</b>                                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|------------------------------------------------------------------------------|------------------|-------------------------------|
| GABITRIL ORAL TABLET 16 MG                                                   | 5                | MO                            |
| <i>galantamine oral capsule, ext rel. pellets 24 hr</i>                      | 4                | MO; QLL (30 per 30 days)      |
| <i>galantamine oral solution</i>                                             | 3                | MO; QLL (180 per 30 days)     |
| <i>galantamine oral tablet</i>                                               | 4                | MO; QLL (60 per 30 days)      |
| GEODON INTRAMUSCULAR                                                         | 4                | MO                            |
| GILENYA                                                                      | 5                | PAR; MO; QLL (30 per 30 days) |
| GLATOPA                                                                      | 5                | PAR; MO; QLL (30 per 30 days) |
| <i>guanfacine oral tablet extended release 24 hr</i>                         | 4                | PAR; MO; QLL (30 per 30 days) |
| <i>guanidine</i>                                                             | 4                | MO                            |
| <i>haloperidol</i>                                                           | 2                | MO                            |
| <i>haloperidol decanoate</i>                                                 | 4                | MO                            |
| <i>haloperidol lactate injection</i>                                         | 4                | MO                            |
| <i>haloperidol lactate oral</i>                                              | 2                | MO                            |
| HETLIOZ                                                                      | 5                | PAR; MO; QLL (30 per 30 days) |
| <i>hydrocodone-acetaminophen oral solution 2.5-167 mg/5 ml</i>               | 3                | QLL (2700 per 30 days)        |
| <i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>              | 4                | MO; QLL (2700 per 30 days)    |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg</i> | 3                | MO; QLL (360 per 30 days)     |
| <i>hydrocodone-ibuprofen</i>                                                 | 3                | MO; QLL (480 per 30 days)     |
| <i>hydromorphone (pf) injection solution 1 mg/ml</i>                         | 4                |                               |
| <i>hydromorphone (pf) injection solution 10 mg/ml</i>                        | 4                | MO; QLL (120 per 30 days)     |
| <i>hydromorphone (pf) injection solution 4 mg/ml</i>                         | 4                | MO                            |
| <i>hydromorphone injection solution</i>                                      | 4                | MO; QLL (180 per 30 days)     |
| <i>hydromorphone injection syringe 1 mg/ml</i>                               | 4                |                               |
| <i>hydromorphone injection syringe 2 mg/ml</i>                               | 4                | QLL (180 per 30 days)         |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>hydromorphone injection syringe 4 mg/ml</i>                                               | 4                | MO                         |
| <i>hydromorphone oral tablet 2 mg, 4 mg</i>                                                  | 3                | MO; QLL (360 per 30 days)  |
| <i>hydromorphone oral tablet 8 mg</i>                                                        | 4                | MO; QLL (180 per 30 days)  |
| <i>ibuprofen oral suspension</i>                                                             | 1                | MO                         |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>                                          | 1                | MO                         |
| <i>ibuprofen-oxycodone</i>                                                                   | 4                | MO; QLL (28 per 2 days)    |
| <i>imipramine hcl</i>                                                                        | 4                | PAR; MO                    |
| INVEGA ORAL TABLET EXTENDED RELEASE 24HR 1.5 MG                                              | 5                | MO; QLL (240 per 30 days)  |
| INVEGA ORAL TABLET EXTENDED RELEASE 24HR 3 MG                                                | 5                | MO; QLL (120 per 30 days)  |
| INVEGA ORAL TABLET EXTENDED RELEASE 24HR 6 MG                                                | 5                | MO; QLL (60 per 30 days)   |
| INVEGA ORAL TABLET EXTENDED RELEASE 24HR 9 MG                                                | 5                | MO; QLL (30 per 30 days)   |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML, 156 MG/ML, 234 MG/1.5 ML, 78 MG/0.5 ML | 5                | MO; QLL (2 per 28 days)    |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML                                          | 4                | MO; QLL (2 per 28 days)    |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML                                          | 5                | QLL (0.875 per 90 days)    |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML                                          | 5                | QLL (1.315 per 90 days)    |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML                                           | 5                | QLL (1.75 per 90 days)     |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML                                          | 5                | QLL (2.625 per 90 days)    |

| <b>Drug Name</b>                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|----------------------------------------------------------------|------------------|--------------------------------|
| KHEDEZLA ORAL TABLET EXTENDED RELEASE 24HR 100 MG              | 4                | MO; QLL (120 per 30 days)      |
| KHEDEZLA ORAL TABLET EXTENDED RELEASE 24HR 50 MG               | 4                | MO; QLL (240 per 30 days)      |
| <i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg</i>          | 3                | MO                             |
| <i>lamotrigine oral tablet 25 mg</i>                           | 2                | MO                             |
| <i>lamotrigine oral tablet, chewable dispersible</i>           | 3                | MO                             |
| LATUDA ORAL TABLET 120 MG                                      | 5                | PAR; MO; QLL (30 per 30 days)  |
| LATUDA ORAL TABLET 20 MG                                       | 4                | PAR; MO; QLL (240 per 30 days) |
| LATUDA ORAL TABLET 40 MG                                       | 4                | PAR; MO; QLL (120 per 30 days) |
| LATUDA ORAL TABLET 60 MG                                       | 4                | PAR; MO; QLL (75 per 30 days)  |
| LATUDA ORAL TABLET 80 MG                                       | 5                | PAR; MO; QLL (60 per 30 days)  |
| <i>levetiracetam in nacl (iso-os)</i>                          | 4                | B/D PAR                        |
| <i>levetiracetam intravenous</i>                               | 4                | B/D PAR; MO                    |
| <i>levetiracetam oral solution 100 mg/ml</i>                   | 4                | MO                             |
| <i>levetiracetam oral solution 500 mg/5 ml (5 ml)</i>          | 4                |                                |
| <i>levetiracetam oral tablet 1,000 mg</i>                      | 4                | MO                             |
| <i>levetiracetam oral tablet 250 mg, 500 mg, 750 mg</i>        | 3                | MO                             |
| <i>levetiracetam oral tablet extended release 24 hr 500 mg</i> | 4                | MO; QLL (180 per 30 days)      |
| <i>levetiracetam oral tablet extended release 24 hr 750 mg</i> | 4                | MO; QLL (120 per 30 days)      |
| <i>lithium carbonate oral capsule 150 mg, 300 mg</i>           | 1                | MO                             |
| <i>lithium carbonate oral capsule 600 mg</i>                   | 2                | MO                             |
| <i>lithium carbonate oral tablet</i>                           | 2                | MO                             |
| <i>lithium carbonate oral tablet extended release</i>          | 2                | MO                             |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|-----------------------------------------------------|------------------|--------------------------------|
| <i>lithium citrate oral solution 8 meq/5 ml</i>     | 2                | MO                             |
| <i>lorazepam oral tablet</i>                        | 3                | MO; QLL (90 per 30 days)       |
| <i>loxapine succinate oral capsule 10 mg, 5 mg</i>  | 3                | MO                             |
| <i>loxapine succinate oral capsule 25 mg, 50 mg</i> | 4                | MO                             |
| LYRICA ORAL CAPSULE 100 MG                          | 4                | PAR; MO; QLL (180 per 30 days) |
| LYRICA ORAL CAPSULE 150 MG                          | 4                | PAR; MO; QLL (120 per 30 days) |
| LYRICA ORAL CAPSULE 200 MG                          | 4                | PAR; MO; QLL (90 per 30 days)  |
| LYRICA ORAL CAPSULE 225 MG, 300 MG                  | 4                | PAR; MO; QLL (60 per 30 days)  |
| LYRICA ORAL CAPSULE 25 MG                           | 4                | PAR; MO; QLL (720 per 30 days) |
| LYRICA ORAL CAPSULE 50 MG                           | 4                | PAR; MO; QLL (360 per 30 days) |
| LYRICA ORAL CAPSULE 75 MG                           | 4                | PAR; MO; QLL (240 per 30 days) |
| LYRICA ORAL SOLUTION                                | 4                | PAR; MO; QLL (900 per 30 days) |
| <i>maprotiline oral tablet 25 mg</i>                | 4                | MO; QLL (270 per 30 days)      |
| <i>maprotiline oral tablet 50 mg</i>                | 4                | MO; QLL (135 per 30 days)      |
| <i>maprotiline oral tablet 75 mg</i>                | 4                | MO                             |
| MARPLAN                                             | 4                | MO                             |
| <i>meclofenamate oral</i>                           | 4                | MO                             |
| <i>meloxicam oral suspension</i>                    | 3                | MO; QLL (300 per 30 days)      |
| <i>meloxicam oral tablet</i>                        | 1                | MO; QLL (30 per 30 days)       |
| MESTINON ORAL SYRUP                                 | 4                | MO                             |
| MESTINON TIMESPAN                                   | 4                | MO                             |
| <i>methadone intensol</i>                           | 3                | MO; QLL (180 per 30 days)      |
| <i>methadone oral concentrate</i>                   | 3                | QLL (180 per 30 days)          |
| <i>methadone oral solution 10 mg/5 ml</i>           | 3                | MO; QLL (900 per 30 days)      |
| <i>methadone oral solution 5 mg/5 ml</i>            | 4                | MO; QLL (1800 per 30 days)     |

| <b>Drug Name</b>                                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b>         |
|------------------------------------------------------------------------------|------------------|------------------------------------|
| <i>methadone oral tablet 10 mg</i>                                           | 3                | MO; QLL (180 per 30 days)          |
| <i>methadone oral tablet 5 mg</i>                                            | 3                | MO; QLL (360 per 30 days)          |
| <i>methadone oral tablet, soluble</i>                                        | 3                | QLL (30 per 30 days)               |
| <i>methadose oral concentrate</i>                                            | 3                | MO; QLL (180 per 30 days)          |
| <i>methadose oral tablet, soluble</i>                                        | 3                | MO; QLL (30 per 30 days)           |
| <i>methylphenidate oral tablet</i>                                           | 3                | MO; QLL (90 per 30 days)           |
| MIRAPEX ORAL TABLET 0.25 MG, 0.75 MG                                         | 4                | MO                                 |
| <i>mirtazapine oral tablet 15 mg</i>                                         | 2                | MO; QLL (90 per 30 days)           |
| <i>mirtazapine oral tablet 30 mg</i>                                         | 2                | MO; QLL (45 per 30 days)           |
| <i>mirtazapine oral tablet 45 mg</i>                                         | 2                | MO; QLL (30 per 30 days)           |
| <i>mirtazapine oral tablet 7.5 mg</i>                                        | 3                | MO; QLL (180 per 30 days)          |
| <i>mirtazapine oral tablet, disintegrating 15 mg</i>                         | 4                | MO; QLL (90 per 30 days)           |
| <i>mirtazapine oral tablet, disintegrating 30 mg</i>                         | 3                | MO; QLL (45 per 30 days)           |
| <i>mirtazapine oral tablet, disintegrating 45 mg</i>                         | 3                | MO; QLL (30 per 30 days)           |
| <i>modafinil oral tablet 100 mg</i>                                          | 4                | PAR; MO; QLL (30 per 30 days)      |
| <i>modafinil oral tablet 200 mg</i>                                          | 5                | PAR; MO; QLL (60 per 30 days)      |
| <i>morphine (pf) injection solution 0.5 mg/ml</i>                            | 4                | B/D PAR                            |
| <i>morphine (pf) injection solution 1 mg/ml</i>                              | 4                | B/D PAR; MO; QLL (180 per 30 days) |
| <i>morphine (pf) intravenous patient control.analgesia soln 150 mg/30 ml</i> | 4                | MO; QLL (120 per 30 days)          |
| <i>morphine (pf) intravenous patient control.analgesia soln 30 mg/30 ml</i>  | 4                | B/D PAR; QLL (180 per 30 days)     |
| <i>morphine concentrate oral solution</i>                                    | 3                | MO; QLL (270 per 30 days)          |
| <i>morphine intravenous cartridge</i>                                        | 4                | QLL (120 per 30 days)              |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|--------------------------------------------------------------------------|------------------|--------------------------------|
| MORPHINE INTRAVENOUS CARTRIDGE                                           | 4                | QLL (120 per 30 days)          |
| <i>morphine intravenous pt controlled analgesia syringe</i>              | 4                | B/D PAR; QLL (180 per 30 days) |
| <i>morphine intravenous solution 100 mg/4 ml, 25 mg/ml, 250 mg/10 ml</i> | 4                | QLL (120 per 30 days)          |
| <i>morphine intravenous solution 50 mg/ml</i>                            | 4                | MO; QLL (120 per 30 days)      |
| <i>morphine intravenous syringe 2 mg/ml, 4 mg/ml</i>                     | 4                | QLL (120 per 30 days)          |
| <i>morphine oral solution 10 mg/5 ml</i>                                 | 3                | MO; QLL (2700 per 30 days)     |
| <i>morphine oral solution 20 mg/5 ml</i>                                 | 3                | MO; QLL (1350 per 30 days)     |
| <i>morphine oral tablet 15 mg</i>                                        | 3                | MO; QLL (360 per 30 days)      |
| <i>morphine oral tablet 30 mg</i>                                        | 3                | MO; QLL (180 per 30 days)      |
| <i>morphine oral tablet extended release 100 mg, 30 mg, 60 mg</i>        | 4                | MO; QLL (90 per 30 days)       |
| <i>morphine oral tablet extended release 15 mg</i>                       | 3                | MO; QLL (90 per 30 days)       |
| <i>morphine oral tablet extended release 200 mg</i>                      | 4                | MO; QLL (60 per 30 days)       |
| <i>morphine rectal</i>                                                   | 3                | MO; QLL (180 per 30 days)      |
| <i>nabumetone</i>                                                        | 2                | MO                             |
| <i>nalbuphine injection solution 10 mg/ml</i>                            | 4                | MO; QLL (180 per 30 days)      |
| <i>nalbuphine injection solution 20 mg/ml</i>                            | 4                | MO; QLL (90 per 30 days)       |
| <i>naloxone injection solution</i>                                       | 4                | MO                             |
| <i>naloxone injection syringe 0.4 mg/ml</i>                              | 4                |                                |
| <i>naloxone injection syringe 1 mg/ml</i>                                | 2                | MO                             |
| <i>naltrexone oral</i>                                                   | 2                | MO                             |
| NAMENDA ORAL SOLUTION                                                    | 3                | MO; QLL (300 per 30 days)      |
| NAMENDA XR ORAL CAP, SPRINKLE,ER 24HR DOSE PACK                          | 3                | MO; QLL (56 per 365 days)      |
| NAMENDA XR ORAL CAPSULE,SPRINKLE,ER 24HR                                 | 3                | MO; QLL (30 per 30 days)       |

| <b>Drug Name</b>                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------|------------------|----------------------------|
| <i>naproxen oral suspension</i>                     | 2                | MO                         |
| <i>naproxen oral tablet</i>                         | 1                | MO                         |
| <i>naproxen oral tablet,delayed release (dr/ec)</i> | 1                | MO                         |
| <i>naproxen sodium oral tablet 275 mg, 550 mg</i>   | 1                | MO                         |
| <i>naratriptan</i>                                  | 4                | MO; QLL (9 per 30 days)    |
| <i>nefazodone oral tablet 100 mg</i>                | 3                | MO; QLL (180 per 30 days)  |
| <i>nefazodone oral tablet 150 mg</i>                | 4                | MO; QLL (120 per 30 days)  |
| <i>nefazodone oral tablet 200 mg</i>                | 3                | MO; QLL (90 per 30 days)   |
| <i>nefazodone oral tablet 250 mg</i>                | 3                | MO; QLL (72 per 30 days)   |
| <i>nefazodone oral tablet 50 mg</i>                 | 4                | MO; QLL (360 per 30 days)  |
| NEUPRO                                              | 3                | MO; QLL (30 per 30 days)   |
| <i>nortriptyline oral capsule</i>                   | 2                | MO                         |
| <i>nortriptyline oral solution</i>                  | 4                | MO                         |
| NUDEXTA                                             | 3                | MO; QLL (60 per 30 days)   |
| <i>olanzapine intramuscular</i>                     | 4                | MO; QLL (60 per 30 days)   |
| <i>olanzapine oral tablet 10 mg</i>                 | 3                | MO; QLL (60 per 30 days)   |
| <i>olanzapine oral tablet 15 mg</i>                 | 3                | MO; QLL (40 per 30 days)   |
| <i>olanzapine oral tablet 2.5 mg</i>                | 3                | MO; QLL (240 per 30 days)  |
| <i>olanzapine oral tablet 20 mg</i>                 | 3                | MO; QLL (30 per 30 days)   |
| <i>olanzapine oral tablet 5 mg</i>                  | 3                | MO; QLL (120 per 30 days)  |
| <i>olanzapine oral tablet 7.5 mg</i>                | 3                | MO; QLL (80 per 30 days)   |
| <i>olanzapine oral tablet, disintegrating 10 mg</i> | 4                | MO; QLL (60 per 30 days)   |
| <i>olanzapine oral tablet, disintegrating 15 mg</i> | 4                | MO; QLL (40 per 30 days)   |
| <i>olanzapine oral tablet, disintegrating 20 mg</i> | 5                | MO; QLL (30 per 30 days)   |
| <i>olanzapine oral tablet, disintegrating 5 mg</i>  | 4                | MO; QLL (120 per 30 days)  |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|------------------------------------------------------------------------------|------------------|--------------------------------|
| ONFI ORAL SUSPENSION                                                         | 4                | PAR; MO; QLL (480 per 30 days) |
| ONFI ORAL TABLET 10 MG                                                       | 4                | PAR; MO; QLL (120 per 30 days) |
| ONFI ORAL TABLET 20 MG                                                       | 5                | PAR; MO; QLL (60 per 30 days)  |
| ORAP                                                                         | 4                | MO                             |
| <i>oxaprozin</i>                                                             | 4                | MO                             |
| <i>oxazepam</i>                                                              | 4                | PAR; MO; QLL (120 per 30 days) |
| <i>oxcarbazepine oral suspension</i>                                         | 4                | MO                             |
| <i>oxcarbazepine oral tablet 150 mg, 300 mg</i>                              | 3                | MO                             |
| <i>oxcarbazepine oral tablet 600 mg</i>                                      | 4                | MO                             |
| <i>oxycodone oral capsule</i>                                                | 4                | MO; QLL (360 per 30 days)      |
| <i>oxycodone oral concentrate</i>                                            | 4                | MO; QLL (360 per 30 days)      |
| <i>oxycodone oral solution</i>                                               | 4                | MO; QLL (1800 per 30 days)     |
| <i>oxycodone oral tablet 10 mg, 5 mg</i>                                     | 3                | MO; QLL (360 per 30 days)      |
| <i>oxycodone oral tablet 15 mg</i>                                           | 4                | MO; QLL (540 per 30 days)      |
| <i>oxycodone oral tablet 20 mg, 30 mg</i>                                    | 4                | MO; QLL (180 per 30 days)      |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 7.5-325 mg</i> | 4                | MO; QLL (360 per 30 days)      |
| <i>oxycodone-acetaminophen oral tablet 5-325 mg</i>                          | 3                | MO; QLL (360 per 30 days)      |
| <i>oxycodone-aspirin</i>                                                     | 4                | MO; QLL (360 per 30 days)      |
| <i>paroxetine hcl oral tablet 10 mg</i>                                      | 2                | MO; QLL (180 per 30 days)      |
| <i>paroxetine hcl oral tablet 20 mg</i>                                      | 2                | MO; QLL (90 per 30 days)       |
| <i>paroxetine hcl oral tablet 30 mg</i>                                      | 2                | MO; QLL (60 per 30 days)       |
| <i>paroxetine hcl oral tablet 40 mg</i>                                      | 2                | MO; QLL (45 per 30 days)       |
| <i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg</i>             | 4                | MO; QLL (180 per 30 days)      |

| <b>Drug Name</b>                                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b>      |
|------------------------------------------------------------------|------------------|---------------------------------|
| <i>paroxetine hcl oral tablet extended release 24 hr 25 mg</i>   | 4                | MO; QLL (90 per 30 days)        |
| <i>paroxetine hcl oral tablet extended release 24 hr 37.5 mg</i> | 4                | MO; QLL (60 per 30 days)        |
| PAXIL ORAL SUSPENSION                                            | 4                | MO; QLL (900 per 30 days)       |
| PEGANONE                                                         | 4                | MO                              |
| <i>perphenazine</i>                                              | 4                | MO                              |
| <i>phenelzine</i>                                                | 3                | MO                              |
| <i>phenobarbital oral elixir</i>                                 | 4                | PAR; MO; QLL (3000 per 30 days) |
| <i>phenobarbital oral tablet 100 mg</i>                          | 4                | PAR; QLL (120 per 30 days)      |
| <i>phenobarbital oral tablet 15 mg</i>                           | 4                | PAR; MO; QLL (800 per 30 days)  |
| <i>phenobarbital oral tablet 16.2 mg</i>                         | 4                | PAR; MO; QLL (741 per 30 days)  |
| <i>phenobarbital oral tablet 30 mg</i>                           | 4                | PAR; MO; QLL (400 per 30 days)  |
| <i>phenobarbital oral tablet 32.4 mg</i>                         | 4                | PAR; MO; QLL (370 per 30 days)  |
| <i>phenobarbital oral tablet 60 mg</i>                           | 4                | PAR; MO; QLL (200 per 30 days)  |
| <i>phenobarbital oral tablet 64.8 mg</i>                         | 4                | PAR; MO; QLL (185 per 30 days)  |
| <i>phenobarbital oral tablet 97.2 mg</i>                         | 4                | PAR; MO; QLL (123 per 30 days)  |
| <i>phenytoin oral suspension 100 mg/4 ml</i>                     | 3                |                                 |
| <i>phenytoin oral suspension 125 mg/5 ml</i>                     | 3                | MO                              |
| <i>phenytoin oral tablet, chewable</i>                           | 3                | MO                              |
| <i>phenytoin sodium extended</i>                                 | 3                | MO                              |
| <i>phenytoin sodium intravenous solution</i>                     | 4                | B/D PAR; MO                     |
| <i>phenytoin sodium intravenous syringe</i>                      | 4                | B/D PAR                         |
| <i>piroxicam</i>                                                 | 3                | MO                              |
| POTIGA ORAL TABLET 200 MG                                        | 4                | MO; QLL (90 per 30 days)        |
| POTIGA ORAL TABLET 300 MG, 400 MG                                | 5                | MO; QLL (90 per 30 days)        |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|-----------------------------------------------------------------|------------------|--------------------------------|
| POTIGA ORAL TABLET 50 MG                                        | 4                | MO; QLL (270 per 30 days)      |
| <i>pramipexole oral tablet</i>                                  | 2                | MO                             |
| <i>primidone</i>                                                | 3                | MO                             |
| PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 100 MG               | 4                | MO; QLL (120 per 30 days)      |
| PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG                | 4                | MO; QLL (480 per 30 days)      |
| PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 50 MG                | 4                | MO; QLL (240 per 30 days)      |
| <i>protriptyline</i>                                            | 4                | MO                             |
| <i>pyridostigmine bromide oral tablet 60 mg</i>                 | 3                | MO                             |
| <i>quetiapine oral tablet 100 mg</i>                            | 3                | PAR; MO; QLL (240 per 30 days) |
| <i>quetiapine oral tablet 200 mg</i>                            | 3                | PAR; MO; QLL (120 per 30 days) |
| <i>quetiapine oral tablet 25 mg</i>                             | 3                | PAR; MO; QLL (960 per 30 days) |
| <i>quetiapine oral tablet 300 mg</i>                            | 3                | PAR; MO; QLL (80 per 30 days)  |
| <i>quetiapine oral tablet 400 mg</i>                            | 3                | PAR; MO; QLL (60 per 30 days)  |
| <i>quetiapine oral tablet 50 mg</i>                             | 3                | PAR; MO; QLL (480 per 30 days) |
| RAZADYNE ORAL TABLET 4 MG                                       | 4                | MO                             |
| <i>regonol</i>                                                  | 4                |                                |
| REQUIP ORAL TABLET 1 MG, 4 MG, 5 MG                             | 4                | MO                             |
| RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 12.5 MG/2 ML, 25 MG/2 ML | 4                | MO; QLL (2 per 28 days)        |
| RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 37.5 MG/2 ML             | 5                | MO; QLL (2 per 28 days)        |
| RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 50 MG/2 ML               | 5                | MO                             |
| <i>risperidone oral solution</i>                                | 3                | MO; QLL (480 per 30 days)      |
| <i>risperidone oral tablet 0.25 mg</i>                          | 2                | MO; QLL (1920 per 30 days)     |

| <b>Drug Name</b>                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b>         |
|--------------------------------------------------------|------------------|------------------------------------|
| <i>risperidone oral tablet 0.5 mg</i>                  | 2                | MO; QLL (960 per 30 days)          |
| <i>risperidone oral tablet 1 mg</i>                    | 2                | MO; QLL (480 per 30 days)          |
| <i>risperidone oral tablet 2 mg</i>                    | 2                | MO; QLL (240 per 30 days)          |
| <i>risperidone oral tablet 3 mg</i>                    | 2                | MO; QLL (150 per 30 days)          |
| <i>risperidone oral tablet 4 mg</i>                    | 2                | MO; QLL (120 per 30 days)          |
| <i>risperidone oral tablet, disintegrating 0.25 mg</i> | 4                | MO; QLL (1920 per 30 days)         |
| <i>risperidone oral tablet, disintegrating 0.5 mg</i>  | 4                | MO; QLL (960 per 30 days)          |
| <i>risperidone oral tablet, disintegrating 1 mg</i>    | 4                | MO; QLL (480 per 30 days)          |
| <i>risperidone oral tablet, disintegrating 2 mg</i>    | 4                | MO; QLL (240 per 30 days)          |
| <i>risperidone oral tablet, disintegrating 3 mg</i>    | 4                | MO; QLL (150 per 30 days)          |
| <i>risperidone oral tablet, disintegrating 4 mg</i>    | 4                | MO; QLL (120 per 30 days)          |
| <i>rivastigmine tartrate</i>                           | 4                | MO; QLL (60 per 30 days)           |
| <i>ropinirole oral tablet</i>                          | 2                | MO                                 |
| <i>ropinirole oral tablet extended release 24 hr</i>   | 4                | MO                                 |
| ROXICET ORAL SOLUTION                                  | 3                | MO; QLL (1800 per 30 days)         |
| ROZEREM                                                | 3                | MO; QLL (30 per 30 days)           |
| SABRIL ORAL POWDER IN PACKET                           | 4                | PAR; MO; LA; QLL (180 per 30 days) |
| SABRIL ORAL TABLET                                     | 5                | PAR; MO; LA; QLL (180 per 30 days) |
| SAPHRIS (BLACK CHERRY) SUBLINGUAL TABLET 10 MG         | 4                | MO; QLL (60 per 30 days)           |
| SAPHRIS (BLACK CHERRY) SUBLINGUAL TABLET 2.5 MG        | 4                | QLL (240 per 30 days)              |
| SAPHRIS (BLACK CHERRY) SUBLINGUAL TABLET 5 MG          | 4                | MO; QLL (120 per 30 days)          |
| <i>selegiline hcl</i>                                  | 3                | MO                                 |
| SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG  | 4                | PAR; MO; QLL (150 per 30 days)     |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|--------------------------------------------------------|------------------|--------------------------------|
| SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 200 MG  | 4                | PAR; MO; QLL (120 per 30 days) |
| SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 300 MG  | 4                | PAR; MO; QLL (80 per 30 days)  |
| SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 400 MG  | 5                | PAR; MO; QLL (60 per 30 days)  |
| SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 50 MG   | 4                | PAR; MO; QLL (480 per 30 days) |
| <i>sertraline oral concentrate</i>                     | 4                | MO; QLL (300 per 30 days)      |
| <i>sertraline oral tablet 100 mg</i>                   | 2                | MO; QLL (60 per 30 days)       |
| <i>sertraline oral tablet 25 mg</i>                    | 2                | MO; QLL (240 per 30 days)      |
| <i>sertraline oral tablet 50 mg</i>                    | 2                | MO; QLL (120 per 30 days)      |
| SINEMET CR ORAL TABLET EXTENDED RELEASE 25-100 MG      | 4                | MO                             |
| STRATTERA ORAL CAPSULE 10 MG, 18 MG, 25 MG, 40 MG      | 4                | PAR; MO; QLL (60 per 30 days)  |
| STRATTERA ORAL CAPSULE 100 MG, 60 MG, 80 MG            | 4                | PAR; MO; QLL (30 per 30 days)  |
| SUBOXONE SUBLINGUAL FILM 12-3 MG                       | 4                | PAR; MO; QLL (60 per 30 days)  |
| SUBOXONE SUBLINGUAL FILM 2-0.5 MG                      | 4                | PAR; MO; QLL (360 per 30 days) |
| SUBOXONE SUBLINGUAL FILM 4-1 MG                        | 4                | PAR; MO; QLL (180 per 30 days) |
| SUBOXONE SUBLINGUAL FILM 8-2 MG                        | 4                | PAR; MO; QLL (90 per 30 days)  |
| <i>sulindac oral tablet 150 mg</i>                     | 1                | MO                             |
| <i>sulindac oral tablet 200 mg</i>                     | 2                | MO                             |
| <i>sumatriptan</i>                                     | 4                | MO; QLL (12 per 30 days)       |
| <i>sumatriptan succinate oral</i>                      | 2                | MO; QLL (9 per 30 days)        |
| <i>sumatriptan succinate subcutaneous cartridge</i>    | 4                | MO; QLL (4 per 30 days)        |
| <i>sumatriptan succinate subcutaneous pen injector</i> | 4                | MO; QLL (4 per 30 days)        |

| <b>Drug Name</b>                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b>      |
|-----------------------------------------------------------------|------------------|---------------------------------|
| <i>sumatriptan succinate subcutaneous solution</i>              | 4                | MO; QLL (4 per 30 days)         |
| <i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>   | 4                | QLL (4 per 30 days)             |
| SURMONTIL                                                       | 4                | PAR; MO                         |
| SYMBYAX ORAL CAPSULE 12-25 MG, 12-50 MG, 6-50 MG                | 4                | MO; QLL (30 per 30 days)        |
| SYMBYAX ORAL CAPSULE 3-25 MG                                    | 4                | MO; QLL (90 per 30 days)        |
| TECFIDERA                                                       | 5                | PAR; MO                         |
| <i>thioridazine</i>                                             | 4                | PAR; MO                         |
| <i>thiothixene</i>                                              | 2                | MO                              |
| <i>tiagabine</i>                                                | 4                | MO                              |
| <i>tizanidine oral tablet</i>                                   | 2                | MO                              |
| <i>tolcapone</i>                                                | 5                | MO                              |
| <i>topiramate oral capsule, sprinkle</i>                        | 4                | PAR; MO                         |
| <i>topiramate oral tablet 100 mg</i>                            | 2                | PAR; MO; QLL (480 per 30 days)  |
| <i>topiramate oral tablet 200 mg</i>                            | 3                | PAR; MO; QLL (240 per 30 days)  |
| <i>topiramate oral tablet 25 mg</i>                             | 2                | PAR; MO; QLL (1920 per 30 days) |
| <i>topiramate oral tablet 50 mg</i>                             | 2                | PAR; MO; QLL (960 per 30 days)  |
| <i>tramadol oral tablet</i>                                     | 3                | MO; QLL (240 per 30 days)       |
| <i>tramadol-acetaminophen</i>                                   | 4                | MO; QLL (240 per 30 days)       |
| <i>tranylcypromine</i>                                          | 4                | MO                              |
| <i>trazodone oral tablet 100 mg, 150 mg</i>                     | 2                | MO                              |
| <i>trazodone oral tablet 300 mg</i>                             | 4                | MO                              |
| <i>trazodone oral tablet 50 mg</i>                              | 1                | MO                              |
| <i>trifluoperazine oral tablet 1 mg, 2 mg</i>                   | 3                | MO                              |
| <i>trifluoperazine oral tablet 10 mg, 5 mg</i>                  | 4                | MO                              |
| TYSABRI                                                         | 5                | PAR; MO; LA                     |
| <i>valproate sodium</i>                                         | 4                | B/D PAR; MO                     |
| <i>valproic acid</i>                                            | 3                | MO                              |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i> | 2                | MO                              |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b>      | <b>Drug Name</b>                                                            | <b>Drug Tier</b> | <b>Requirements/Limits</b>         |
|---------------------------------------------------------------------------------------|------------------|---------------------------------|-----------------------------------------------------------------------------|------------------|------------------------------------|
| valproic acid (as sodium salt) oral solution 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml) | 2                |                                 | VIMPAT ORAL SOLUTION                                                        | 4                | MO; QLL (1200 per 30 days)         |
| venlafaxine oral capsule, extended release 24hr 150 mg                                | 3                | MO; QLL (60 per 30 days)        | VIMPAT ORAL TABLET 100 MG                                                   | 4                | MO; QLL (120 per 30 days)          |
| venlafaxine oral capsule, extended release 24hr 37.5 mg                               | 2                | MO; QLL (180 per 30 days)       | VIMPAT ORAL TABLET 150 MG                                                   | 4                | MO; QLL (80 per 30 days)           |
| venlafaxine oral capsule, extended release 24hr 75 mg                                 | 3                | MO; QLL (90 per 30 days)        | VIMPAT ORAL TABLET 200 MG                                                   | 4                | MO; QLL (60 per 30 days)           |
| venlafaxine oral tablet 100 mg                                                        | 4                | MO; QLL (113 per 30 days)       | VIMPAT ORAL TABLET 50 MG                                                    | 4                | MO; QLL (240 per 30 days)          |
| venlafaxine oral tablet 25 mg                                                         | 3                | MO; QLL (450 per 30 days)       | VOLTAREN GEL TOPICAL GEL 1 %                                                | 3                | MO; QLL (1000 per 30 days)         |
| venlafaxine oral tablet 37.5 mg                                                       | 3                | MO; QLL (300 per 30 days)       | XENAZINE ORAL TABLET 12.5 MG                                                | 5                | PAR; MO; LA; QLL (240 per 30 days) |
| venlafaxine oral tablet 50 mg                                                         | 4                | MO; QLL (225 per 30 days)       | XENAZINE ORAL TABLET 25 MG                                                  | 5                | PAR; MO; LA; QLL (120 per 30 days) |
| venlafaxine oral tablet 75 mg                                                         | 3                | MO; QLL (150 per 30 days)       | XYREM                                                                       | 5                | PAR; MO; LA; QLL (540 per 30 days) |
| venlafaxine oral tablet extended release 24hr 150 mg                                  | 4                | MO; QLL (60 per 30 days)        | zaleplon oral capsule 10 mg                                                 | 3                | PAR; MO; QLL (60 per 30 days)      |
| VENLAFAXINE ORAL TABLET EXTENDED RELEASE 24HR 225 MG                                  | 4                | MO; QLL (30 per 30 days)        | zaleplon oral capsule 5 mg                                                  | 3                | PAR; MO; QLL (30 per 30 days)      |
| venlafaxine oral tablet extended release 24hr 37.5 mg                                 | 4                | MO; QLL (180 per 30 days)       | ZARONTIN ORAL CAPSULE                                                       | 4                | MO                                 |
| venlafaxine oral tablet extended release 24hr 75 mg                                   | 4                | MO; QLL (90 per 30 days)        | zenzedi oral tablet 10 mg                                                   | 4                | PAR; MO; QLL (180 per 30 days)     |
| VERSACLOZ                                                                             | 5                | LA; QLL (600 per 30 days)       | zenzedi oral tablet 5 mg                                                    | 4                | PAR; MO; QLL (90 per 30 days)      |
| VIIBRYD ORAL TABLET 10 MG                                                             | 4                | ST; MO; QLL (120 per 30 days)   | ziprasidone hcl oral capsule 20 mg                                          | 4                | MO; QLL (240 per 30 days)          |
| VIIBRYD ORAL TABLET 20 MG                                                             | 4                | ST; MO; QLL (60 per 30 days)    | ziprasidone hcl oral capsule 40 mg                                          | 4                | MO; QLL (120 per 30 days)          |
| VIIBRYD ORAL TABLET 40 MG                                                             | 4                | ST; MO; QLL (30 per 30 days)    | ziprasidone hcl oral capsule 60 mg, 80 mg                                   | 4                | MO; QLL (60 per 30 days)           |
| VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)-20 MG (7)-40 MG (16)                        | 4                | ST; MO; QLL (30 per 30 days)    | zolpidem                                                                    | 4                | PAR; MO; QLL (30 per 30 days)      |
| VIMPAT INTRAVENOUS                                                                    | 4                | B/D PAR; QLL (1200 per 30 days) | zonisamide oral capsule 100 mg, 50 mg                                       | 3                | MO                                 |
|                                                                                       |                  |                                 | zonisamide oral capsule 25 mg                                               | 2                | MO                                 |
|                                                                                       |                  |                                 | ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG, 405 MG | 5                | PAR; LA; QLL (2 per 28 days)       |
|                                                                                       |                  |                                 | ZYPREXA RELPREVV INTRAMUSCULAR                                              | 5                | PAR; MO; LA; QLL (2 per 28 days)   |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|------------------------------------------------------------------------------------|------------------|-------------------------------|
| SUSPENSION FOR RECONSTITUTION 300 MG                                               |                  |                               |
| <b>Cardiovascular, Hypertension / Lipids</b>                                       |                  |                               |
| ACCUPRIL                                                                           | 4                | MO                            |
| ACCURETIC ORAL TABLET 20-12.5 MG, 20-25 MG                                         | 4                | MO                            |
| acebutolol oral                                                                    | 2                | MO                            |
| ADALAT CC                                                                          | 4                | MO                            |
| ADVICOR ORAL TABLET, ER MULTIPHASE 24 HR 1,000-20 MG, 750-20 MG                    | 4                | MO; QLL (60 per 30 days)      |
| ADVICOR ORAL TABLET, ER MULTIPHASE 24 HR 1,000-40 MG, 500-20 MG                    | 4                | MO; QLL (30 per 30 days)      |
| afeditab cr                                                                        | 2                | MO                            |
| AGGRENOX                                                                           | 4                | ST; MO; QLL (60 per 30 days)  |
| ALDACTAZIDE ORAL TABLET 25-25 MG                                                   | 4                | MO                            |
| ALTACE ORAL CAPSULE 10 MG, 2.5 MG, 5 MG                                            | 4                | MO                            |
| ALTOPREV                                                                           | 4                | PAR; MO; QLL (30 per 30 days) |
| amiloride oral                                                                     | 3                | MO                            |
| amiloride-hydrochlorothiazide                                                      | 2                | MO                            |
| amiodarone intravenous solution                                                    | 4                | B/D PAR; MO                   |
| amiodarone intravenous syringe                                                     | 4                | B/D PAR                       |
| amiodarone oral tablet 100 mg, 200 mg                                              | 2                | MO                            |
| amiodarone oral tablet 400 mg                                                      | 4                | MO                            |
| amlodipine oral tablet 10 mg, 2.5 mg                                               | 1                | MO; QLL (30 per 30 days)      |
| amlodipine oral tablet 5 mg                                                        | 1                | MO; QLL (45 per 30 days)      |
| amlodipine-atorvastatin                                                            | 3                | MO; QLL (30 per 30 days)      |
| amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 2.5-10 mg, 5-20 mg, 5-40 mg | 3                | MO                            |
| amlodipine-benazepril oral capsule 5-10 mg                                         | 2                | MO                            |

| <b>Drug Name</b>                                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|------------------------------------------------------------------------------|------------------|------------------------------|
| amlodipine-valsartan                                                         | 4                | MO; QLL (30 per 30 days)     |
| amlodipine-valsartan-hcthiaid                                                | 4                | MO; QLL (30 per 30 days)     |
| ATACAND HCT ORAL TABLET 16-12.5 MG                                           | 4                | MO; QLL (60 per 30 days)     |
| ATACAND HCT ORAL TABLET 32-12.5 MG, 32-25 MG                                 | 4                | MO; QLL (30 per 30 days)     |
| ATACAND ORAL TABLET 16 MG, 4 MG, 8 MG                                        | 4                | MO; QLL (60 per 30 days)     |
| ATACAND ORAL TABLET 32 MG                                                    | 4                | MO; QLL (30 per 30 days)     |
| atenolol                                                                     | 1                | MO                           |
| atenolol-chlorthalidone                                                      | 1                | MO                           |
| atorvastatin                                                                 | 6                | MO; CG; QLL (30 per 30 days) |
| AVALIDE ORAL TABLET 150-12.5 MG                                              | 4                | MO; QLL (60 per 30 days)     |
| AVALIDE ORAL TABLET 300-12.5 MG                                              | 4                | MO; QLL (30 per 30 days)     |
| AVAPRO                                                                       | 4                | MO; QLL (30 per 30 days)     |
| AZOR                                                                         | 3                | MO; QLL (30 per 30 days)     |
| benazepril                                                                   | 6                | MO; CG                       |
| benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 5-6.25 mg | 2                | MO                           |
| benazepril-hydrochlorothiazide oral tablet 20-25 mg                          | 1                | MO                           |
| BENICAR HCT                                                                  | 3                | MO; QLL (30 per 30 days)     |
| BENICAR ORAL TABLET 20 MG, 40 MG                                             | 3                | MO; QLL (30 per 30 days)     |
| BENICAR ORAL TABLET 5 MG                                                     | 3                | MO; QLL (60 per 30 days)     |
| betaxolol oral                                                               | 2                | MO                           |
| BIDIL                                                                        | 3                | MO; QLL (180 per 30 days)    |
| bisoprolol fumarate                                                          | 2                | MO                           |
| bisoprolol-hydrochlorothiazide                                               | 1                | MO                           |
| BRILINTA                                                                     | 3                | MO; QLL (60 per 30 days)     |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------|------------------|----------------------------|
| <i>bumetanide injection</i>                                                   | 4                | MO                         |
| <i>bumetanide oral tablet 0.5 mg, 1 mg</i>                                    | 2                | MO                         |
| <i>bumetanide oral tablet 2 mg</i>                                            | 3                | MO                         |
| BYSTOLIC                                                                      | 3                | MO                         |
| CALAN ORAL TABLET 120 MG                                                      | 4                | MO                         |
| CALAN SR ORAL TABLET EXTENDED RELEASE 120 MG                                  | 4                | MO                         |
| <i>candesartan oral tablet 16 mg, 4 mg, 8 mg</i>                              | 3                | MO; QLL (60 per 30 days)   |
| <i>candesartan oral tablet 32 mg</i>                                          | 4                | MO; QLL (30 per 30 days)   |
| <i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg</i>                  | 3                | MO; QLL (60 per 30 days)   |
| <i>candesartan-hydrochlorothiazid oral tablet 32-12.5 mg, 32-25 mg</i>        | 3                | MO; QLL (30 per 30 days)   |
| <i>captopril oral tablet 100 mg, 25 mg, 50 mg</i>                             | 2                | MO                         |
| <i>captopril oral tablet 12.5 mg</i>                                          | 1                | MO                         |
| <i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 50-15 mg, 50-25 mg</i> | 2                | MO                         |
| <i>captopril-hydrochlorothiazide oral tablet 25-25 mg</i>                     | 1                | MO                         |
| CARDIZEM LA ORAL TABLET EXTENDED RELEASE 24 HR 180 MG, 240 MG, 420 MG         | 4                | MO                         |
| <i>cartia xt</i>                                                              | 2                | MO                         |
| <i>carvedilol</i>                                                             | 1                | MO                         |
| <i>chlorothiazide oral tablet 250 mg</i>                                      | 1                | MO                         |
| <i>chlorothiazide oral tablet 500 mg</i>                                      | 2                | MO                         |
| <i>chlorothiazide sodium</i>                                                  | 4                | MO                         |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i>                                | 2                | MO                         |
| <i>cholestyramine (with sugar)</i>                                            | 2                | MO                         |
| <i>cholestyramine light</i>                                                   | 2                | MO                         |
| <i>cilostazol</i>                                                             | 2                | MO                         |
| <i>clonidine hcl oral tablet</i>                                              | 2                | MO                         |

| <b>Drug Name</b>                                                                        | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>clonidine transdermal patch</i>                                                      | 4                | MO; QLL (4 per 28 days)    |
| <i>clopidogrel oral tablet 300 mg</i>                                                   | 4                | MO; QLL (1 per 30 days)    |
| <i>clopidogrel oral tablet 75 mg</i>                                                    | 2                | MO; QLL (30 per 30 days)   |
| <i>colestipol</i>                                                                       | 2                | MO                         |
| COREG CR                                                                                | 4                | ST; MO                     |
| CORZIDE ORAL TABLET 40-5 MG                                                             | 4                | MO                         |
| COUMADIN ORAL                                                                           | 4                | MO                         |
| COZAAR ORAL TABLET 100 MG                                                               | 4                | MO; QLL (30 per 30 days)   |
| COZAAR ORAL TABLET 25 MG, 50 MG                                                         | 4                | MO; QLL (60 per 30 days)   |
| CRESTOR                                                                                 | 3                | MO; QLL (30 per 30 days)   |
| DEMSEER                                                                                 | 4                | MO                         |
| DIGITEK ORAL TABLET 125 MCG                                                             | 3                | MO                         |
| <i>digox oral tablet 125 mcg</i>                                                        | 3                | MO; QLL (30 per 30 days)   |
| <i>digoxin oral solution 50 mcg/ml</i>                                                  | 3                | MO                         |
| <i>digoxin oral tablet 125 mcg</i>                                                      | 3                | MO                         |
| <i>dilt-xr</i>                                                                          | 2                | MO                         |
| <i>diltiazem hcl intravenous recon soln</i>                                             | 4                | B/D PAR                    |
| <i>diltiazem hcl intravenous solution</i>                                               | 4                |                            |
| <i>diltiazem hcl oral capsule, extended release 120 mg, 180 mg, 240 mg, 300 mg</i>      | 2                | MO                         |
| <i>diltiazem hcl oral capsule, extended release 360 mg</i>                              | 4                | MO                         |
| <i>diltiazem hcl oral capsule, extended release 420 mg</i>                              | 3                | MO                         |
| <i>diltiazem hcl oral capsule, extended release degradable</i>                          | 2                | MO                         |
| <i>diltiazem hcl oral capsule, extended release 12 hr</i>                               | 3                | MO                         |
| <i>diltiazem hcl oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> | 2                | MO                         |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> | <b>Drug Name</b>                                                                                                     | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------|------------------|----------------------------|----------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>diltiazem hcl oral capsule, extended release 24hr 360 mg</i>    | 4                | MO                         | <i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i>                                                     | 3                | MO; QLL (30 per 30 days)   |
| <i>diltiazem hcl oral tablet</i>                                   | 1                | MO                         | <i>fenofibrate micronized oral capsule 43 mg</i>                                                                     | 3                | MO                         |
| DIOVAN HCT                                                         | 4                | MO; QLL (30 per 30 days)   | <i>fenofibrate nanocrystallized 48 mg, 145 mg</i>                                                                    | 3                | MO                         |
| <i>doxazosin</i>                                                   | 2                | MO                         | <i>fenofibrate oral tablet 160 mg</i>                                                                                | 3                | MO; QLL (30 per 30 days)   |
| DYAZIDE                                                            | 4                | MO                         | <i>fenofibrate oral tablet 54 mg</i>                                                                                 | 2                | MO; QLL (30 per 30 days)   |
| EFFIENT                                                            | 3                | MO; QLL (30 per 30 days)   | <i>fenofibric acid (choline) dr capsules</i>                                                                         | 3                | MO                         |
| ELIQUIS                                                            | 3                | MO; QLL (60 per 30 days)   | <i>flecainide oral tablet 100 mg, 50 mg</i>                                                                          | 3                | MO                         |
| <i>enalapril maleate</i>                                           | 6                | MO; CG                     | <i>flecainide oral tablet 150 mg</i>                                                                                 | 4                | MO                         |
| <i>enalapril-hydrochlorothiazide</i>                               | 6                | MO; CG                     | <i>fluvastatin oral capsule 20 mg</i>                                                                                | 3                | MO; QLL (60 per 30 days)   |
| <i>enoxaparin subcutaneous solution</i>                            | 5                | MO; QLL (84 per 30 days)   | <i>fluvastatin oral capsule 40 mg</i>                                                                                | 4                | MO; QLL (60 per 30 days)   |
| <i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i>        | 5                | MO; QLL (28 per 30 days)   | <i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i>                                                                | 5                | MO; QLL (24 per 30 days)   |
| <i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> | 5                | MO; QLL (22.4 per 30 days) | <i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i>                                                               | 4                | MO; QLL (15 per 30 days)   |
| <i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i>                | 4                | MO; QLL (8.4 per 30 days)  | <i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i>                                                                 | 5                | MO; QLL (12 per 30 days)   |
| <i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i>                | 4                | MO; QLL (11.2 per 30 days) | <i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i>                                                               | 5                | MO; QLL (18 per 30 days)   |
| <i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i>                | 4                | MO; QLL (16.8 per 30 days) | <i>fosinopril</i>                                                                                                    | 1                | MO                         |
| <i>eplerenone</i>                                                  | 4                | MO                         | <i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg</i>                                                         | 3                | MO                         |
| <i>eprosartan</i>                                                  | 3                | MO; QLL (30 per 30 days)   | <i>fosinopril-hydrochlorothiazide oral tablet 20-12.5 mg</i>                                                         | 2                | MO                         |
| EXFORGE                                                            | 4                | MO; QLL (30 per 30 days)   | <i>furosemide injection</i>                                                                                          | 4                | MO                         |
| EXFORGE HCT                                                        | 4                | MO; QLL (30 per 30 days)   | <i>furosemide oral solution 10 mg/ml</i>                                                                             | 2                | MO                         |
| <i>felodipine oral tablet extended release 24 hr 10 mg</i>         | 3                | MO                         | <i>furosemide oral solution 40 mg/5 ml</i>                                                                           | 1                | MO                         |
| <i>felodipine oral tablet extended release 24 hr 2.5 mg, 5 mg</i>  | 2                | MO                         | <i>furosemide oral tablet</i>                                                                                        | 1                | MO                         |
| <i>fenofibrate micronized oral capsule 130 mg</i>                  | 4                | MO                         | <i>gemfibrozil oral</i>                                                                                              | 2                | MO                         |
|                                                                    |                  |                            | <i>heparin (porcine) in 5 % dex intravenous parenteral solution 12,500 unit/250 ml, 20,000 unit/500 ml (40 unit/</i> | 4                | B/D PAR                    |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| ml), 25,000 unit/250 ml(100 unit/ml)                                                                  |                  |                            |
| heparin (porcine) in 5 % dex intravenous parenteral solution 25,000 unit/500 ml (50 unit/ml)          | 4                | B/D PAR; MO                |
| heparin (porcine) in nacl (pf) intravenous parenteral solution 1,000 unit/500 ml, 2,000 unit/1,000 ml | 4                | B/D PAR                    |
| heparin (porcine) injection cartridge                                                                 | 4                | B/D PAR; MO                |
| heparin (porcine) injection solution                                                                  | 4                | B/D PAR; MO                |
| HEPARIN(PORCINE) IN 0.45% NACL INTRAVENOUS PARENTERAL SOLUTION 12, 500 UNIT/250 ML                    | 4                | B/D PAR                    |
| heparin(porcine) in 0.45% nacl intravenous parenteral solution 25,000 unit/250 ml, 25,000 unit/500 ml | 4                | B/D PAR                    |
| heparin, porcine (pf) injection                                                                       | 4                | B/D PAR; MO                |
| hydralazine injection                                                                                 | 4                | MO                         |
| hydralazine oral                                                                                      | 2                | MO                         |
| hydrochlorothiazide                                                                                   | 1                | MO                         |
| HYZAAR                                                                                                | 4                | MO; QLL (30 per 30 days)   |
| indapamide                                                                                            | 1                | MO                         |
| irbesartan oral tablet 150 mg, 75 mg                                                                  | 1                | MO; QLL (30 per 30 days)   |
| irbesartan oral tablet 300 mg                                                                         | 2                | MO; QLL (30 per 30 days)   |
| irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg                                                | 2                | MO; QLL (60 per 30 days)   |
| irbesartan-hydrochlorothiazide oral tablet 300-12.5 mg                                                | 3                | MO; QLL (30 per 30 days)   |
| isosorbide dinitrate oral tablet 10 mg, 20 mg, 5 mg                                                   | 4                | MO                         |
| isosorbide dinitrate oral tablet 30 mg                                                                | 3                | MO                         |
| isosorbide dinitrate oral tablet extended release                                                     | 4                | MO                         |

| <b>Drug Name</b>                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|--------------------------------------------------------------------------|------------------|------------------------------|
| isosorbide mononitrate                                                   | 2                | MO                           |
| isradipine                                                               | 3                | MO                           |
| jantoven oral tablet 1 mg, 10 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg | 1                | MO                           |
| jantoven oral tablet 2 mg                                                | 2                | MO                           |
| JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 5 MG                                 | 5                | PAR; MO; LA                  |
| labetalol intravenous solution                                           | 4                | MO                           |
| labetalol oral tablet 100 mg, 200 mg                                     | 2                | MO                           |
| labetalol oral tablet 300 mg                                             | 3                | MO                           |
| LANOXIN ORAL TABLET 125 MCG                                              | 3                | MO; QLL (30 per 30 days)     |
| LANOXIN ORAL TABLET 62.5 MCG                                             | 3                | MO                           |
| LESCOL                                                                   | 4                | MO; QLL (60 per 30 days)     |
| LIPITOR ORAL TABLET 10 MG                                                | 4                | MO                           |
| lisinopril                                                               | 6                | MO; CG                       |
| lisinopril-hydrochlorothiazide                                           | 6                | MO; CG                       |
| LOFIBRA ORAL CAPSULE 200 MG                                              | 4                | MO; QLL (30 per 30 days)     |
| LOPID                                                                    | 4                | MO                           |
| losartan oral tablet 100 mg                                              | 6                | MO; CG; QLL (30 per 30 days) |
| losartan oral tablet 25 mg, 50 mg                                        | 6                | MO; CG; QLL (60 per 30 days) |
| losartan-hydrochlorothiazide                                             | 6                | MO; CG; QLL (30 per 30 days) |
| LOTENSIN ORAL TABLET 20 MG, 40 MG                                        | 4                | MO                           |
| lovastatin oral tablet 10 mg, 20 mg                                      | 6                | MO; CG; QLL (30 per 30 days) |
| lovastatin oral tablet 40 mg                                             | 6                | MO; CG; QLL (60 per 30 days) |
| MAVIK                                                                    | 4                | MO                           |
| MAXZIDE                                                                  | 4                | MO                           |
| MAXZIDE-25MG                                                             | 4                | MO                           |
| methyclothiazide                                                         | 3                | MO                           |
| metolazone oral tablet 10 mg, 5 mg                                       | 3                | MO                           |
| metolazone oral tablet 2.5 mg                                            | 2                | MO                           |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> | <b>Drug Name</b>                                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|-------------------------------------------------------------------------------------|------------------|----------------------------|------------------------------------------------------------------|------------------|------------------------------|
| <i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> | 2                | MO                         | <i>niacin oral tablet extended release 24 hr 500 mg</i>          | 4                | MO; QLL (30 per 30 days)     |
| <i>metoprolol succinate oral tablet extended release 24 hr 200 mg</i>               | 3                | MO                         | NIACOR                                                           | 3                | MO                           |
| <i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>              | 3                | MO                         | <i>nicardipine intravenous</i>                                   | 4                | MO                           |
| <i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg</i>                          | 2                | MO                         | <i>nicardipine oral</i>                                          | 2                | MO                           |
| <i>metoprolol tartrate intravenous solution</i>                                     | 4                | MO                         | <i>nifedical xl</i>                                              | 2                | MO                           |
| <i>metoprolol tartrate intravenous syringe</i>                                      | 4                |                            | <i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg</i> | 2                | MO                           |
| <i>metoprolol tartrate oral</i>                                                     | 1                | MO                         | <i>nifedipine oral tablet extended release 24hr 90 mg</i>        | 3                | MO                           |
| <i>mexiletine oral capsule 150 mg, 250 mg</i>                                       | 3                | MO                         | <i>nifedipine oral tablet extended release 30 mg, 60 mg</i>      | 2                | MO                           |
| <i>mexiletine oral capsule 200 mg</i>                                               | 4                | MO                         | <i>nifedipine oral tablet extended release 90 mg</i>             | 3                | MO                           |
| MICARDIS HCT ORAL TABLET 40-12.5 MG, 80-25 MG                                       | 4                | MO; QLL (30 per 30 days)   | <i>nimodipine</i>                                                | 4                | MO                           |
| MICARDIS HCT ORAL TABLET 80-12.5 MG                                                 | 4                | MO; QLL (60 per 30 days)   | <i>nitroglycerin intravenous</i>                                 | 4                | B/D PAR                      |
| MICARDIS ORAL TABLET 20 MG, 40 MG                                                   | 4                | MO; QLL (30 per 30 days)   | <i>nitroglycerin transdermal patch 24 hour</i>                   | 2                | MO                           |
| MICARDIS ORAL TABLET 80 MG                                                          | 4                | MO; QLL (60 per 30 days)   | NITROSTAT                                                        | 3                | MO                           |
| MICROZIDE                                                                           | 4                | MO                         | NORPACE                                                          | 4                | PAR; MO                      |
| MINIPRESS ORAL CAPSULE 2 MG                                                         | 4                | MO                         | NORVASC ORAL TABLET 10 MG, 2.5 MG                                | 4                | MO; QLL (30 per 30 days)     |
| <i>minoxidil oral</i>                                                               | 2                | MO                         | NORVASC ORAL TABLET 5 MG                                         | 4                | MO; QLL (45 per 30 days)     |
| <i>moexipril</i>                                                                    | 2                | MO                         | <i>omega-3 acid ethyl esters</i>                                 | 3                | PAR; MO                      |
| <i>moexipril-hydrochlorothiazide</i>                                                | 2                | MO                         | <i>pacerone oral tablet 100 mg, 400 mg</i>                       | 4                | MO                           |
| MULTAQ                                                                              | 3                | MO; QLL (60 per 30 days)   | <i>pacerone oral tablet 200 mg</i>                               | 2                | MO                           |
| <i>nadolol oral tablet 20 mg, 40 mg</i>                                             | 3                | MO                         | <i>pentoxifylline</i>                                            | 2                | MO                           |
| <i>nadolol oral tablet 80 mg</i>                                                    | 4                | MO                         | <i>perindopril erbumine</i>                                      | 2                | MO                           |
| <i>nadolol-bendroflumethiazide</i>                                                  | 3                | MO                         | <i>pindolol oral tablet 10 mg</i>                                | 3                | MO                           |
| <i>niacin oral tablet extended release 24 hr 1,000 mg, 750 mg</i>                   | 4                | MO; QLL (60 per 30 days)   | <i>pindolol oral tablet 5 mg</i>                                 | 2                | MO                           |
|                                                                                     |                  |                            | PRADAXA                                                          | 4                | MO; QLL (60 per 30 days)     |
|                                                                                     |                  |                            | PRAVACHOL ORAL TABLET 20 MG                                      | 4                | MO                           |
|                                                                                     |                  |                            | <i>pravastatin oral tablet 10 mg, 20 mg, 40 mg</i>               | 6                | MO; CG; QLL (30 per 30 days) |
|                                                                                     |                  |                            | <i>pravastatin oral tablet 80 mg</i>                             | 1                | MO; QLL (30 per 30 days)     |
|                                                                                     |                  |                            | <i>prazosin oral capsule 1 mg, 2 mg</i>                          | 2                | MO                           |
|                                                                                     |                  |                            | <i>prazosin oral capsule 5 mg</i>                                | 3                | MO                           |
|                                                                                     |                  |                            | <i>prevalite</i>                                                 | 2                | MO                           |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|------------------------------------------------------------------------|------------------|-----------------------------------|
| PRINIVIL ORAL TABLET 10 MG, 20 MG, 5 MG                                | 4                | MO                                |
| <i>procainamide injection solution 100 mg/ml</i>                       | 4                | MO                                |
| <i>procainamide injection solution 500 mg/ml</i>                       | 4                |                                   |
| PROCARDIA                                                              | 4                | PAR; MO                           |
| PROCARDIA XL ORAL TABLET EXTENDED RELEASE 24HR 30 MG                   | 4                | MO                                |
| PROMACTA ORAL TABLET 12.5 MG, 25 MG, 75 MG                             | 5                | PAR; MO; LA; QLL (30 per 30 days) |
| PROMACTA ORAL TABLET 50 MG                                             | 5                | PAR; MO; LA; QLL (60 per 30 days) |
| <i>propafenone oral tablet 150 mg, 225 mg</i>                          | 3                | MO                                |
| <i>propafenone oral tablet 300 mg</i>                                  | 4                | MO                                |
| <i>propranolol intravenous</i>                                         | 4                |                                   |
| <i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg</i> | 3                | MO                                |
| <i>propranolol oral capsule, extended release 24 hr 60 mg, 80 mg</i>   | 2                | MO                                |
| <i>propranolol oral solution</i>                                       | 2                | MO                                |
| <i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>              | 1                | MO                                |
| <i>propranolol oral tablet 60 mg</i>                                   | 2                | MO                                |
| <i>propranolol-hydrochlorothiazid</i>                                  | 2                | MO                                |
| <i>quinapril oral tablet 10 mg, 5 mg</i>                               | 1                | MO                                |
| <i>quinapril oral tablet 20 mg, 40 mg</i>                              | 2                | MO                                |
| <i>quinapril-hydrochlorothiazide</i>                                   | 2                | MO                                |
| <i>quinidine sulfate oral tablet</i>                                   | 2                | MO                                |
| <i>quinidine sulfate oral tablet extended release</i>                  | 3                | MO                                |
| <i>ramipril</i>                                                        | 1                | MO                                |
| RANEXA                                                                 | 4                | PAR; MO                           |
| <i>reserpine oral tablet 0.1 mg</i>                                    | 1                | PAR; MO                           |

| <b>Drug Name</b>                                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|--------------------------------------------------------------------------------|------------------|------------------------------|
| SIMCOR ORAL TABLET, ER MULTIPHASE 24 HR 1,000-20 MG, 750-20 MG                 | 4                | MO; QLL (60 per 30 days)     |
| SIMCOR ORAL TABLET, ER MULTIPHASE 24 HR 1,000-40 MG, 500-20 MG, 500-40 MG      | 4                | MO; QLL (30 per 30 days)     |
| <i>simvastatin</i>                                                             | 6                | MO; CG; QLL (30 per 30 days) |
| <i>sorine oral tablet 120 mg, 160 mg</i>                                       | 2                | MO                           |
| <i>sorine oral tablet 240 mg</i>                                               | 2                |                              |
| <i>sorine oral tablet 80 mg</i>                                                | 1                | MO                           |
| <i>sotalol af oral tablet 120 mg, 160 mg</i>                                   | 2                | MO                           |
| <i>sotalol af oral tablet 80 mg</i>                                            | 1                | MO                           |
| <i>sotalol oral tablet 120 mg, 160 mg, 240 mg</i>                              | 2                | MO                           |
| <i>sotalol oral tablet 80 mg</i>                                               | 1                | MO                           |
| <i>spironolacton-hydrochlorothiaz</i>                                          | 3                | MO                           |
| <i>spironolactone oral tablet 100 mg</i>                                       | 3                | MO                           |
| <i>spironolactone oral tablet 25 mg, 50 mg</i>                                 | 2                | MO                           |
| SULAR ORAL TABLET EXTENDED RELEASE 24 HR 17 MG                                 | 4                | MO                           |
| <i>taztia xt oral capsule, extended release 120 mg, 180 mg, 240 mg, 360 mg</i> | 2                | MO                           |
| <i>taztia xt oral capsule, extended release 300 mg</i>                         | 3                | MO                           |
| TEKTURNA                                                                       | 4                | MO; QLL (30 per 30 days)     |
| TEKTURNA HCT                                                                   | 4                | MO; QLL (30 per 30 days)     |
| <i>telmisartan oral tablet 20 mg, 40 mg</i>                                    | 4                | MO; QLL (30 per 30 days)     |
| <i>telmisartan oral tablet 80 mg</i>                                           | 4                | MO; QLL (60 per 30 days)     |
| <i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-25 mg</i>         | 4                | MO; QLL (30 per 30 days)     |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b> | <b>Drug Name</b>                                                            | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------------------|------------------|----------------------------|-----------------------------------------------------------------------------|------------------|----------------------------|
| <i>telmisartan-hydrochlorothiazid oral tablet 80-12.5 mg</i>                                     | 4                | MO; QLL (60 per 30 days)   | <i>valsartan-hydrochlorothiazide oral tablet 320-25 mg</i>                  | 3                | MO; QLL (30 per 30 days)   |
| TENORETIC 100                                                                                    | 4                | MO                         | VASERETIC                                                                   | 4                | MO                         |
| TENORETIC 50                                                                                     | 4                | MO                         | VASOTEC ORAL TABLET 2.5 MG                                                  | 4                | MO                         |
| <i>terazosin</i>                                                                                 | 2                | MO                         | VECAMEYL                                                                    | 4                |                            |
| TEVETEN ORAL TABLET 600 MG                                                                       | 4                | MO; QLL (30 per 30 days)   | <i>verapamil intravenous solution</i>                                       | 4                | MO                         |
| TIAZAC                                                                                           | 4                | MO                         | <i>verapamil intravenous syringe</i>                                        | 4                |                            |
| TIKOSYN                                                                                          | 4                | MO                         | <i>verapamil oral capsule, 24 hr er pellet ct</i>                           | 3                | MO                         |
| <i>timolol maleate oral tablet 10 mg, 5 mg</i>                                                   | 2                | MO                         | <i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i> | 2                | MO                         |
| <i>timolol maleate oral tablet 20 mg</i>                                                         | 3                | MO                         | <i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i>                 | 3                | MO                         |
| <i>torse mide oral tablet 10 mg, 5 mg</i>                                                        | 2                | MO                         | <i>verapamil oral tablet</i>                                                | 1                | MO                         |
| <i>torse mide oral tablet 100 mg, 20 mg</i>                                                      | 3                | MO                         | <i>verapamil oral tablet extended release 120 mg</i>                        | 2                | MO                         |
| <i>trandolapril</i>                                                                              | 2                | MO                         | <i>verapamil oral tablet extended release 180 mg, 240 mg</i>                | 1                | MO                         |
| <i>tranexamic acid intravenous</i>                                                               | 3                | MO                         | <i>warfarin</i>                                                             | 1                | MO                         |
| <i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>                                    | 1                | MO                         | WELCHOL                                                                     | 3                | MO                         |
| <i>triamterene-hydrochlorothiazid oral tablet</i>                                                | 1                | MO                         | XARELTO ORAL TABLET 10 MG, 20 MG                                            | 3                | MO; QLL (30 per 30 days)   |
| TRIBENZOR                                                                                        | 3                | MO; QLL (30 per 30 days)   | XARELTO ORAL TABLET 15 MG                                                   | 3                | MO; QLL (42 per 30 days)   |
| TRICOR ORAL TABLET 48 MG                                                                         | 4                | MO                         | XARELTO ORAL TABLETS, DOSE PACK                                             | 3                | MO; QLL (102 per 365 days) |
| TRILIPIX ORAL CAPSULE, DELAYED RELEASE(DR/EC) 45 MG                                              | 4                | MO                         | ZESTORETIC                                                                  | 4                | MO                         |
| TWYNSTA ORAL TABLET 40-10 MG, 40-5 MG, 80-5 MG                                                   | 4                | MO; QLL (30 per 30 days)   | ZESTRIL ORAL TABLET 10 MG, 20 MG, 40 MG, 5 MG                               | 4                | MO                         |
| <i>valsartan oral tablet 160 mg</i>                                                              | 4                | MO; QLL (60 per 30 days)   | ZETIA                                                                       | 4                | MO; QLL (30 per 30 days)   |
| <i>valsartan oral tablet 320 mg</i>                                                              | 4                | MO; QLL (30 per 30 days)   | ZIAC ORAL TABLET 10-6.25 MG, 5-6.25 MG                                      | 4                | MO                         |
| <i>valsartan oral tablet 40 mg, 80 mg</i>                                                        | 4                | MO; QLL (90 per 30 days)   | ZOCOR ORAL TABLET 10 MG, 5 MG                                               | 4                | MO                         |
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 80-12.5 mg</i> | 2                | MO; QLL (30 per 30 days)   | <b>Dermatologicals/Topical Therapy</b>                                      |                  |                            |
|                                                                                                  |                  |                            | <i>acitretin</i>                                                            | 5                | MO                         |
|                                                                                                  |                  |                            | <i>acyclovir topical</i>                                                    | 4                | MO; QLL (30 per 30 days)   |
|                                                                                                  |                  |                            | <i>adapalene topical gel 0.1 %</i>                                          | 4                | MO                         |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------|------------------|----------------------------|
| <i>alclometasone topical cream</i>                 | 4                | MO                         |
| <i>alclometasone topical ointment</i>              | 3                | MO                         |
| <i>amcinonide</i>                                  | 4                | MO                         |
| <i>ammonium lactate topical</i>                    | 2                | MO                         |
| <i>amnesteam</i>                                   | 4                | MO                         |
| <i>betamethasone dipropionate topical cream</i>    | 4                | MO                         |
| <i>betamethasone dipropionate topical lotion</i>   | 3                | MO                         |
| <i>betamethasone dipropionate topical ointment</i> | 4                | MO                         |
| <i>betamethasone valerate topical cream</i>        | 2                | MO                         |
| <i>betamethasone valerate topical lotion</i>       | 4                | MO                         |
| <i>betamethasone valerate topical ointment</i>     | 3                | MO                         |
| <i>betamethasone, augmented topical cream</i>      | 3                | MO                         |
| <i>betamethasone, augmented topical gel</i>        | 4                | MO                         |
| <i>betamethasone, augmented topical lotion</i>     | 4                | MO                         |
| <i>betamethasone, augmented topical ointment</i>   | 4                | MO                         |
| <i>calcipotriene topical cream</i>                 | 4                | MO; QLL (120 per 30 days)  |
| <i>calcipotriene topical ointment</i>              | 4                | MO; QLL (120 per 30 days)  |
| <i>calcipotriene topical solution</i>              | 4                | MO; QLL (60 per 30 days)   |
| <i>ciclodan topical cream</i>                      | 3                | MO                         |
| <i>ciclodan topical solution</i>                   | 3                | PAR; MO                    |
| <i>ciclopirox topical cream</i>                    | 3                | MO                         |
| <i>ciclopirox topical gel</i>                      | 4                | MO                         |
| <i>ciclopirox topical shampoo</i>                  | 4                | MO                         |
| <i>ciclopirox topical solution</i>                 | 2                | PAR; MO                    |
| <i>ciclopirox topical suspension</i>               | 3                | MO                         |
| <i>claravis oral capsule 10 mg, 20 mg, 40 mg</i>   | 4                | MO                         |
| <i>claravis oral capsule 30 mg</i>                 | 5                | MO                         |
| <i>clindamycin phosphate topical gel</i>           | 3                | MO                         |
| <i>clindamycin phosphate topical lotion</i>        | 3                | MO                         |

| <b>Drug Name</b>                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|--------------------------------------------------|------------------|--------------------------------|
| <i>clindamycin phosphate topical solution</i>    | 3                | MO                             |
| <i>clindamycin phosphate topical swab</i>        | 2                | MO                             |
| <i>clindamycin-benzoyl peroxide</i>              | 4                | MO                             |
| <i>clobetasol topical cream</i>                  | 2                | MO                             |
| <i>clobetasol topical foam</i>                   | 4                | MO                             |
| <i>clobetasol topical gel</i>                    | 2                | MO                             |
| <i>clobetasol topical lotion</i>                 | 4                | MO                             |
| <i>clobetasol topical ointment</i>               | 3                | MO                             |
| <i>clobetasol topical shampoo</i>                | 4                | MO                             |
| <i>clobetasol topical solution</i>               | 2                | MO                             |
| <i>clobetasol-emollient topical cream</i>        | 3                | MO                             |
| <i>clobetasol-emollient topical foam</i>         | 4                | MO                             |
| CLOBEX TOPICAL LOTION                            | 4                | MO                             |
| <i>clotrimazole topical cream</i>                | 3                | MO                             |
| <i>clotrimazole topical solution</i>             | 2                | MO                             |
| <i>clotrimazole-betamethasone topical cream</i>  | 3                | MO                             |
| <i>clotrimazole-betamethasone topical lotion</i> | 4                | MO                             |
| <i>cormax topical solution</i>                   | 2                | MO                             |
| DENAVIR                                          | 3                | MO; QLL (5 per 2 days)         |
| DERMATOP TOPICAL OINTMENT                        | 4                | MO                             |
| <i>desonide</i>                                  | 4                | MO                             |
| <i>desoximetasone topical cream</i>              | 4                | MO                             |
| <i>desoximetasone topical gel</i>                | 4                | MO                             |
| <i>desoximetasone topical ointment 0.25 %</i>    | 4                | MO                             |
| <i>diflorasone</i>                               | 4                | MO                             |
| DIPROLENE AF                                     | 4                | MO                             |
| <i>econazole topical</i>                         | 2                | MO                             |
| ELIDEL                                           | 4                | PAR; MO; QLL (100 per 90 days) |
| ELOCON TOPICAL SOLUTION                          | 4                | MO                             |
| <i>ery pads</i>                                  | 3                | MO                             |
| <i>erythromycin with ethanol</i>                 | 2                | MO                             |
| <i>erythromycin-benzoyl peroxide</i>             | 3                | MO                             |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------|------------------|----------------------------|
| <i>fluocinolone topical cream</i>               | 4                | MO                         |
| <i>fluocinolone topical ointment</i>            | 4                | MO                         |
| <i>fluocinolone topical solution</i>            | 4                | MO                         |
| <i>fluocinonide topical cream 0.05 %</i>        | 2                | MO                         |
| <i>fluocinonide topical gel</i>                 | 3                | MO                         |
| <i>fluocinonide topical ointment</i>            | 3                | MO                         |
| <i>fluocinonide topical solution</i>            | 4                | MO                         |
| <i>fluocinonide-e</i>                           | 3                | MO                         |
| <i>fluocinonide-emollient</i>                   | 3                | MO                         |
| <i>fluorouracil topical cream 5 %</i>           | 4                | MO                         |
| <i>fluorouracil topical solution</i>            | 4                | MO                         |
| <i>fluticasone topical cream</i>                | 3                | MO                         |
| <i>fluticasone topical lotion</i>               | 4                | MO                         |
| <i>fluticasone topical ointment</i>             | 3                | MO                         |
| <i>gentamicin topical</i>                       | 3                | MO                         |
| <i>halobetasol propionate</i>                   | 4                | MO                         |
| <i>hydrocortisone butyrate topical cream</i>    | 2                | MO                         |
| <i>hydrocortisone butyrate topical ointment</i> | 4                | MO                         |
| <i>hydrocortisone butyrate topical solution</i> | 2                | MO                         |
| <i>hydrocortisone topical cream 1 %</i>         | 1                | MO                         |
| <i>hydrocortisone topical cream 2.5 %</i>       | 2                | MO                         |
| <i>hydrocortisone topical lotion 2.5 %</i>      | 3                | MO                         |
| <i>hydrocortisone topical ointment 1 %</i>      | 1                | MO                         |
| <i>hydrocortisone topical ointment 2.5 %</i>    | 2                | MO                         |
| <i>hydrocortisone valerate</i>                  | 4                | MO                         |
| <i>hydrocortisone-min oil-wht pet</i>           | 2                | MO                         |
| <i>imiquimod</i>                                | 4                | MO                         |
| <i>ketoconazole topical cream</i>               | 3                | MO                         |
| <i>ketoconazole topical shampoo</i>             | 2                | MO                         |
| <i>lidocaine hcl laryngotracheal</i>            | 2                | MO                         |
| <i>lidocaine hcl mucous membrane gel</i>        | 2                | MO                         |

| <b>Drug Name</b>                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|--------------------------------------------------------------|------------------|-------------------------------|
| <i>lidocaine hcl mucous membrane jelly in applicator</i>     | 2                | MO                            |
| <i>lidocaine hcl mucous membrane solution 2 %</i>            | 2                |                               |
| <i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i> | 2                | MO                            |
| <i>lidocaine hcl urethral</i>                                | 3                |                               |
| <i>lidocaine topical adhesive patch,medicated</i>            | 4                | PAR; MO; QLL (90 per 30 days) |
| <i>lidocaine topical ointment</i>                            | 4                | MO                            |
| <i>lidocaine viscous</i>                                     | 2                | MO                            |
| <i>lidocaine-prilocaine</i>                                  | 4                | MO                            |
| <i>lindane topical shampoo</i>                               | 4                | MO                            |
| <i>malathion</i>                                             | 4                | MO                            |
| <i>methoxsalen rapid</i>                                     | 5                | PAR; MO                       |
| <i>metronidazole topical cream</i>                           | 4                | MO                            |
| <i>metronidazole topical gel 0.75 %</i>                      | 3                | MO                            |
| <i>metronidazole topical lotion</i>                          | 4                | MO                            |
| <i>mometasone</i>                                            | 2                | MO                            |
| <i>mupirocin calcium</i>                                     | 4                | MO                            |
| <i>mupirocin ointment</i>                                    | 2                | MO                            |
| <i>myorisan</i>                                              | 4                | MO                            |
| <i>nyamyc</i>                                                | 3                | MO                            |
| <i>nystatin topical cream</i>                                | 2                | MO                            |
| <i>nystatin topical ointment</i>                             | 3                | MO                            |
| <i>nystatin topical powder</i>                               | 3                | MO                            |
| <i>nystatin-triamcinolone</i>                                | 4                | MO                            |
| <i>nystop</i>                                                | 3                | MO                            |
| <i>PANRETIN</i>                                              | 5                | MO                            |
| <i>permethrin topical cream</i>                              | 3                | MO                            |
| <i>podofilox</i>                                             | 4                | MO                            |
| <i>prednicarbate</i>                                         | 4                | MO                            |
| <i>rosadan topical cream</i>                                 | 2                | MO                            |
| <i>rosadan topical gel</i>                                   | 2                | MO                            |
| <i>SANTYL</i>                                                | 4                | MO; QLL (30 per 30 days)      |
| <i>selenium sulfide topical suspension</i>                   | 2                | MO                            |
| <i>SILVADENE</i>                                             | 3                | MO                            |
| <i>silver sulfadiazine</i>                                   | 2                | MO                            |
| <i>ssd</i>                                                   | 2                | MO                            |
| <i>sulfacetamide sodium (acne)</i>                           | 4                | MO                            |
| <i>TAZORAC</i>                                               | 4                | PAR; MO                       |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b>      |
|-----------------------------------------------------------------------|------------------|---------------------------------|
| TEMOVATE TOPICAL CREAM                                                | 4                | MO                              |
| TEMOVATE TOPICAL OINTMENT                                             | 4                | MO                              |
| <i>tretinoin topical</i>                                              | 3                | MO; QLL (45 per 30 days)        |
| <i>triamcinolone acetonide topical cream 0.025 %</i>                  | 1                | MO                              |
| <i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i>             | 2                | MO                              |
| <i>triamcinolone acetonide topical lotion 0.025 %</i>                 | 3                | MO                              |
| <i>triamcinolone acetonide topical lotion 0.1 %</i>                   | 4                | MO                              |
| <i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i> | 2                | MO                              |
| <i>trianex</i>                                                        | 2                | MO                              |
| <i>triderm topical cream</i>                                          | 1                | MO                              |
| UVADEX                                                                | 4                |                                 |
| VALCHLOR                                                              | 5                | MO                              |
| <i>zenatane oral capsule 10 mg, 20 mg, 40 mg</i>                      | 4                | MO                              |
| ZENATANE ORAL CAPSULE 30 MG                                           | 3                |                                 |
| <b>Diagnostics / Miscellaneous Agents</b>                             |                  |                                 |
| <i>acamprosate</i>                                                    | 4                | MO                              |
| <i>acetic acid irrigation</i>                                         | 2                | MO                              |
| <i>acetylcysteine intravenous</i>                                     | 2                | B/D PAR; MO                     |
| ADAGEN                                                                | 5                | MO                              |
| <i>alendronate oral tablet 40 mg</i>                                  | 3                | MO; QLL (30 per 30 days)        |
| <i>anagrelide</i>                                                     | 3                | MO                              |
| ARALAST NP                                                            | 5                | PAR; MO; LA                     |
| BUPHENYL ORAL TABLET                                                  | 5                | PAR; MO                         |
| <i>buproban</i>                                                       | 2                | MO; QLL (60 per 30 days)        |
| CARBAGLU                                                              | 5                | PAR; MO; LA                     |
| CHANTIX                                                               | 4                | PAR; MO; QLL (60 per 30 days)   |
| CHANTIX CONTINUING MONTH BOX                                          | 4                | PAR; MO; QLL (56 per 28 days)   |
| CHANTIX STARTING MONTH BOX                                            | 4                | PAR; MO; QLL (106 per 365 days) |
| CLINIMIX 4.25%/D5W SULFIT FREE                                        | 4                | B/D PAR                         |

| <b>Drug Name</b>                                                     | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------|------------------|----------------------------|
| CLINIMIX E 2.75%/D10W SUL FREE                                       | 4                | B/D PAR                    |
| CLINIMIX E 2.75%/D5W SULF FREE                                       | 4                | B/D PAR                    |
| <i>d10 % &amp; 0.45 % sodium chloride</i>                            | 4                | B/D PAR                    |
| <i>d2.5 %-0.45 % sodium chloride</i>                                 | 4                | B/D PAR                    |
| <i>d5 % and 0.9 % sodium chloride</i>                                | 4                | B/D PAR; MO                |
| <i>d5 %-0.45 % sodium chloride</i>                                   | 4                | B/D PAR; MO                |
| <i>dextrose 10 % and 0.2 % nacl</i>                                  | 4                | B/D PAR                    |
| <i>dextrose 10 % in water (d10w) intravenous parenteral solution</i> | 4                | B/D PAR; MO                |
| <i>dextrose 25 % in water (d25w)</i>                                 | 4                | B/D PAR                    |
| <i>dextrose 30 % in water (d30w)</i>                                 | 4                | B/D PAR                    |
| <i>dextrose 40 % in water (d40w)</i>                                 | 4                | B/D PAR                    |
| <i>dextrose 5 % in water (d5w)</i>                                   | 4                | B/D PAR; MO                |
| <i>dextrose 5 %-lactated ringers</i>                                 | 4                | B/D PAR; MO                |
| <i>dextrose 5%-0.2 % sod chloride</i>                                | 4                | B/D PAR                    |
| <i>dextrose 5%-0.3 % sod.chloride</i>                                | 4                | B/D PAR                    |
| <i>dextrose 50 % in water (d50w) intravenous parenteral solution</i> | 4                | B/D PAR; MO                |
| <i>dextrose 50 % in water (d50w) intravenous syringe</i>             | 4                | B/D PAR                    |
| <i>dextrose 70 % in water (d70w)</i>                                 | 4                | B/D PAR; MO                |
| <i>dextrose with sodium chloride</i>                                 | 4                | B/D PAR                    |
| <i>disulfiram</i>                                                    | 4                | MO                         |
| <i>etidronate disodium oral tablet 200 mg</i>                        | 3                | MO                         |
| <i>etidronate disodium oral tablet 400 mg</i>                        | 2                | MO                         |
| EXJADE                                                               | 5                | PAR; MO; LA                |
| INCRELEX                                                             | 5                | PAR; MO; LA                |
| <i>kionex</i>                                                        | 3                | MO                         |
| <i>lactated ringers irrigation</i>                                   | 4                | B/D PAR; MO                |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                        | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|---------------------------------------------------------|------------------|--------------------------------|
| <i>levocarnitine (with sugar)</i>                       | 3                | B/D PAR; MO                    |
| <i>levocarnitine intravenous</i>                        | 4                | B/D PAR                        |
| <i>levocarnitine oral tablet</i>                        | 3                | MO                             |
| <i>midodrine</i>                                        | 4                | MO                             |
| <i>neomycin-polymyxin b gu</i>                          | 4                | MO                             |
| NICOTROL NS                                             | 3                | MO; QLL (120 per 30 days)      |
| ORFADIN ORAL CAPSULE 10 MG, 5 MG                        | 5                | LA                             |
| ORFADIN ORAL CAPSULE 2 MG                               | 5                | MO; LA                         |
| PHYSIOLYTE                                              | 4                | B/D PAR                        |
| PHYSIOSOL IRRIGATION                                    | 4                |                                |
| <i>pilocarpine hcl oral</i>                             | 4                | MO                             |
| RAVICTI                                                 | 5                | PAR; MO; QLL (525 per 30 days) |
| RENVELA ORAL POWDER IN PACKET 0.8 GRAM                  | 5                | MO; QLL (180 per 30 days)      |
| RENVELA ORAL POWDER IN PACKET 2.4 GRAM                  | 5                | MO; QLL (90 per 30 days)       |
| RENVELA ORAL TABLET                                     | 3                | MO; QLL (270 per 30 days)      |
| <i>riluzole</i>                                         | 4                | MO                             |
| <i>ringers irrigation</i>                               | 4                | B/D PAR; MO                    |
| <i>risedronate oral tablet 150 mg oral tablet 30 mg</i> | 4                | ST; MO; QLL (30 per 30 days)   |
| <i>sodium chloride 0.9 % intravenous</i>                | 4                | MO                             |
| <i>sodium chloride irrigation</i>                       | 4                | MO                             |
| <i>sodium phenylbutyrate</i>                            | 5                | PAR; MO                        |
| <i>sodium polystyrene (sorb free)</i>                   | 4                |                                |
| <i>sodium polystyrene sulfonate oral powder</i>         | 4                | MO                             |
| <i>sodium polystyrene sulfonate oral suspension</i>     | 4                |                                |
| <i>sodium polystyrene sulfonate rectal</i>              | 4                |                                |
| SODIUM POLYSTYRENE SULFONATE RECTAL                     | 4                |                                |
| <i>sps oral</i>                                         | 4                | MO                             |
| <i>sps rectal</i>                                       | 4                |                                |
| SYPRINE                                                 | 5                | MO                             |
| <i>water for irrigation, sterile</i>                    | 4                | B/D PAR; MO                    |
| <b>Ear, Nose / Throat Medications</b>                   |                  |                                |

| <b>Drug Name</b>                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------|------------------|----------------------------|
| <i>acetazol hc</i>                                           | 4                | MO                         |
| <i>acetic acid otic</i>                                      | 3                | MO                         |
| <i>acetic acid-aluminum acetate</i>                          | 2                | MO                         |
| <i>azelastine nasal</i>                                      | 4                | MO; QLL (30 per 25 days)   |
| <i>chlorhexidine gluconate mucous membrane</i>               | 1                | MO                         |
| CIPRODEX                                                     | 3                | MO                         |
| CORTISPORIN OTIC SOLUTION                                    | 4                | MO                         |
| <i>denta 5000 plus</i>                                       | 2                | MO                         |
| <i>dentagel</i>                                              | 2                | MO                         |
| <i>fluocinolone acetonide oil otic</i>                       | 4                | MO                         |
| <i>hydrocortisone-acetic acid</i>                            | 4                | MO                         |
| <i>ipratropium bromide nasal</i>                             | 2                | MO; QLL (30 per 30 days)   |
| <i>neomycin-polymyxin-hc otic</i>                            | 2                | MO                         |
| <i>ofloxacin otic</i>                                        | 2                | MO                         |
| <i>paroex oral rinse</i>                                     | 1                | MO                         |
| <i>periogard</i>                                             | 1                | MO                         |
| <i>sf 5000 plus</i>                                          | 2                | MO                         |
| <i>triamcinolone acetonide dental</i>                        | 4                | MO                         |
| TYZINE NASAL DROPS 0.05 %                                    | 4                | MO                         |
| <b>Endocrine/Diabetes</b>                                    |                  |                            |
| <i>acarbose oral tablet 100 mg</i>                           | 4                | MO; QLL (90 per 30 days)   |
| <i>acarbose oral tablet 25 mg</i>                            | 3                | MO; QLL (360 per 30 days)  |
| <i>acarbose oral tablet 50 mg</i>                            | 4                | MO; QLL (180 per 30 days)  |
| ACTOPLUS MET XR ORAL TABLET, ER MULTIPHASE 24 HR 15-1,000 MG | 4                | MO; QLL (60 per 30 days)   |
| ACTOPLUS MET XR ORAL TABLET, ER MULTIPHASE 24 HR 30-1,000 MG | 4                | MO; QLL (45 per 30 days)   |
| <i>alcohol pads</i>                                          | 1                |                            |
| ALDURAZYME                                                   | 5                | PAR; MO                    |
| AMARYL ORAL TABLET 1 MG                                      | 4                | MO; QLL (240 per 30 days)  |
| AMARYL ORAL TABLET 2 MG                                      | 4                | MO; QLL (120 per 30 days)  |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|---------------------------------------------------------------------------|------------------|----------------------------------|
| AMARYL ORAL TABLET 4 MG                                                   | 4                | MO; QLL (60 per 30 days)         |
| ANDROGEL TRANSDERMAL GEL IN METERED-DOSE PUMP 20.25 MG/1.25 GRAM (1.62 %) | 3                | PAR; MO; QLL (150 per 30 days)   |
| ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (20.25 MG/1.25 GRAM)            | 3                | PAR; MO; QLL (112.5 per 30 days) |
| ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (40.5 MG/2.5 GRAM)              | 3                | PAR; MO; QLL (150 per 30 days)   |
| <i>androxy</i>                                                            | 4                | PAR; MO                          |
| BYDUREON                                                                  | 3                | MO; QLL (4 per 28 days)          |
| BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE(250 MCG/ML) 2.4 ML           | 3                | MO; QLL (2.4 per 30 days)        |
| BYETTA SUBCUTANEOUS PEN INJECTOR 5 MCG/DOSE (250 MCG/ML) 1.2 ML           | 3                | MO; QLL (1.2 per 30 days)        |
| <i>cabergoline</i>                                                        | 3                | MO                               |
| <i>calcitonin (salmon)</i>                                                | 3                | MO; QLL (4 per 30 days)          |
| <i>calcitriol intravenous solution 1 mcg/ml</i>                           | 4                | B/D PAR; MO                      |
| <i>calcitriol oral capsule</i>                                            | 2                | B/D PAR; MO                      |
| <i>calcitriol oral solution</i>                                           | 3                | B/D PAR; MO                      |
| CEREZYME INTRAVENOUS RECON SOLN 400 UNIT                                  | 5                | PAR; MO                          |
| <i>cortisone</i>                                                          | 4                | MO                               |
| CYCLOSET                                                                  | 4                | ST; MO; QLL (180 per 30 days)    |
| CYTOMEL                                                                   | 4                | MO                               |
| <i>danazol oral</i>                                                       | 3                | MO                               |
| <i>desmopressin injection</i>                                             | 5                | MO                               |
| <i>desmopressin nasal aerosol, spray</i>                                  | 4                | MO                               |
| <i>desmopressin nasal solution</i>                                        | 3                | MO                               |
| <i>desmopressin nasal spray, non-aerosol</i>                              | 4                | MO                               |
| <i>desmopressin oral</i>                                                  | 4                | MO                               |
| <i>dexamethasone oral elixir 0.5mg/ml</i>                                 | 4                | MO                               |
| <i>dexamethasone oral solution 0.5mg/ml</i>                               | 4                | MO                               |

| <b>Drug Name</b>                                            | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|-------------------------------------------------------------|------------------|-------------------------------|
| <i>dexamethasone oral tablet 0.5 mg, 1.5 mg</i>             | 1                | MO                            |
| <i>dexamethasone oral tablet 0.75 mg, 1 mg, 4 mg, 6 mg</i>  | 2                | MO                            |
| <i>dexamethasone oral tablet 2 mg</i>                       | 3                | MO                            |
| <i>dexamethasone sodium phos (pf)</i>                       | 4                | MO                            |
| <i>dexamethasone sodium phosphate injection</i>             | 4                | MO                            |
| <i>doxercalciferol intravenous</i>                          | 4                | B/D PAR                       |
| DUETACT ORAL TABLET 30-4 MG                                 | 4                | MO; QLL (30 per 30 days)      |
| ELAPRASE                                                    | 5                | PAR; MO                       |
| FABRAZYME                                                   | 5                | PAR; MO                       |
| <i>fludrocortisone</i>                                      | 3                | MO                            |
| <i>fortical</i>                                             | 3                | MO; QLL (4 per 30 days)       |
| <i>gauze pads 2 x 2</i>                                     | 1                | QLL (200 per 30 days)         |
| <i>glimepiride oral tablet 1 mg</i>                         | 6                | MO; CG; QLL (240 per 30 days) |
| <i>glimepiride oral tablet 2 mg</i>                         | 6                | MO; CG; QLL (120 per 30 days) |
| <i>glimepiride oral tablet 4 mg</i>                         | 6                | MO; CG; QLL (60 per 30 days)  |
| <i>glipizide oral tablet 10 mg</i>                          | 6                | MO; CG; QLL (120 per 30 days) |
| <i>glipizide oral tablet 5 mg</i>                           | 6                | MO; CG; QLL (240 per 30 days) |
| <i>glipizide oral tablet extended release 24hr 10 mg</i>    | 1                | MO; QLL (60 per 30 days)      |
| <i>glipizide oral tablet extended release 24hr 2.5 mg</i>   | 6                | MO; CG; QLL (240 per 30 days) |
| <i>glipizide oral tablet extended release 24hr 5 mg</i>     | 6                | MO; CG; QLL (120 per 30 days) |
| <i>glipizide-metformin oral tablet 2.5-250 mg</i>           | 2                | MO; QLL (240 per 30 days)     |
| <i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i> | 3                | MO; QLL (120 per 30 days)     |
| GLUCAGEN HYPOKIT                                            | 3                | MO                            |
| GLUCAGON EMERGENCY KIT (HUMAN)                              | 4                | MO                            |
| GLUCOPHAGE ORAL TABLET 1,000 MG                             | 4                | MO; QLL (76 per 30 days)      |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                            | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|-------------------------------------------------------------|------------------|--------------------------------|
| GLUCOPHAGE ORAL TABLET 500 MG                               | 4                | MO; QLL (153 per 30 days)      |
| GLUCOPHAGE ORAL TABLET 850 MG                               | 4                | MO; QLL (90 per 30 days)       |
| GLUCOPHAGE XR ORAL TABLET EXTENDED RELEASE 24 HR 500 MG     | 4                | MO; QLL (120 per 30 days)      |
| GLUCOPHAGE XR ORAL TABLET EXTENDED RELEASE 24 HR 750 MG     | 4                | MO; QLL (80 per 30 days)       |
| GLUCOTROL ORAL TABLET 10 MG                                 | 4                | MO; QLL (120 per 30 days)      |
| GLUCOTROL ORAL TABLET 5 MG                                  | 4                | MO; QLL (240 per 30 days)      |
| GLUCOTROL XL ORAL TABLET EXTENDED RELEASE 24HR 10 MG        | 4                | MO; QLL (60 per 30 days)       |
| GLUCOTROL XL ORAL TABLET EXTENDED RELEASE 24HR 2.5 MG       | 4                | MO; QLL (240 per 30 days)      |
| GLUCOTROL XL ORAL TABLET EXTENDED RELEASE 24HR 5 MG         | 4                | MO; QLL (120 per 30 days)      |
| GLUCOVANCE                                                  | 4                | PAR; MO; QLL (120 per 30 days) |
| GLUMETZA ORAL TABLET,ER GAST.RETENTION 24 HR 1,000 MG       | 4                | MO; QLL (60 per 30 days)       |
| GLUMETZA ORAL TABLET,ER GAST.RETENTION 24 HR 500 MG         | 4                | MO; QLL (120 per 30 days)      |
| HUMALOG KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML        | 3                | MO                             |
| HUMALOG KWIKPEN SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML) | 3                |                                |
| HUMALOG MIX 50-50 KWIKPEN                                   | 3                | MO                             |
| HUMALOG MIX 50-50 KWIKPEN                                   | 3                | MO                             |
| HUMALOG MIX 75-25 KWIKPEN                                   | 3                | MO                             |
| HUMALOG MIX 75-25 KWIKPEN                                   | 3                | MO                             |
| HUMALOG SUBCUTANEOUS CARTRIDGE                              | 3                | MO                             |

| <b>Drug Name</b>                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|--------------------------------------------------------------------|------------------|-------------------------------|
| HUMALOG SUBCUTANEOUS SOLUTION 100 UNIT/ML                          | 3                | MO                            |
| HUMALOG SUBCUTANEOUS SOLUTION 100 UNIT/ML (PREFILLED SYRINGE)      | 3                |                               |
| HUMULIN 70/30                                                      | 3                | MO                            |
| HUMULIN 70/30 KWIKPEN                                              | 3                | MO                            |
| HUMULIN N                                                          | 3                | MO                            |
| HUMULIN N KWIKPEN                                                  | 3                | MO                            |
| HUMULIN R                                                          | 3                | MO                            |
| HUMULIN R U-500 "CONCENTRATED"                                     | 5                | MO                            |
| hydrocortisone oral tablet 10 mg, 5 mg                             | 3                | MO                            |
| hydrocortisone oral tablet 20 mg                                   | 2                | MO                            |
| insulin pen needle                                                 | 3                | MO; QLL (200 per 30 days)     |
| INSULIN SYRINGE (DISP) U-100 0.3 ML, 1/2 ML                        | 3                | QLL (200 per 30 days)         |
| INSULIN SYRINGE (DISP) U-100 1 ML                                  | 3                | MO; QLL (200 per 30 days)     |
| JANUMET                                                            | 3                | MO; QLL (60 per 30 days)      |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG           | 3                | MO; QLL (30 per 30 days)      |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG | 3                | MO; QLL (60 per 30 days)      |
| JANUVIA ORAL TABLET 100 MG                                         | 3                | MO; QLL (30 per 30 days)      |
| JANUVIA ORAL TABLET 25 MG                                          | 3                | MO; QLL (120 per 30 days)     |
| JANUVIA ORAL TABLET 50 MG                                          | 3                | MO; QLL (60 per 30 days)      |
| JARDIANCE                                                          | 4                | PAR; MO; QLL (30 per 30 days) |
| JENTADUETO                                                         | 3                | MO; QLL (60 per 30 days)      |
| KORLYM                                                             | 5                | PAR; MO                       |
| KUVAN ORAL TABLET, SOLUBLE                                         | 5                | PAR; MO; LA                   |
| LANTUS                                                             | 3                | MO                            |
| LANTUS SOLOSTAR                                                    | 3                | MO                            |
| LEVEMIR                                                            | 4                | MO                            |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                                                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|-------------------------------------------------------------------------------------------------------------------|------------------|-------------------------------|
| LEVEMIR FLEXTOUCH                                                                                                 | 4                | MO                            |
| levothyroxine oral                                                                                                | 1                | MO                            |
| levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg | 2                | MO                            |
| liothyronine intravenous                                                                                          | 5                | MO                            |
| liothyronine oral tablet 25 mcg, 5 mcg                                                                            | 3                | MO                            |
| liothyronine oral tablet 50 mcg                                                                                   | 4                | MO                            |
| metformin oral tablet 1,000 mg                                                                                    | 6                | MO; CG; QLL (76 per 30 days)  |
| metformin oral tablet 500 mg                                                                                      | 6                | MO; CG; QLL (153 per 30 days) |
| metformin oral tablet 850 mg                                                                                      | 6                | MO; CG; QLL (90 per 30 days)  |
| metformin oral tablet extended release 24 hr 500 mg                                                               | 6                | MO; CG; QLL (120 per 30 days) |
| metformin oral tablet extended release 24 hr 750 mg                                                               | 6                | MO; CG; QLL (80 per 30 days)  |
| metformin oral tablet extended release 24hr 1,000 mg                                                              | 4                | MO; QLL (75 per 30 days)      |
| metformin oral tablet extended release 24hr 500 mg                                                                | 6                | MO; CG; QLL (150 per 30 days) |
| methimazole oral tablet 10 mg                                                                                     | 3                | MO                            |
| methimazole oral tablet 5 mg                                                                                      | 2                | MO                            |
| methylprednisolone acetate                                                                                        | 4                | MO                            |
| methylprednisolone oral tablet 16 mg, 4 mg, 8 mg                                                                  | 4                | MO                            |
| methylprednisolone oral tablet 32 mg                                                                              | 3                | MO                            |
| methylprednisolone oral tablets,dose pack                                                                         | 3                | MO                            |
| methylprednisolone sodium succ injection recon soln 125 mg, 40 mg                                                 | 4                | MO                            |
| methylprednisolone sodium succ intravenous                                                                        | 4                | MO                            |

| <b>Drug Name</b>                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|--------------------------------------------------------|------------------|----------------------------------|
| MIACALCIN INJECTION                                    | 4                | B/D PAR; MO                      |
| MIACALCIN NASAL                                        | 4                | MO; QLL (4 per 30 days)          |
| MYOZYME                                                | 5                | PAR; MO                          |
| NAGLAZYME                                              | 5                | PAR; MO; LA                      |
| nateglinide oral tablet 120 mg                         | 4                | MO; QLL (90 per 30 days)         |
| nateglinide oral tablet 60 mg                          | 4                | MO; QLL (180 per 30 days)        |
| NATPARA                                                | 5                | PAR; MO; LA; QLL (2 per 28 days) |
| needles, insulin disp.,safety                          | 3                | QLL (200 per 30 days)            |
| oxandrolone oral tablet 10 mg                          | 5                | PAR; MO; QLL (60 per 30 days)    |
| oxandrolone oral tablet 2.5 mg                         | 3                | PAR; MO; QLL (120 per 30 days)   |
| pamidronate                                            | 4                | B/D PAR; MO                      |
| paricalcitol oral capsule 1 mcg, 2 mcg                 | 4                | B/D PAR; MO                      |
| paricalcitol oral capsule 4 mcg                        | 5                | B/D PAR; MO                      |
| pioglitazone oral tablet 15 mg                         | 2                | MO; QLL (90 per 30 days)         |
| pioglitazone oral tablet 30 mg                         | 2                | MO; QLL (45 per 30 days)         |
| pioglitazone oral tablet 45 mg                         | 2                | MO; QLL (30 per 30 days)         |
| pioglitazone-glimepiride                               | 4                | MO; QLL (30 per 30 days)         |
| pioglitazone-metformin                                 | 4                | MO; QLL (90 per 30 days)         |
| PRANDIMET                                              | 4                | MO; QLL (150 per 30 days)        |
| PRECOSE ORAL TABLET 100 MG                             | 4                | MO; QLL (90 per 30 days)         |
| PRECOSE ORAL TABLET 25 MG                              | 4                | MO; QLL (360 per 30 days)        |
| PRECOSE ORAL TABLET 50 MG                              | 4                | MO; QLL (180 per 30 days)        |
| prednisolone oral solution 15 mg/5 ml                  | 3                | MO                               |
| prednisolone sodium phosphate oral solution 15 mg/5 ml | 3                | MO                               |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|---------------------------------------------------------------------------------|------------------|-------------------------------|
| <i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> | 4                | MO                            |
| <i>prednisolone sodium phosphate oral tablet, disintegrating</i>                | 4                | MO                            |
| <i>prednisone intensol</i>                                                      | 4                | MO                            |
| <i>prednisone oral solution</i>                                                 | 3                | MO                            |
| <i>prednisone oral tablet 1 mg</i>                                              | 2                | MO                            |
| <i>prednisone oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>                 | 1                | MO                            |
| <i>prednisone oral tablets,dose pack</i>                                        | 1                | MO                            |
| PROGLYCEM                                                                       | 5                | MO                            |
| <i>propylthiouracil</i>                                                         | 3                | MO                            |
| <i>repaglinide oral tablet 0.5 mg</i>                                           | 4                | MO; QLL (960 per 30 days)     |
| <i>repaglinide oral tablet 1 mg</i>                                             | 4                | MO; QLL (480 per 30 days)     |
| <i>repaglinide oral tablet 2 mg</i>                                             | 4                | MO; QLL (240 per 30 days)     |
| SAMSCA ORAL TABLET 15 MG                                                        | 5                | PAR; MO; QLL (30 per 30 days) |
| SAMSCA ORAL TABLET 30 MG                                                        | 5                | PAR; MO; QLL (60 per 30 days) |
| SENSIPAR ORAL TABLET 30 MG                                                      | 3                | MO; QLL (60 per 30 days)      |
| SENSIPAR ORAL TABLET 60 MG                                                      | 5                | MO; QLL (60 per 30 days)      |
| SENSIPAR ORAL TABLET 90 MG                                                      | 5                | MO; QLL (120 per 30 days)     |
| SOMAVERT                                                                        | 5                | PAR; MO                       |
| STIMATE                                                                         | 4                | MO                            |
| SYMLINPEN 120                                                                   | 5                | PAR; MO; QLL (11 per 30 days) |
| SYMLINPEN 60                                                                    | 4                | PAR; MO; QLL (6 per 30 days)  |
| SYNAREL                                                                         | 5                | PAR; MO                       |
| SYNTHROID                                                                       | 4                | MO                            |
| TANZEUM                                                                         | 4                | MO; QLL (4 per 28 days)       |
| TAPAZOLE                                                                        | 4                | MO                            |
| <i>testosterone cypionate</i>                                                   | 4                | MO                            |
| <i>testosterone enanthate</i>                                                   | 4                | MO                            |

| <b>Drug Name</b>                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|--------------------------------------------------------------|------------------|-------------------------------|
| <i>tolazamide oral tablet 250 mg</i>                         | 2                | MO; QLL (120 per 30 days)     |
| <i>tolazamide oral tablet 500 mg</i>                         | 2                | MO; QLL (60 per 30 days)      |
| <i>tolbutamide</i>                                           | 3                | MO; QLL (180 per 30 days)     |
| TOUJEO SOLOSTAR                                              | 3                | MO                            |
| TRADJENTA                                                    | 3                | MO; QLL (30 per 30 days)      |
| <i>triamcinolone acetonide injection suspension 10 mg/ml</i> | 4                | MO                            |
| <i>triamcinolone acetonide injection suspension 40 mg/ml</i> | 4                |                               |
| TRULICITY                                                    | 4                | MO; QLL (2 per 28 days)       |
| <i>unithroid</i>                                             | 1                | MO                            |
| VICTOZA 2-PAK                                                | 3                | MO; QLL (9 per 30 days)       |
| VICTOZA 3-PAK                                                | 3                | MO; QLL (9 per 30 days)       |
| VPRIV                                                        | 5                | PAR; MO                       |
| ZAVESCA                                                      | 5                | PAR; MO; LA                   |
| <i>zoledronic acid intravenous recon soln 4 mg</i>           | 5                | PAR                           |
| <i>zoledronic acid intravenous solution 4 mg/5 ml</i>        | 5                | PAR; MO                       |
| ZOMETA INTRAVENOUS SOLUTION 4 MG/100 ML                      | 5                | PAR; MO                       |
| <b>Gastroenterology</b>                                      |                  |                               |
| <i>alosetron</i>                                             | 5                | PAR; MO; QLL (60 per 30 days) |
| APRISO                                                       | 4                | MO                            |
| ASACOL HD                                                    | 3                | MO                            |
| <i>atropine injection syringe 0.05 mg/ml, 0.1 mg/ml</i>      | 4                |                               |
| <i>balsalazide</i>                                           | 4                | MO                            |
| <i>budesonide oral</i>                                       | 5                | MO                            |
| CIMZIA                                                       | 5                | PAR; MO; QLL (6 per 28 days)  |
| CIMZIA POWDER FOR RECONST                                    | 5                | PAR; MO; QLL (6 per 28 days)  |
| CIMZIA STARTER KIT                                           | 5                | PAR; MO; QLL (6 per 28 days)  |
| <i>compro</i>                                                | 4                | PAR; MO                       |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                                                                                                        | <b>Drug Tier</b> | <b>Requirements/Limits</b>         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------------|
| <i>constulose</i>                                                                                                                                       | 3                | MO                                 |
| CREON ORAL CAPSULE, DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 6,000-19,000 -30,000 UNIT | 3                | MO                                 |
| CREON ORAL CAPSULE, DELAYED RELEASE(DR/EC) 36,000-114,000- 180,000 UNIT                                                                                 | 5                | MO                                 |
| <i>cromolyn oral</i>                                                                                                                                    | 4                | MO                                 |
| CYSTADANE                                                                                                                                               | 5                | MO                                 |
| DELZICOL                                                                                                                                                | 3                | MO                                 |
| DEXILANT                                                                                                                                                | 4                | ST; MO; QLL (30 per 30 days)       |
| <i>dicyclomine oral capsule</i>                                                                                                                         | 2                | MO                                 |
| <i>dicyclomine oral solution</i>                                                                                                                        | 4                | MO                                 |
| <i>dicyclomine oral tablet</i>                                                                                                                          | 2                | MO                                 |
| DIPENTUM                                                                                                                                                | 5                | MO                                 |
| <i>diphenoxylate-atropine oral liquid</i>                                                                                                               | 1                | MO                                 |
| <i>diphenoxylate-atropine oral tablet</i>                                                                                                               | 3                | MO                                 |
| <i>dronabinol oral capsule 10 mg</i>                                                                                                                    | 5                | B/D PAR; MO; QLL (120 per 30 days) |
| <i>dronabinol oral capsule 2.5 mg, 5 mg</i>                                                                                                             | 4                | B/D PAR; MO; QLL (120 per 30 days) |
| EMEND ORAL CAPSULE 125 MG                                                                                                                               | 3                | B/D PAR; MO; QLL (5 per 30 days)   |
| EMEND ORAL CAPSULE 40 MG                                                                                                                                | 3                | B/D PAR; MO; QLL (1 per 2 days)    |
| EMEND ORAL CAPSULE 80 MG                                                                                                                                | 3                | B/D PAR; MO; QLL (10 per 30 days)  |
| EMEND ORAL CAPSULE, DOSE PACK                                                                                                                           | 3                | B/D PAR; MO; QLL (15 per 30 days)  |
| <i>enulose</i>                                                                                                                                          | 2                | MO                                 |
| <i>esomeprazole sodium intravenous</i>                                                                                                                  | 4                |                                    |
| <i>famotidine (pf)</i>                                                                                                                                  | 4                | MO                                 |
| <i>famotidine (pf)-nacl (iso-os)</i>                                                                                                                    | 4                |                                    |
| <i>famotidine intravenous</i>                                                                                                                           | 4                | MO                                 |
| <i>famotidine oral suspension</i>                                                                                                                       | 4                | MO                                 |
| <i>famotidine oral tablet 20 mg, 40 mg</i>                                                                                                              | 2                | MO                                 |

| <b>Drug Name</b>                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------|------------------|----------------------------|
| GATTEX 30-VIAL                                                      | 5                | MO                         |
| GATTEX ONE-VIAL                                                     | 5                | MO                         |
| <i>gavilyte-c</i>                                                   | 2                | MO                         |
| <i>gavilyte-g</i>                                                   | 2                | MO                         |
| <i>gavilyte-n</i>                                                   | 2                | MO                         |
| <i>generlac</i>                                                     | 3                | MO                         |
| <i>glycopyrrolate injection</i>                                     | 4                | MO                         |
| <i>glycopyrrolate oral tablet</i>                                   | 4                | MO                         |
| <i>hydrocortisone rectal enema</i>                                  | 4                | MO                         |
| <i>lactulose oral solution 10 gram/15 ml (15 ml)</i>                | 2                |                            |
| <i>lactulose oral solution 10 gram/15 ml, 20 gram/30 ml</i>         | 2                | MO                         |
| <i>lansoprazole oral capsule, delayed release(dr/ec)</i>            | 4                | MO; QLL (30 per 30 days)   |
| LIALDA                                                              | 3                | MO                         |
| LINZESS                                                             | 3                | MO                         |
| <i>loperamide oral capsule</i>                                      | 3                | MO                         |
| <i>meclizine oral tablet 12.5 mg, 25 mg</i>                         | 2                | MO                         |
| <i>mesalamine rectal</i>                                            | 3                | MO                         |
| <i>mesalamine with cleansing wipe</i>                               | 4                | MO                         |
| <i>methscopolamine oral</i>                                         | 4                | MO                         |
| <i>metoclopramide hcl injection solution</i>                        | 4                | MO                         |
| <i>metoclopramide hcl injection syringe</i>                         | 4                |                            |
| <i>metoclopramide hcl oral solution</i>                             | 2                | MO                         |
| <i>metoclopramide hcl oral tablet</i>                               | 2                | MO                         |
| <i>misoprostol oral tablet 100 mcg</i>                              | 3                | MO                         |
| <i>misoprostol oral tablet 200 mcg</i>                              | 4                | MO                         |
| <i>nizatidine oral capsule 150 mg</i>                               | 3                | MO                         |
| <i>nizatidine oral capsule 300 mg</i>                               | 4                | MO                         |
| <i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 40 mg</i> | 2                | MO; QLL (30 per 30 days)   |
| <i>omeprazole oral capsule, delayed release(dr/ec) 20 mg</i>        | 3                | MO; QLL (30 per 30 days)   |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                        | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|-------------------------------------------------------------------------|------------------|-----------------------------------|
| <i>ondansetron hcl (pf) injection solution</i>                          | 4                | MO                                |
| <i>ondansetron hcl (pf) injection syringe</i>                           | 4                |                                   |
| <i>ondansetron hcl intravenous solution</i>                             | 4                | MO                                |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i>                           | 3                | B/D PAR; MO; QLL (90 per 30 days) |
| <i>ondansetron oral tablet, disintegrating 4 mg</i>                     | 4                | B/D PAR; MO; QLL (90 per 30 days) |
| <i>ondansetron oral tablet, disintegrating 8 mg</i>                     | 3                | B/D PAR; MO; QLL (90 per 30 days) |
| <i>opium tincture oral tincture</i>                                     | 2                | MO                                |
| OSMOPREP                                                                | 4                | MO                                |
| <i>pantoprazole oral</i>                                                | 2                | MO; QLL (30 per 30 days)          |
| <i>paregoric</i>                                                        | 2                | MO                                |
| <i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 - 5.86 gram</i> | 2                | MO                                |
| <i>peg 3350-electrolytes oral recon soln 240-22.72-6.72 - 5.84 gram</i> | 2                |                                   |
| <i>peg-3350 with flavor packs</i>                                       | 2                |                                   |
| <i>peg-electrolyte soln</i>                                             | 2                |                                   |
| PENTASA                                                                 | 3                | MO                                |
| <i>polyethylene glycol 3350 oral</i>                                    | 2                | MO                                |
| <i>prochlorperazine</i>                                                 | 4                | PAR; MO                           |
| <i>prochlorperazine edisylate</i>                                       | 4                | PAR; MO                           |
| <i>prochlorperazine maleate oral</i>                                    | 2                | PAR; MO                           |
| <i>procto-pak</i>                                                       | 2                | MO                                |
| <i>proctosol hc</i>                                                     | 2                | MO                                |
| <i>proctozone-hc</i>                                                    | 1                | MO                                |
| <i>propantheline</i>                                                    | 4                | MO                                |
| <i>ranitidine hcl injection</i>                                         | 4                | MO                                |
| <i>ranitidine hcl oral syrup</i>                                        | 4                | MO                                |
| <i>ranitidine hcl oral tablet 150 mg, 300 mg</i>                        | 2                | MO                                |
| RELISTOR SUBCUTANEOUS SOLUTION                                          | 4                | PAR; MO                           |
| RELISTOR SUBCUTANEOUS SYRINGE                                           | 5                | PAR; MO                           |
| REMICADE                                                                | 5                | PAR; MO                           |
| SUCRAID                                                                 | 5                | MO                                |

| <b>Drug Name</b>                                                                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|-----------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|
| <i>sucralfate oral tablet</i>                                                                                         | 2                | MO                           |
| <i>sulfasalazine</i>                                                                                                  | 2                | MO                           |
| <i>sulfazine</i>                                                                                                      | 1                | MO                           |
| <i>sulfazine ec</i>                                                                                                   | 2                | MO                           |
| SUPREP BOWEL PREP KIT                                                                                                 | 3                | MO                           |
| <i>trilyte with flavor packets</i>                                                                                    | 2                | MO                           |
| UCERIS ORAL                                                                                                           | 5                | MO                           |
| <i>ursodiol</i>                                                                                                       | 4                | MO                           |
| <b>Immunology, Vaccines / Biotechnology</b>                                                                           |                  |                              |
| ACTHIB (PF)                                                                                                           | 3                | MO                           |
| ACTIMMUNE                                                                                                             | 5                | PAR; MO                      |
| ADACEL(TDAP ADOLESN/ ADULT)(PF)                                                                                       | 3                | MO                           |
| ARANESP (IN POLYSORBATE) INJECTION SOLUTION 100 MCG/ML, 150 MCG/0.75 ML, 200 MCG/ML, 300 MCG/ML                       | 5                | PAR; MO                      |
| ARANESP (IN POLYSORBATE) INJECTION SOLUTION 25 MCG/ML, 40 MCG/ML, 60 MCG/ML                                           | 4                | PAR; MO                      |
| ARANESP (IN POLYSORBATE) INJECTION SYRINGE 10 MCG/0.4 ML, 25 MCG/0.42 ML, 40 MCG/0.4 ML, 60 MCG/0.3 ML                | 4                | PAR; MO                      |
| ARANESP (IN POLYSORBATE) INJECTION SYRINGE 100 MCG/0.5 ML, 150 MCG/0.3 ML, 200 MCG/0.4 ML, 300 MCG/0.6 ML, 500 MCG/ML | 5                | PAR; MO                      |
| ARCALYST                                                                                                              | 5                | PAR; MO                      |
| AVONEX (WITH ALBUMIN)                                                                                                 | 5                | PAR; MO; QLL (4 per 28 days) |
| AVONEX INTRAMUSCULAR PEN INJECTOR KIT                                                                                 | 5                | PAR; MO; QLL (4 per 28 days) |
| AVONEX INTRAMUSCULAR SYRINGE                                                                                          | 5                | PAR; MO; QLL (4 per 28 days) |
| AVONEX INTRAMUSCULAR SYRINGE KIT                                                                                      | 5                | PAR; MO; QLL (4 per 28 days) |
| BCG VACCINE, LIVE (PF)                                                                                                | 4                |                              |
| BETASERON SUBCUTANEOUS KIT                                                                                            | 5                | PAR; MO                      |
| BEXSERO (PF)                                                                                                          | 3                |                              |
| BIVIGAM                                                                                                               | 5                | PAR; MO                      |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------|------------------|----------------------------|
| BOOSTRIX TDAP                                                            | 3                | MO                         |
| BOTOX                                                                    | 4                | PAR; MO                    |
| CARIMUNE NF<br>NANOFILTERED<br>INTRAVENOUS RECON SOLN<br>12 GRAM, 6 GRAM | 5                | PAR; MO                    |
| CERVARIX VACCINE (PF)                                                    | 3                | MO                         |
| COMVAX (PF)                                                              | 3                | MO                         |
| DAPTACEL (DTAP PEDIATRIC)<br>(PF)                                        | 3                | MO                         |
| DYSPORT                                                                  | 4                | PAR; MO                    |
| ENGERIX-B (PF)                                                           | 3                | B/D PAR; MO                |
| ENGERIX-B PEDIATRIC (PF)<br>INTRAMUSCULAR<br>SUSPENSION                  | 3                | B/D PAR; MO                |
| ENGERIX-B PEDIATRIC (PF)<br>INTRAMUSCULAR SYRINGE                        | 3                | B/D PAR                    |
| EXTAVIA SUBCUTANEOUS<br>KIT                                              | 5                | PAR; MO                    |
| EXTAVIA SUBCUTANEOUS<br>RECON SOLN                                       | 5                | PAR                        |
| <i>fomepizole</i>                                                        | 5                | MO                         |
| GAMASTAN S/D                                                             | 3                | PAR; MO                    |
| GAMMAGARD LIQUID                                                         | 5                | PAR; MO                    |
| GAMMAGARD S-D (IGA &lt;<br>1 MCG/ML)                                     | 5                | PAR; MO                    |
| GAMUNEX-C                                                                | 5                | PAR; MO                    |
| GARDASIL (PF)                                                            | 3                | MO                         |
| GARDASIL 9 (PF)                                                          | 3                | MO                         |
| HAVRIX (PF)<br>INTRAMUSCULAR<br>SUSPENSION                               | 3                | MO                         |
| HAVRIX (PF)<br>INTRAMUSCULAR SYRINGE<br>1,440 ELISA UNIT/ML              | 3                | MO                         |
| HAVRIX (PF)<br>INTRAMUSCULAR SYRINGE<br>720 ELISA UNIT/0.5 ML            | 3                | MO                         |
| ILARIS (PF)                                                              | 5                | PAR; MO; LA                |
| IMOVAX RABIES VACCINE<br>(PF)                                            | 3                | MO                         |
| INFANRIX (DTAP) (PF)                                                     | 3                | MO                         |
| INTRON A INJECTION                                                       | 5                | PAR; MO                    |
| IPOL                                                                     | 3                | MO                         |
| IXIARO (PF)                                                              | 3                | MO                         |
| M-M-R II (PF)                                                            | 3                | MO                         |

| <b>Drug Name</b>                                                                                                     | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|----------------------------------------------------------------------------------------------------------------------|------------------|----------------------------------|
| MENACTRA (PF)<br>INTRAMUSCULAR SOLUTION                                                                              | 3                | MO                               |
| MENOMUNE - A/C/Y/W-135                                                                                               | 3                |                                  |
| MENOMUNE - A/C/Y/W-135<br>(PF)                                                                                       | 3                | MO                               |
| MENVEO A-C-Y-W-135-DIP<br>(PF)                                                                                       | 3                | MO                               |
| NEUMEGA                                                                                                              | 5                | PAR; MO; QLL (21<br>per 21 days) |
| NEUPOGEN                                                                                                             | 5                | PAR; MO                          |
| NORDITROPIN FLEXPOR                                                                                                  | 5                | PAR; MO                          |
| NORDITROPIN NORDIFLEX                                                                                                | 5                | PAR; MO                          |
| OCTAGAM                                                                                                              | 5                | PAR; MO                          |
| OMNITROPE                                                                                                            | 5                | PAR; MO                          |
| PEDVAX HIB (PF)                                                                                                      | 3                | MO                               |
| PEGINTRON<br>SUBCUTANEOUS KIT 120<br>MCG/0.5 ML, 50 MCG/0.5<br>ML, 80 MCG/0.5 ML                                     | 5                | PAR; MO                          |
| PLEGRIDY                                                                                                             | 5                | PAR; MO; QLL (1<br>per 28 days)  |
| PRIVIGEN                                                                                                             | 5                | PAR; MO                          |
| PROCRIT INJECTION<br>SOLUTION 10,000 UNIT/ML,<br>2,000 UNIT/ML, 20,000<br>UNIT/2 ML, 3,000 UNIT/ML,<br>4,000 UNIT/ML | 4                | PAR; MO; QLL (12<br>per 28 days) |
| PROCRIT INJECTION<br>SOLUTION 20,000 UNIT/ML,<br>40,000 UNIT/ML                                                      | 5                | PAR; MO; QLL (12<br>per 28 days) |
| PROLEUKIN                                                                                                            | 5                | B/D PAR; MO                      |
| PROQUAD (PF)                                                                                                         | 3                |                                  |
| QUADRACEL (PF)                                                                                                       | 3                |                                  |
| RABAVERT (PF)                                                                                                        | 4                | MO                               |
| REBIF (WITH ALBUMIN)                                                                                                 | 5                | PAR; MO                          |
| REBIF REBIDOSE                                                                                                       | 5                | PAR; MO                          |
| REBIF TITRATION PACK                                                                                                 | 5                | PAR; MO                          |
| RECOMBIVAX HB (PF)<br>INTRAMUSCULAR<br>SUSPENSION                                                                    | 3                | B/D PAR; MO                      |
| RECOMBIVAX HB (PF)<br>INTRAMUSCULAR SYRINGE<br>10 MCG/ML                                                             | 3                | MO                               |
| RECOMBIVAX HB (PF)<br>INTRAMUSCULAR SYRINGE<br>5 MCG/0.5 ML                                                          | 3                |                                  |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                            | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------|------------------|----------------------------|
| ROTARIX                                     | 3                |                            |
| ROTATEQ VACCINE                             | 3                |                            |
| SYLATRON                                    | 5                | PAR; MO                    |
| <i>tetanus toxoid,adsorbed (pf)</i>         | 4                | MO                         |
| <i>tetanus,diphtheria tox ped(pf)</i>       | 3                | MO                         |
| TETANUS-DIPHTHERIA TOXOIDS-TD               | 3                | MO                         |
| THYMOGLOBULIN                               | 5                | B/D PAR                    |
| TICE BCG                                    | 4                | MO                         |
| TRUMENBA                                    | 3                |                            |
| TWINRIX (PF)                                | 3                | MO                         |
| TYPHIM VI INTRAMUSCULAR SOLUTION            | 3                |                            |
| TYPHIM VI INTRAMUSCULAR SYRINGE             | 3                | MO                         |
| VAQTA (PF) INTRAMUSCULAR SUSPENSION         | 3                | MO                         |
| VAQTA (PF) INTRAMUSCULAR SYRINGE            | 3                |                            |
| VARIVAX (PF)                                | 3                | MO                         |
| VARIZIG INTRAMUSCULAR RECON SOLN            | 3                | MO                         |
| VARIZIG INTRAMUSCULAR SOLUTION              | 3                |                            |
| XEOMIN                                      | 4                | PAR; MO                    |
| YF-VAX (PF)                                 | 3                | MO                         |
| ZOSTAVAX (PF)                               | 3                | MO                         |
| <b>Musculoskeletal / Rheumatology</b>       |                  |                            |
| ACTEMRA INTRAVENOUS VIAL                    | 5                | PAR; MO                    |
| <i>alendronate oral solution</i>            | 3                | MO; QLL (300 per 28 days)  |
| <i>alendronate oral tablet 10 mg, 5 mg</i>  | 1                | MO; QLL (30 per 30 days)   |
| <i>alendronate oral tablet 35 mg, 70 mg</i> | 1                | MO; QLL (4 per 28 days)    |
| <i>allopurinol</i>                          | 1                | MO                         |
| <i>aloprim</i>                              | 4                |                            |
| BENLYSTA                                    | 5                | PAR; MO                    |
| BONIVA INTRAVENOUS                          | 4                | B/D PAR; MO                |
| <i>colchicine-probenecid</i>                | 3                | MO                         |
| COLCRYS                                     | 3                | MO                         |
| DEPEN TITRATABS                             | 5                | MO                         |

| <b>Drug Name</b>                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b>      |
|------------------------------------------------------------|------------------|---------------------------------|
| ENBREL SUBCUTANEOUS RECON SOLN                             | 5                | PAR; MO; QLL (8 per 28 days)    |
| ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5ML (0.51)             | 5                | PAR; MO; QLL (4.08 per 28 days) |
| ENBREL SUBCUTANEOUS SYRINGE 50 MG/ML (0.98 ML)             | 5                | PAR; MO; QLL (8 per 28 days)    |
| ENBREL SURECLICK                                           | 5                | PAR; MO; QLL (8 per 28 days)    |
| FORTEO                                                     | 5                | PAR; MO; QLL (3 per 28 days)    |
| FOSAMAX ORAL TABLET 70 MG                                  | 4                | ST; MO; QLL (4 per 28 days)     |
| FOSAMAX PLUS D                                             | 4                | ST; MO; QLL (4 per 28 days)     |
| HUMIRA CROHN'S DIS START PCK                               | 5                | PAR; MO; QLL (9.6 per 365 days) |
| HUMIRA PED CROHN'S STARTER PK                              | 5                | PAR; MO; QLL (4.8 per 365 days) |
| HUMIRA PEN                                                 | 5                | PAR; MO; QLL (3.2 per 28 days)  |
| HUMIRA PSORIASIS STARTER PACK                              | 5                | PAR; MO; QLL (3.2 per 28 days)  |
| HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML | 5                | PAR; MO; QLL (2 per 28 days)    |
| HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML               | 5                | PAR; MO; QLL (3.2 per 28 days)  |
| <i>ibandronate intravenous solution</i>                    | 4                | B/D PAR; MO                     |
| <i>ibandronate intravenous syringe</i>                     | 4                | MO                              |
| <i>ibandronate oral</i>                                    | 4                | MO; QLL (1 per 28 days)         |
| KINERET                                                    | 5                | PAR; MO; QLL (28 per 28 days)   |
| <i>leflunomide oral tablet 10 mg</i>                       | 4                | MO                              |
| <i>leflunomide oral tablet 20 mg</i>                       | 3                | MO                              |
| ORENCIA                                                    | 5                | PAR; MO; QLL (4 per 28 days)    |
| ORENCIA (WITH MALTOSE) <i>probenecid</i>                   | 5                | PAR; MO                         |
|                                                            | 3                | MO                              |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|-------------------------------------------------------------------|------------------|-------------------------------|
| PROLIA                                                            | 4                | PAR; MO; QLL (2 per 365 days) |
| <i>raloxifene</i>                                                 | 3                | MO; QLL (30 per 30 days)      |
| RIDAURA                                                           | 4                | MO                            |
| <i>risedronate oral tablet 150 mg oral tablet 35 mg</i>           | 4                | ST; MO; QLL (4 per 28 days)   |
| <i>risedronate oral tablet 150 mg oral tablet 35 mg (12 pack)</i> | 4                | ST; QLL (4 per 28 days)       |
| <i>risedronate oral tablet 150 mg oral tablet 5 mg</i>            | 4                | ST; MO; QLL (30 per 30 days)  |
| SAVELLA ORAL TABLET 100 MG                                        | 3                | MO; QLL (60 per 30 days)      |
| SAVELLA ORAL TABLET 12.5 MG                                       | 3                | MO; QLL (480 per 30 days)     |
| SAVELLA ORAL TABLET 25 MG                                         | 3                | MO; QLL (240 per 30 days)     |
| SAVELLA ORAL TABLET 50 MG                                         | 3                | MO; QLL (120 per 30 days)     |
| SAVELLA ORAL TABLETS, DOSE PACK                                   | 3                | MO; QLL (110 per 365 days)    |
| SIMPONI                                                           | 5                | PAR; MO; QLL (1 per 28 days)  |
| ULORIC                                                            | 3                | ST; MO                        |
| <b>Obstetrics / Gynecology</b>                                    |                  |                               |
| <i>altavera (28)</i>                                              | 4                | MO                            |
| <i>alyacen 1/35 (28)</i>                                          | 4                | MO                            |
| <i>alyacen 7/7/7 (28)</i>                                         | 4                | MO                            |
| <i>amethia 0.15 mg-30 mcg (84)/10 mcg (7)</i>                     | 4                | MO                            |
| <i>amethyst</i>                                                   | 4                | MO                            |
| <i>apri</i>                                                       | 4                | MO                            |
| <i>aranella (28)</i>                                              | 4                | MO                            |
| <i>aviane</i>                                                     | 4                | MO                            |
| <i>azurette (28)</i>                                              | 4                | MO                            |
| <i>balziva (28)</i>                                               | 4                | MO                            |
| <i>briellyn</i>                                                   | 4                | MO                            |
| <i>camila</i>                                                     | 4                | MO                            |
| <i>caziant (28)</i>                                               | 4                | MO                            |
| <i>clindamycin phosphate vaginal</i>                              | 4                | MO                            |
| <i>cryselle (28)</i>                                              | 4                | MO                            |
| <i>cyclafem 1/35 (28)</i>                                         | 4                | MO                            |
| <i>cyclafem 7/7/7 (28)</i>                                        | 4                | MO                            |

| <b>Drug Name</b>                                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|------------------------------------------------------------------------------|------------------|------------------------------|
| <i>dasetta 1/35 (28)</i>                                                     | 4                | MO                           |
| <i>dasetta 7/7/7 (28)</i>                                                    | 4                | MO                           |
| <i>drospirenone-ethinyl estradiol</i>                                        | 4                | MO                           |
| <i>elinest</i>                                                               | 4                | MO                           |
| ELLA                                                                         | 3                | MO                           |
| <i>emoquette</i>                                                             | 4                | MO                           |
| <i>enpresse</i>                                                              | 4                | MO                           |
| <i>errin</i>                                                                 | 4                | MO                           |
| <i>estarylla</i>                                                             | 4                | MO                           |
| <i>estradiol oral</i>                                                        | 3                | PAR; MO                      |
| <i>estradiol transdermal patch weekly</i>                                    | 4                | PAR; MO; QLL (4 per 28 days) |
| <i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i>               | 4                | MO                           |
| <i>falmina (28)</i>                                                          | 4                | MO                           |
| <i>gildagia</i>                                                              | 4                | MO                           |
| <i>gildess</i>                                                               | 4                | MO                           |
| <i>gildess fe</i>                                                            | 4                | MO                           |
| <i>heather</i>                                                               | 4                | MO                           |
| <i>introvale</i>                                                             | 4                | MO                           |
| <i>jolessa</i>                                                               | 4                | MO                           |
| <i>jolivette</i>                                                             | 4                | MO                           |
| <i>junel 1.5/30 (21)</i>                                                     | 4                | MO                           |
| <i>junel 1/20 (21)</i>                                                       | 4                | MO                           |
| <i>junel fe 1.5/30 (28)</i>                                                  | 4                | MO                           |
| <i>junel fe 1/20 (28)</i>                                                    | 4                | MO                           |
| <i>kariva (28)</i>                                                           | 4                | MO                           |
| <i>kelnor 1/35 (28)</i>                                                      | 4                | MO                           |
| LARIN 1/20 (21)                                                              | 4                | MO                           |
| LARIN FE                                                                     | 4                | MO                           |
| <i>leena 28</i>                                                              | 4                | MO                           |
| <i>lessina</i>                                                               | 4                | MO                           |
| <i>levonest (28)</i>                                                         | 4                | MO                           |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg, 0.15-0.03 mg</i> | 4                | MO                           |
| <i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg</i>                   | 4                | MO                           |
| <i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month</i>          | 4                | MO                           |
| <i>levora-28</i>                                                             | 4                | MO                           |
| <i>loryna (28)</i>                                                           | 4                | MO                           |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                         | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------|------------------|----------------------------|
| <i>low-ogestrel (28)</i>                 | 4                | MO                         |
| <i>lutra (28)</i>                        | 4                | MO                         |
| <i>lyza</i>                              | 4                |                            |
| <i>marlissa</i>                          | 4                | MO                         |
| <i>medroxyprogesterone intramuscular</i> | 4                | MO                         |
| <i>medroxyprogesterone oral</i>          | 1                | MO                         |
| MENEST                                   | 4                | PAR; MO                    |
| <i>methylegonovine oral</i>              | 4                | MO                         |
| <i>metronidazole vaginal</i>             | 2                | MO                         |
| <i>miconazole-3 vaginal suppository</i>  | 4                | MO; QLL (6 per 30 days)    |
| MICROGESTIN 1.5/30 (21)                  | 4                | MO                         |
| MICROGESTIN 1/20 (21)                    | 4                | MO                         |
| MICROGESTIN FE 1.5/30 (28)               | 4                | MO                         |
| MICROGESTIN FE 1/20 (28)                 | 4                | MO                         |
| <i>mono-lynyah</i>                       | 4                | MO                         |
| <i>mononessa (28)</i>                    | 4                | MO                         |
| <i>myzilra</i>                           | 4                | MO                         |
| <i>necon 0.5/35 (28)</i>                 | 4                | MO                         |
| <i>necon 1/35 (28)</i>                   | 4                | MO                         |
| <i>necon 1/50 (28)</i>                   | 4                | MO                         |
| <i>necon 10/11 (28)</i>                  | 4                | MO                         |
| <i>necon 7/7/7 (28)</i>                  | 4                | MO                         |
| NOR-QD                                   | 4                | MO                         |
| <i>nora-be</i>                           | 4                | MO                         |
| <i>norethindrone (contraceptive)</i>     | 4                | MO                         |
| <i>norethindrone acetate</i>             | 4                | MO                         |
| <i>norgestimate-ethinyl estradiol</i>    | 4                | MO                         |
| <i>nortrel 0.5/35 (28)</i>               | 4                | MO                         |
| <i>nortrel 1/35 (21)</i>                 | 4                | MO                         |
| <i>nortrel 1/35 (28)</i>                 | 4                | MO                         |
| <i>nortrel 7/7/7 (28)</i>                | 4                | MO                         |
| <i>ocella</i>                            | 4                | MO                         |
| <i>ogestrel (28)</i>                     | 4                | MO                         |
| <i>orsythia</i>                          | 4                | MO                         |
| ORTHO MICRONOR                           | 4                | MO                         |
| <i>philith</i>                           | 4                | MO                         |
| PIMTREA (28)                             | 4                | MO                         |
| <i>pirmella oral tablet 1-35 mg-mcg</i>  | 4                | MO                         |
| <i>portia</i>                            | 4                | MO                         |
| PREMARIN ORAL                            | 3                | PAR; MO                    |

| <b>Drug Name</b>                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------|------------------|----------------------------|
| PREMARIN VAGINAL                                    | 3                | MO                         |
| PREMPRO                                             | 4                | PAR; MO                    |
| <i>previfem</i>                                     | 4                | MO                         |
| <i>progesterone micronized</i>                      | 3                | ST; MO                     |
| <i>quasense</i>                                     | 4                | MO                         |
| <i>reclipsen (28)</i>                               | 4                | MO                         |
| <i>sprintec (28)</i>                                | 4                | MO                         |
| <i>sronyx</i>                                       | 4                | MO                         |
| <i>syeda</i>                                        | 4                | MO                         |
| <i>terconazole vaginal cream</i>                    | 3                | MO                         |
| <i>terconazole vaginal suppository</i>              | 4                | MO                         |
| <i>tilia fe</i>                                     | 4                | MO                         |
| <i>tranexamic acid oral</i>                         | 4                | MO                         |
| <i>tri-estarylla</i>                                | 4                | MO                         |
| <i>tri-legest fe</i>                                | 4                | MO                         |
| <i>tri-lynyah</i>                                   | 4                | MO                         |
| <i>tri-previfem (28)</i>                            | 4                | MO                         |
| <i>tri-sprintec (28)</i>                            | 4                | MO                         |
| <i>trinessa (28)</i>                                | 4                | MO                         |
| <i>trivora (28)</i>                                 | 4                | MO                         |
| <i>vandazole</i>                                    | 2                | MO                         |
| <i>velivet triphasic regimen (28)</i>               | 4                | MO                         |
| <i>vestura (28)</i>                                 | 4                | MO                         |
| <i>viorele (28)</i>                                 | 4                | MO                         |
| VYFEMLA (28)                                        | 4                | MO                         |
| XULANE                                              | 4                | MO                         |
| <i>zarah</i>                                        | 4                | MO                         |
| <i>zenchent (28)</i>                                | 4                | MO                         |
| ZENCHENT FE                                         | 4                | MO                         |
| <i>zovia 1/35e (28)</i>                             | 4                | MO                         |
| <i>zovia 1/50e (28)</i>                             | 4                | MO                         |
| <b>Ophthalmology</b>                                |                  |                            |
| <i>acetazolamide oral capsule, extended release</i> | 4                | MO                         |
| <i>acetazolamide oral tablet 125 mg</i>             | 2                | MO                         |
| <i>acetazolamide oral tablet 250 mg</i>             | 3                | MO                         |
| <i>acetazolamide sodium</i>                         | 4                | MO                         |
| <i>ak-poly-bac</i>                                  | 3                | MO                         |
| ALPHAGAN P OPHTHALMIC DROPS 0.1 %                   | 3                | MO                         |
| ALPHAGAN P OPHTHALMIC DROPS 0.15 %                  | 4                | MO                         |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                 | <b>Drug Tier</b> | <b>Requirements/ Limits</b> |
|--------------------------------------------------|------------------|-----------------------------|
| <i>apraclonidine</i>                             | 3                | MO                          |
| <i>atropine ophthalmic drops</i>                 | 2                | MO                          |
| <i>azelastine ophthalmic</i>                     | 3                | MO                          |
| AZOPT                                            | 4                | MO                          |
| <i>bacitracin ophthalmic</i>                     | 4                | MO                          |
| <i>bacitracin-polymyxin b ophthalmic</i>         | 3                | MO                          |
| BESIVANCE                                        | 4                | MO                          |
| BETAGAN OPHTHALMIC DROPS 0.5 %                   | 4                | MO                          |
| <i>betaxolol ophthalmic</i>                      | 4                | MO                          |
| <i>bimatoprost</i>                               | 3                | MO                          |
| BLEPHAMIDE S.O.P.                                | 4                | MO                          |
| <i>brimonidine ophthalmic drops 0.15 %</i>       | 3                | MO                          |
| <i>brimonidine ophthalmic drops 0.2 %</i>        | 2                | MO                          |
| <i>carteolol</i>                                 | 2                | MO                          |
| <i>ciprofloxacin hcl ophthalmic</i>              | 2                | MO                          |
| COMBIGAN                                         | 3                | MO                          |
| COSOPT                                           | 4                | MO                          |
| <i>cromolyn ophthalmic</i>                       | 2                | MO                          |
| <i>dexamethasone sodium phosphate ophthalmic</i> | 2                | MO                          |
| <i>diclofenac sodium ophthalmic</i>              | 2                | MO                          |
| <i>dorzolamide</i>                               | 3                | MO                          |
| <i>dorzolamide-timolol</i>                       | 2                | MO                          |
| DUREZOL                                          | 3                | MO                          |
| <i>erythromycin ophthalmic</i>                   | 2                | MO                          |
| <i>fluorometholone</i>                           | 2                | MO                          |
| <i>flurbiprofen sodium</i>                       | 1                | MO                          |
| <i>gentak ophthalmic ointment</i>                | 2                | MO                          |
| <i>gentamicin ophthalmic</i>                     | 2                | MO                          |
| ILEVRO                                           | 3                | MO                          |
| IOPIDINE OPHTHALMIC DROPS                        | 4                | MO                          |
| ISOPTO CARPINE                                   | 4                | MO                          |
| <i>ketorolac ophthalmic</i>                      | 2                | MO                          |
| LACRISERT                                        | 3                | MO                          |
| <i>latanoprost</i>                               | 2                | MO                          |
| <i>levobunolol ophthalmic drops 0.5 %</i>        | 2                | MO                          |
| <i>levofloxacin ophthalmic</i>                   | 4                | MO                          |

| <b>Drug Name</b>                                       | <b>Drug Tier</b> | <b>Requirements/ Limits</b> |
|--------------------------------------------------------|------------------|-----------------------------|
| LUMIGAN OPHTHALMIC DROPS 0.01 %                        | 3                | MO                          |
| <i>methazolamide oral</i>                              | 4                | MO                          |
| <i>metipranolol</i>                                    | 3                | MO                          |
| MOXEZA                                                 | 3                | MO                          |
| <i>naphazoline</i>                                     | 1                | MO                          |
| <i>neo-polycin</i>                                     | 2                |                             |
| <i>neo-polycin hc</i>                                  | 2                |                             |
| <i>neomycin-bacitracin-poly-hc</i>                     | 3                | MO                          |
| <i>neomycin-bacitracin-polymyxin</i>                   | 3                | MO                          |
| <i>neomycin-polymyxin b-dexameth</i>                   | 2                | MO                          |
| <i>neomycin-polymyxin-gramicidin</i>                   | 3                | MO                          |
| <i>neomycin-polymyxin-hc ophthalmic</i>                | 3                | MO                          |
| NEVANAC                                                | 3                | MO                          |
| <i>ofloxacin ophthalmic</i>                            | 2                | MO                          |
| PATADAY                                                | 3                | MO                          |
| PAZEO                                                  | 3                | MO                          |
| PHOSPHOLINE IODIDE                                     | 4                | MO                          |
| <i>pilocarpine hcl ophthalmic drops 1 %, 2 %</i>       | 3                | MO                          |
| <i>pilocarpine hcl ophthalmic drops 4 %</i>            | 4                | MO                          |
| <i>polycin</i>                                         | 2                |                             |
| <i>polymyxin b sulf-trimethoprim</i>                   | 1                | MO                          |
| <i>prednisolone acetate</i>                            | 2                | MO                          |
| <i>prednisolone sodium phosphate ophthalmic</i>        | 2                | MO                          |
| RESTASIS                                               | 3                | MO                          |
| SIMBRINZA                                              | 4                | MO                          |
| <i>sulfacetamide sodium ophthalmic drops</i>           | 2                | MO                          |
| <i>sulfacetamide sodium ophthalmic ointment</i>        | 3                | MO                          |
| <i>sulfacetamide-prednisolone</i>                      | 2                | MO                          |
| <i>timolol maleate ophthalmic drops</i>                | 1                | MO                          |
| <i>timolol maleate ophthalmic gel forming solution</i> | 3                | MO                          |
| TIMOPTIC OCUDOSE (PF) OPHTHALMIC DROPPERETTE 0.25 %    | 4                | MO                          |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>         | <b>Drug Name</b>                                                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>         |
|------------------------------------------------------------------------------------------|------------------|------------------------------------|--------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------------|
| TIMOPTIC OPHTHALMIC DROPS 0.25 %                                                         | 4                | MO                                 | ASMANEX HFA                                                                                                              | 3                | MO; QLL (13 per 30 days)           |
| TIMOPTIC-XE                                                                              | 4                | MO                                 | ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG (30 DOSES)                                          | 3                | MO; QLL (0.14 per 30 days)         |
| TOBRADEX OPHTHALMIC OINTMENT                                                             | 3                | MO                                 | ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG (7 DOSES), 220 MCG (14 DOSES)                       | 3                |                                    |
| TOBRADEX ST                                                                              | 3                | MO                                 | ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG (120 DOSES), 220 MCG (30 DOSES), 220 MCG (60 DOSES) | 3                | MO; QLL (0.24 per 30 days)         |
| <i>tobramycin</i>                                                                        | 2                | MO                                 | ATROVENT HFA                                                                                                             | 4                | MO; QLL (26 per 30 days)           |
| <i>tobramycin-dexamethasone</i>                                                          | 3                | MO                                 | BREO ELLIPTA                                                                                                             | 3                | MO; QLL (60 per 30 days)           |
| TRAVATAN Z                                                                               | 3                | MO                                 | <i>cetirizine oral solution 1 mg/ml</i>                                                                                  | 2                | MO; QLL (300 per 30 days)          |
| <i>trifluridine</i>                                                                      | 4                | MO                                 | CINRYZE                                                                                                                  | 5                | PAR; MO                            |
| VIGAMOX                                                                                  | 3                | MO                                 | <i>clemastine oral tablet 2.68 mg</i>                                                                                    | 4                | PAR; MO                            |
| XALATAN                                                                                  | 4                | MO                                 | COMBIVENT RESPIMAT                                                                                                       | 4                | MO; QLL (8 per 30 days)            |
| ZIRGAN                                                                                   | 4                | MO                                 | <i>cromolyn inhalation</i>                                                                                               | 2                | B/D PAR; MO; QLL (240 per 30 days) |
| <b>Respiratory And Allergy</b>                                                           |                  |                                    | DALIRESP                                                                                                                 | 4                | PAR; MO; QLL (30 per 30 days)      |
| <i>acetylcysteine solution 100 mg/ml (10 %)</i>                                          | 2                | B/D PAR; MO                        | <i>desloratadine oral tablet</i>                                                                                         | 3                | MO; QLL (30 per 30 days)           |
| <i>acetylcysteine solution 200 mg/ml (20 %)</i>                                          | 3                | B/D PAR; MO                        | <i>desloratadine oral tablet, disintegrating</i>                                                                         | 2                | MO; QLL (30 per 30 days)           |
| ADEMPAS                                                                                  | 5                | PAR; MO; LA                        | <i>diphenhydramine hcl injection solution 50 mg/ml</i>                                                                   | 4                | PAR; MO                            |
| ADVAIR DISKUS                                                                            | 3                | MO; QLL (60 per 30 days)           | <i>diphenhydramine hcl injection syringe</i>                                                                             | 4                | PAR; MO                            |
| ADVAIR HFA                                                                               | 3                | MO; QLL (12 per 30 days)           | DULERA                                                                                                                   | 3                | MO; QLL (13 per 30 days)           |
| AEROSPAN                                                                                 | 4                | MO; QLL (18 per 30 days)           | ELIXOPHYLLIN ORAL ELIXIR 80 MG/15 ML                                                                                     | 3                | MO                                 |
| <i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml</i> | 3                | B/D PAR; MO; QLL (360 per 30 days) | <i>epinephrine injection auto-injector</i>                                                                               | 4                | MO; QLL (2 per 2 days)             |
| <i>albuterol sulfate inhalation solution for nebulization 2.5 mg /3 ml (0.083 %)</i>     | 2                | B/D PAR; MO; QLL (360 per 30 days) |                                                                                                                          |                  |                                    |
| <i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml, 5 mg/ml</i>     | 2                | B/D PAR; MO; QLL (60 per 30 days)  |                                                                                                                          |                  |                                    |
| <i>albuterol sulfate oral syrup</i>                                                      | 2                | MO                                 |                                                                                                                          |                  |                                    |
| <i>albuterol sulfate oral tablet</i>                                                     | 4                | MO                                 |                                                                                                                          |                  |                                    |
| <i>albuterol sulfate oral tablet extended release 12 hr 4 mg</i>                         | 3                | MO                                 |                                                                                                                          |                  |                                    |
| <i>albuterol sulfate oral tablet extended release 12 hr 8 mg</i>                         | 4                | MO                                 |                                                                                                                          |                  |                                    |
| <i>aminophylline intravenous</i>                                                         | 4                |                                    |                                                                                                                          |                  |                                    |
| ANORO ELLIPTA                                                                            | 3                | MO; QLL (60 per 30 days)           |                                                                                                                          |                  |                                    |
| ARNUITY ELLIPTA                                                                          | 3                | MO; QLL (30 per 30 days)           |                                                                                                                          |                  |                                    |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b>         |
|-----------------------------------------------------------------------------------|------------------|------------------------------------|
| <i>epinephrine injection solution 1 mg/ml (1:1,000)</i>                           | 4                | MO                                 |
| <i>epinephrine injection syringe 0.1 mg/ml (1:10,000)</i>                         | 4                | MO                                 |
| EPIPEN 2-PAK                                                                      | 4                | MO; QLL (2 per 2 days)             |
| EPIPEN JR 2-PAK                                                                   | 4                | MO; QLL (2 per 2 days)             |
| ESBRIET                                                                           | 5                | PAR; MO; QLL (270 per 30 days)     |
| FIRAZYR                                                                           | 5                | PAR; MO                            |
| FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION                   | 3                | MO; QLL (60 per 30 days)           |
| FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION, 50 MCG/ACTUATION | 3                | MO; QLL (240 per 30 days)          |
| FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION                      | 3                | MO; QLL (12 per 30 days)           |
| FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION                      | 3                | MO; QLL (24 per 30 days)           |
| FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION                       | 3                | MO; QLL (11 per 30 days)           |
| <i>flunisolide nasal spray, non-aerosol 25 mcg (0.025 %)</i>                      | 2                | MO; QLL (75 per 30 days)           |
| <i>fluticasone nasal</i>                                                          | 1                | MO; QLL (16 per 30 days)           |
| FORADIL AEROLIZER                                                                 | 3                | MO; QLL (60 per 30 days)           |
| <i>ipratropium bromide inhalation</i>                                             | 3                | B/D PAR; MO                        |
| <i>ipratropium-albuterol</i>                                                      | 2                | B/D PAR; MO; QLL (540 per 30 days) |
| KALYDECO ORAL TABLET                                                              | 5                | PAR; MO; QLL (60 per 30 days)      |
| LETAIRIS                                                                          | 5                | PAR; MO; LA; QLL (30 per 30 days)  |
| <i>levalbuterol hcl inhalation solution for nebulization</i>                      | 4                | B/D PAR; MO; QLL (270 per 30 days) |

| <b>Drug Name</b>                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b>         |
|---------------------------------------------------------------------------|------------------|------------------------------------|
| <i>0.31 mg/3 ml, 1.25 mg/0.5 ml, 1.25 mg/3 ml</i>                         |                  |                                    |
| <i>levalbuterol hcl inhalation solution for nebulization 0.63 mg/3 ml</i> | 4                | B/D PAR; MO; QLL (540 per 30 days) |
| <i>levocetirizine oral tablet</i>                                         | 3                | MO; QLL (30 per 30 days)           |
| <i>montelukast oral granules in packet</i>                                | 4                | MO; QLL (30 per 30 days)           |
| <i>montelukast oral tablet</i>                                            | 3                | MO; QLL (30 per 30 days)           |
| <i>montelukast oral tablet, chewable</i>                                  | 4                | MO; QLL (30 per 30 days)           |
| NASONEX                                                                   | 3                | MO; QLL (17 per 30 days)           |
| OFEV ORAL CAPSULE 150 MG                                                  | 5                | PAR; MO; QLL (60 per 30 days)      |
| PERFOROMIST                                                               | 4                | B/D PAR; MO; QLL (120 per 30 days) |
| PROAIR HFA                                                                | 3                | MO; QLL (18 per 30 days)           |
| <i>promethazine injection solution</i>                                    | 4                | PAR; MO                            |
| <i>promethazine oral tablet 12.5 mg, 25 mg</i>                            | 4                | PAR; MO                            |
| PULMOZYME                                                                 | 5                | B/D PAR; MO                        |
| QVAR INHALATION AEROSOL 40 MCG/ACTUATION                                  | 3                | MO; QLL (9 per 30 days)            |
| QVAR INHALATION AEROSOL 80 MCG/ACTUATION                                  | 3                | MO; QLL (18 per 30 days)           |
| SEREVENT DISKUS                                                           | 3                | MO; QLL (60 per 30 days)           |
| <i>sildenafil oral</i>                                                    | 5                | PAR; MO; QLL (90 per 30 days)      |
| SPIRIVA RESPIMAT                                                          | 3                | MO; QLL (4 per 30 days)            |
| SPIRIVA WITH HANDIHALER                                                   | 3                | MO; QLL (30 per 30 days)           |
| <i>terbutaline oral</i>                                                   | 3                | MO                                 |
| <i>theophylline oral solution</i>                                         | 2                |                                    |
| <i>theophylline oral tablet extended release</i>                          | 2                | MO                                 |
| <i>theophylline oral tablet extended release 12 hr</i>                    | 2                | MO                                 |
| TRACLEER                                                                  | 5                | PAR; MO; LA; QLL (60 per 30 days)  |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|---------------------------------------------------------------------------|------------------|----------------------------------|
| VENTAVIS                                                                  | 5                | PAR; MO                          |
| XOLAIR                                                                    | 5                | PAR; MO; LA; QLL (6 per 28 days) |
| XYZAL ORAL TABLET                                                         | 4                | MO; QLL (30 per 30 days)         |
| <i>zafirlukast</i>                                                        | 4                | MO; QLL (60 per 30 days)         |
| <b>Urologicals</b>                                                        |                  |                                  |
| <i>alfuzosin</i>                                                          | 2                | MO                               |
| AMMONIUM CHLORIDE                                                         | 4                |                                  |
| <i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg</i>                | 3                | MO                               |
| <i>bethanechol chloride oral tablet 50 mg</i>                             | 4                | MO                               |
| CIALIS ORAL TABLET 2.5 MG, 5 MG                                           | 4                | PAR; MO; QLL (30 per 30 days)    |
| CYSTAGON                                                                  | 3                | MO; LA                           |
| <i>cytra k crystals</i>                                                   | 2                | MO                               |
| <i>finasteride oral tablet 5 mg</i>                                       | 2                | MO                               |
| <i>flavoxate</i>                                                          | 4                | MO                               |
| MYRBETRIQ                                                                 | 4                | MO; QLL (30 per 30 days)         |
| <i>oxybutynin chloride oral syrup</i>                                     | 2                | MO; QLL (600 per 30 days)        |
| <i>oxybutynin chloride oral tablet</i>                                    | 2                | MO; QLL (120 per 30 days)        |
| <i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg</i> | 3                | MO; QLL (60 per 30 days)         |
| <i>oxybutynin chloride oral tablet extended release 24hr 5 mg</i>         | 3                | MO; QLL (30 per 30 days)         |
| <i>potassium citrate oral tablet extended release 10 meq (1, 080 mg)</i>  | 4                | MO                               |
| <i>potassium citrate oral tablet extended release 5 meq (540 mg)</i>      | 3                | MO                               |
| <i>sodium citrate-citric acid</i>                                         | 2                | MO                               |
| <i>tamsulosin</i>                                                         | 2                | MO                               |
| <i>tolterodine oral capsule, extended release 24hr</i>                    | 4                | MO; QLL (30 per 30 days)         |
| <i>tolterodine oral tablet</i>                                            | 4                | MO; QLL (60 per 30 days)         |
| TOVIAZ                                                                    | 4                | MO; QLL (30 per 30 days)         |

| <b>Drug Name</b>                           | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------|------------------|----------------------------|
| <i>trospium oral tablet</i>                | 4                | MO; QLL (60 per 30 days)   |
| VESICARE                                   | 4                | MO; QLL (30 per 30 days)   |
| <b>Vitamins, Hematinics / Electrolytes</b> |                  |                            |
| AMINOSYN 10 %                              | 4                | B/D PAR                    |
| AMINOSYN 7 % WITH ELECTROLYTES             | 4                | B/D PAR                    |
| AMINOSYN 8.5 %                             | 4                | B/D PAR                    |
| AMINOSYN 8.5 %-ELECTROLYTES                | 4                | B/D PAR                    |
| AMINOSYN II 10 %                           | 4                | B/D PAR                    |
| AMINOSYN II 15 %                           | 4                | B/D PAR                    |
| AMINOSYN II 7 %                            | 4                | B/D PAR                    |
| AMINOSYN II 8.5 %                          | 4                | B/D PAR                    |
| AMINOSYN II 8.5 %-ELECTROLYTES             | 4                | B/D PAR                    |
| AMINOSYN M 3.5 %                           | 4                | B/D PAR                    |
| AMINOSYN-HBC 7%                            | 4                | B/D PAR                    |
| AMINOSYN-PF 10 %                           | 4                | B/D PAR                    |
| AMINOSYN-PF 7 % (SULFITE-FREE)             | 4                | B/D PAR                    |
| AMINOSYN-RF 5.2 %                          | 4                | B/D PAR                    |
| <i>calcium acetate oral capsule</i>        | 2                | MO                         |
| CLINIMIX 5%/D15W SULFITE FREE              | 4                | B/D PAR                    |
| CLINIMIX 5%/D25W SULFITE-FREE              | 4                | B/D PAR                    |
| CLINIMIX 2.75%/D5W SULFIT FREE             | 4                | B/D PAR                    |
| CLINIMIX 4.25%-D20W SULF-FREE              | 4                | B/D PAR                    |
| CLINIMIX 4.25%-D25W SULF-FREE              | 4                | B/D PAR                    |
| CLINIMIX 4.25%/D10W SULF FREE              | 4                | B/D PAR                    |
| CLINIMIX 5%-D20W(SULFITE-FREE)             | 4                | B/D PAR                    |
| CLINIMIX E 4.25%/D10W SUL FREE             | 4                | B/D PAR                    |
| CLINIMIX E 4.25%/D25W SUL FREE             | 4                | B/D PAR                    |
| CLINIMIX E 4.25%/D5W SULF FREE             | 4                | B/D PAR                    |
| CLINIMIX E 5%/D15W SULFIT FREE             | 4                | B/D PAR                    |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------|------------------|----------------------------|
| CLINIMIX E 5%/D20W SULFIT FREE                                | 4                | B/D PAR                    |
| CLINIMIX E 5%/D25W SULFIT FREE                                | 4                | B/D PAR                    |
| <i>dextrose-kcl-nacl</i>                                      | 4                | B/D PAR                    |
| <i>fluoritab oral tablet, chewable 1 mg fluoride (2.2 mg)</i> | 2                | MO                         |
| <i>freamine iii 10 %</i>                                      | 4                | B/D PAR                    |
| HEPATAMINE 8%                                                 | 4                | B/D PAR                    |
| <i>intralipid intravenous emulsion 20 %</i>                   | 4                | B/D PAR; MO                |
| INTRALIPID INTRAVENOUS EMULSION 30 %                          | 4                | B/D PAR                    |
| IONOSOL-B IN D5W                                              | 4                | B/D PAR                    |
| IONOSOL-MB IN D5W                                             | 4                | B/D PAR                    |
| ISOLYTE S PH 7.4                                              | 4                | B/D PAR                    |
| ISOLYTE-P IN 5 % DEXTROSE                                     | 4                | B/D PAR                    |
| ISOLYTE-S                                                     | 4                | B/D PAR                    |
| <i>k-effervescent</i>                                         | 1                | MO                         |
| <i>k-sol</i>                                                  | 1                |                            |
| <i>k-tab oral tablet extended release 8 meq</i>               | 2                |                            |
| <i>klor-con 10</i>                                            | 2                | MO                         |
| <i>klor-con 8</i>                                             | 2                | MO                         |
| <i>klor-con m10</i>                                           | 2                | MO                         |
| <i>klor-con m15</i>                                           | 2                | MO                         |
| <i>klor-con m20</i>                                           | 2                | MO                         |
| <i>klor-con/ef</i>                                            | 1                | MO                         |
| <i>lactated ringers intravenous</i>                           | 4                | B/D PAR; MO                |
| <i>liposyn iii intravenous emulsion 10 %</i>                  | 4                | B/D PAR                    |
| <i>liposyn iii intravenous emulsion 20 %</i>                  | 4                | B/D PAR; MO                |
| <i>magnesium sulfate in water</i>                             | 4                |                            |
| <i>magnesium sulfate injection solution</i>                   | 4                | MO                         |
| <i>magnesium sulfate injection syringe</i>                    | 4                |                            |
| NEPHRAMINE 5.4 %                                              | 4                | B/D PAR                    |
| NORMOSOL-M IN 5 % DEXTROSE                                    | 4                | B/D PAR                    |
| NORMOSOL-R                                                    | 4                | B/D PAR                    |
| NORMOSOL-R IN 5 % DEXTROSE                                    | 4                | B/D PAR                    |

| <b>Drug Name</b>                                                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------------|------------------|----------------------------|
| NORMOSOL-R PH 7.4                                                                                  | 4                | B/D PAR                    |
| <i>phospha 250 neutral</i>                                                                         | 2                | MO                         |
| PLASMA-LYTE 148                                                                                    | 4                | B/D PAR                    |
| PLASMA-LYTE A                                                                                      | 4                | B/D PAR                    |
| PLASMA-LYTE-56 IN 5 % DEXTROSE                                                                     | 4                | B/D PAR                    |
| <i>potassium bicarb and chloride</i>                                                               | 2                | MO                         |
| <i>potassium bicarb-citric acid</i>                                                                | 1                | MO                         |
| <i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 30 meq/l, 40 meq/l</i> | 4                | B/D PAR; MO                |
| <i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 20 meq/l</i>                     | 4                | B/D PAR; MO                |
| <i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>           | 4                | B/D PAR                    |
| <i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l, 30 meq/l, 40 meq/l</i>  | 4                | B/D PAR                    |
| <i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l</i>                        | 4                | B/D PAR; MO                |
| <i>potassium chloride in lr-d5 intravenous parenteral solution 40 meq/l</i>                        | 4                | B/D PAR                    |
| <i>potassium chloride intravenous piggyback 10 meq/100 ml, 20 meq/100 ml, 30 meq/100 ml</i>        | 4                | B/D PAR; MO                |
| <i>potassium chloride intravenous piggyback 10 meq/50 ml</i>                                       | 4                | B/D PAR; MO                |
| <i>potassium chloride oral capsule, extended release</i>                                           | 2                | MO                         |
| <i>potassium chloride oral liquid</i>                                                              | 1                | MO                         |
| <i>potassium chloride oral tablet extended release</i>                                             | 2                | MO                         |
| <i>potassium chloride oral tablet,er particles/crystals</i>                                        | 2                | MO                         |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

| <b>Drug Name</b>                                                                              | <b>Drug Tier</b> | <b>Requirements/ Limits</b> |
|-----------------------------------------------------------------------------------------------|------------------|-----------------------------|
| <i>potassium chloride-0.45 % nacl</i>                                                         | 4                | B/D PAR                     |
| <i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 20 meq/l</i>                | 4                | B/D PAR; MO                 |
| <i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 30 meq/l, 40 meq/l</i>      | 4                | B/D PAR                     |
| <i>potassium chloride-d5-0.3%nacl intravenous parenteral solution 20 meq/l</i>                | 4                | B/D PAR                     |
| <i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l</i>                | 4                | B/D PAR; MO                 |
| <i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 40 meq/l</i>                | 4                | B/D PAR                     |
| <i>premasol 10 %</i>                                                                          | 4                | B/D PAR; MO                 |
| <i>PREMASOL 6 %</i>                                                                           | 4                | B/D PAR                     |
| <i>prenatal vitamin oral tablet</i>                                                           | 2                |                             |
| <i>PROCALAMINE 3%</i>                                                                         | 4                | B/D PAR                     |
| <i>PROSOL 20 %</i>                                                                            | 4                | B/D PAR; MO                 |
| <i>ringers intravenous</i>                                                                    | 4                | B/D PAR                     |
| <i>sodium bicarbonate intravenous solution</i>                                                | 4                | MO                          |
| <i>sodium bicarbonate intravenous syringe</i>                                                 | 4                |                             |
| <i>sodium chloride 0.45 % intravenous parenteral solution</i>                                 | 4                | MO                          |
| <i>sodium chloride 0.45 % intravenous piggyback</i>                                           | 4                |                             |
| <i>sodium chloride 3 %</i>                                                                    | 4                | MO                          |
| <i>sodium chloride 5 %</i>                                                                    | 4                |                             |
| <i>sodium chloride intravenous</i>                                                            | 4                | B/D PAR; MO                 |
| <i>sodium fluoride oral tablet, chewable 0.5 mg fluoride (1.1 mg), 1 mg fluoride (2.2 mg)</i> | 2                | MO                          |
| <i>sodium lactate intravenous solution</i>                                                    | 4                |                             |

| <b>Drug Name</b>       | <b>Drug Tier</b> | <b>Requirements/ Limits</b> |
|------------------------|------------------|-----------------------------|
| <i>travasol 10 %</i>   | 4                | B/D PAR; MO                 |
| <i>TROPHAMINE 10 %</i> | 4                | B/D PAR; MO                 |
| <i>TROPHAMINE 6%</i>   | 4                | B/D PAR                     |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page 8.

# Index of Drugs:

## Legend

Generic drugs are shown in lowercase italic (e.g., *atenolol*).

Brand-name drugs are shown in capital letters (e.g., CRESTOR).

The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed. Find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

| Drug Name                                                                                                                              | Page |
|----------------------------------------------------------------------------------------------------------------------------------------|------|
| <i>abacavir</i> .....                                                                                                                  | 8    |
| <i>abacavir-lamivudine-zidovudine</i> .....                                                                                            | 8    |
| ABELCET.....                                                                                                                           | 8    |
| ABILIFY DISCMELT ORAL TABLET,DISINTEGRATING<br>10 MG.....                                                                              | 20   |
| ABILIFY MAINTENA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL RECON.....                                                                   | 20   |
| ABILIFY MAINTENA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL SYRING.....                                                                  | 20   |
| ABRAXANE.....                                                                                                                          | 15   |
| <i>acamprosate</i> .....                                                                                                               | 41   |
| <i>acarbose oral tablet 100 mg</i> .....                                                                                               | 42   |
| <i>acarbose oral tablet 25 mg</i> .....                                                                                                | 42   |
| <i>acarbose oral tablet 50 mg</i> .....                                                                                                | 42   |
| ACCUPRIL.....                                                                                                                          | 32   |
| ACCURETIC ORAL TABLET 20-12.5 MG, 20-25<br>MG.....                                                                                     | 32   |
| <i>acebutolol oral</i> .....                                                                                                           | 32   |
| <i>acetaminophen-codeine oral solution 120 mg-12<br/>mg /5 ml (5 ml), 240 mg-24 mg /10 ml (10 ml),<br/>300 mg-30 mg /12.5 ml</i> ..... | 20   |
| <i>acetaminophen-codeine oral solution 120-12 mg/<br/>5 ml</i> .....                                                                   | 20   |
| <i>acetaminophen-codeine oral tablet 300-15<br/>mg</i> .....                                                                           | 20   |
| <i>acetaminophen-codeine oral tablet 300-30<br/>mg</i> .....                                                                           | 20   |
| <i>acetaminophen-codeine oral tablet 300-60<br/>mg</i> .....                                                                           | 20   |
| <i>acetasol hc</i> .....                                                                                                               | 42   |
| <i>acetazolamide oral capsule, extended release</i> .....                                                                              | 52   |
| <i>acetazolamide oral tablet 125 mg</i> .....                                                                                          | 52   |
| <i>acetazolamide oral tablet 250 mg</i> .....                                                                                          | 52   |
| <i>acetazolamide sodium</i> .....                                                                                                      | 52   |
| <i>acetic acid irrigation</i> .....                                                                                                    | 41   |
| <i>acetic acid otic</i> .....                                                                                                          | 42   |
| <i>acetic acid-aluminum acetate</i> .....                                                                                              | 42   |
| <i>acetylcysteine intravenous</i> .....                                                                                                | 41   |
| <i>acetylcysteine solution 100 mg/ml (10 %)</i> .....                                                                                  | 54   |
| <i>acetylcysteine solution 200 mg/ml (20 %)</i> .....                                                                                  | 54   |
| <i>acitretin</i> .....                                                                                                                 | 38   |
| ACTEMRA INTRAVENOUS VIAL.....                                                                                                          | 50   |
| ACTHIB (PF).....                                                                                                                       | 48   |
| ACTIMMUNE.....                                                                                                                         | 48   |
| ACTOPLUS MET XR ORAL TABLET, ER MULTIPHASE<br>24 HR 15-1,000 MG.....                                                                   | 42   |
| ACTOPLUS MET XR ORAL TABLET, ER MULTIPHASE<br>24 HR 30-1,000 MG.....                                                                   | 42   |
| <i>acyclovir oral capsule</i> .....                                                                                                    | 8    |
| <i>acyclovir oral suspension 200 mg/5 ml</i> .....                                                                                     | 8    |
| <i>acyclovir oral tablet</i> .....                                                                                                     | 8    |
| <i>acyclovir sodium intravenous recon soln 500<br/>mg</i> .....                                                                        | 8    |
| <i>acyclovir sodium intravenous solution</i> .....                                                                                     | 8    |
| <i>acyclovir topical</i> .....                                                                                                         | 38   |
| ADACEL(TDAP ADOLESN/ADULT)(PF).....                                                                                                    | 48   |
| ADAGEN.....                                                                                                                            | 41   |
| ADALAT CC.....                                                                                                                         | 32   |
| <i>adapalene topical gel 0.1 %</i> .....                                                                                               | 38   |
| ADASUVE.....                                                                                                                           | 20   |
| <i>adefovir</i> .....                                                                                                                  | 8    |
| ADEMPAS.....                                                                                                                           | 54   |
| <i>adrucil intravenous solution 2.5 gram/50 ml</i> .....                                                                               | 15   |
| <i>adrucil intravenous solution 5 gram/100 ml, 500<br/>mg/10 ml</i> .....                                                              | 15   |
| ADVAIR DISKUS.....                                                                                                                     | 54   |
| ADVAIR HFA.....                                                                                                                        | 54   |
| ADVICOR ORAL TABLET, ER MULTIPHASE 24 HR<br>1,000-20 MG, 750-20 MG.....                                                                | 32   |
| ADVICOR ORAL TABLET, ER MULTIPHASE 24 HR<br>1,000-40 MG, 500-20 MG.....                                                                | 32   |
| AEROSPAN.....                                                                                                                          | 54   |

|                                                          |    |                                                         |    |
|----------------------------------------------------------|----|---------------------------------------------------------|----|
| <i>afeditab cr</i> .....                                 | 32 | ALTOPREV.....                                           | 32 |
| AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION              |    | <i>alyacen 1/35 (28)</i> .....                          | 51 |
| 2 MG, 5 MG.....                                          | 15 | <i>alyacen 7/7/7 (28)</i> .....                         | 51 |
| AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION              |    | <i>amantadine hcl oral capsule</i> .....                | 8  |
| 3 MG.....                                                | 15 | <i>amantadine hcl oral tablet</i> .....                 | 8  |
| AFINITOR ORAL TABLET 10 MG.....                          | 15 | AMARYL ORAL TABLET 1 MG.....                            | 42 |
| AFINITOR ORAL TABLET 2.5 MG.....                         | 15 | AMARYL ORAL TABLET 2 MG.....                            | 42 |
| AFINITOR ORAL TABLET 5 MG.....                           | 15 | AMARYL ORAL TABLET 4 MG.....                            | 43 |
| AFINITOR ORAL TABLET 7.5 MG.....                         | 15 | AMBISOME.....                                           | 8  |
| AGGRENEX.....                                            | 32 | <i>amcinonide</i> .....                                 | 39 |
| <i>ak-poly-bac</i> .....                                 | 52 | <i>amethia 0.15 mg-30 mcg (84)/10 mcg (7)</i> .....     | 51 |
| ALBENZA.....                                             | 8  | <i>amethyst</i> .....                                   | 51 |
| <i>albuterol sulfate inhalation solution for</i>         |    | <i>amifostine crystalline</i> .....                     | 16 |
| <i>nebulization 0.63 mg/3 ml, 1.25 mg/3 ml</i> .....     | 54 | <i>amikacin injection solution 1,000 mg/4 ml, 500</i>   |    |
| <i>albuterol sulfate inhalation solution for</i>         |    | <i>mg/2 ml</i> .....                                    | 8  |
| <i>nebulization 2.5 mg /3 ml (0.083 %)</i> .....         | 54 | <i>amiloride oral</i> .....                             | 32 |
| <i>albuterol sulfate inhalation solution for</i>         |    | <i>amiloride-hydrochlorothiazide</i> .....              | 32 |
| <i>nebulization 2.5 mg/0.5 ml, 5 mg/ml</i> .....         | 54 | <i>aminophylline intravenous</i> .....                  | 54 |
| <i>albuterol sulfate oral syrup</i> .....                | 54 | AMINOSYN 10 %.....                                      | 56 |
| <i>albuterol sulfate oral tablet</i> .....               | 54 | AMINOSYN 7 % WITH ELECTROLYTES.....                     | 56 |
| <i>albuterol sulfate oral tablet extended release 12</i> |    | AMINOSYN 8.5 %.....                                     | 56 |
| <i>hr 4 mg</i> .....                                     | 54 | AMINOSYN 8.5 %-ELECTROLYTES.....                        | 56 |
| <i>albuterol sulfate oral tablet extended release 12</i> |    | AMINOSYN II 10 %.....                                   | 56 |
| <i>hr 8 mg</i> .....                                     | 54 | AMINOSYN II 15 %.....                                   | 56 |
| <i>alclometasone topical cream</i> .....                 | 39 | AMINOSYN II 7 %.....                                    | 56 |
| <i>alclometasone topical ointment</i> .....              | 39 | AMINOSYN II 8.5 %.....                                  | 56 |
| <i>alcohol pads</i> .....                                | 42 | AMINOSYN II 8.5 %-ELECTROLYTES.....                     | 56 |
| ALDACTAZIDE ORAL TABLET 25-25 MG.....                    | 32 | AMINOSYN M 3.5 %.....                                   | 56 |
| ALDURAZYME.....                                          | 42 | AMINOSYN-HBC 7%.....                                    | 56 |
| <i>alendronate oral solution</i> .....                   | 50 | AMINOSYN-PF 10 %.....                                   | 56 |
| <i>alendronate oral tablet 10 mg, 5 mg</i> .....         | 50 | AMINOSYN-PF 7 % (SULFITE-FREE).....                     | 56 |
| <i>alendronate oral tablet 35 mg, 70 mg</i> .....        | 50 | AMINOSYN-RF 5.2 %.....                                  | 56 |
| <i>alendronate oral tablet 40 mg</i> .....               | 41 | <i>amiodarone intravenous solution</i> .....            | 32 |
| <i>alfuzosin</i> .....                                   | 56 | <i>amiodarone intravenous syringe</i> .....             | 32 |
| ALIMTA.....                                              | 16 | <i>amiodarone oral tablet 100 mg, 200 mg</i> .....      | 32 |
| ALINIA ORAL SUSPENSION FOR                               |    | <i>amiodarone oral tablet 400 mg</i> .....              | 32 |
| RECONSTITUTION.....                                      | 8  | <i>amitriptyline</i> .....                              | 20 |
| ALINIA ORAL TABLET.....                                  | 8  | <i>amlodipine oral tablet 10 mg, 2.5 mg</i> .....       | 32 |
| ALKERAN ORAL.....                                        | 16 | <i>amlodipine oral tablet 5 mg</i> .....                | 32 |
| <i>allopurinol</i> .....                                 | 50 | <i>amlodipine-atorvastatin</i> .....                    | 32 |
| <i>aloprim</i> .....                                     | 50 | <i>amlodipine-benazepril oral capsule 10-20 mg, 10-</i> |    |
| <i>alose tron</i> .....                                  | 46 | <i>40 mg, 2.5-10 mg, 5-20 mg, 5-40 mg</i> .....         | 32 |
| ALPHAGAN P OPHTHALMIC DROPS 0.1 %.....                   | 52 | <i>amlodipine-benazepril oral capsule 5-10 mg</i> ..... | 32 |
| ALPHAGAN P OPHTHALMIC DROPS 0.15 %.....                  | 52 | <i>amlodipine-valsartan</i> .....                       | 32 |
| <i>alprazolam oral tablet</i> .....                      | 20 | <i>amlodipine-valsartan-hcthiacid</i> .....             | 32 |
| ALTACE ORAL CAPSULE 10 MG, 2.5 MG, 5                     |    | AMMONIUM CHLORIDE.....                                  | 56 |
| MG.....                                                  | 32 | <i>ammonium lactate topical</i> .....                   | 39 |
| <i>altavera (28)</i> .....                               | 51 | <i>amnestem</i> .....                                   | 39 |

|                                                                                                                                       |    |
|---------------------------------------------------------------------------------------------------------------------------------------|----|
| <i>amoxapine oral tablet 100 mg, 50 mg</i> .....                                                                                      | 20 |
| <i>amoxapine oral tablet 150 mg, 25 mg</i> .....                                                                                      | 20 |
| <i>amoxicillin oral capsule</i> .....                                                                                                 | 8  |
| <i>amoxicillin oral suspension for reconstitution</i> .....                                                                           | 8  |
| <i>amoxicillin oral tablet</i> .....                                                                                                  | 8  |
| <i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i> .....                                                                         | 8  |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml</i> .....        | 8  |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> .....                                          | 8  |
| <i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i> .....                                                                       | 8  |
| <i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i> .....                                                           | 8  |
| <i>amoxicillin-pot clavulanate oral tablet extended release 12 hr</i> .....                                                           | 9  |
| <i>amoxicillin-pot clavulanate oral tablet, chewable</i> .....                                                                        | 9  |
| <i>amphetamine salt combo oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg</i> .....                                            | 20 |
| <i>amphetamine salt combo oral tablet 30 mg</i> .....                                                                                 | 20 |
| <i>amphotericin b</i> .....                                                                                                           | 9  |
| <i>ampicillin oral capsule</i> .....                                                                                                  | 9  |
| <i>ampicillin oral suspension for reconstitution</i> .....                                                                            | 9  |
| <i>ampicillin sodium injection</i> .....                                                                                              | 9  |
| <i>ampicillin sodium intravenous</i> .....                                                                                            | 9  |
| <i>ampicillin-sulbactam injection recon soln 1.5 gram, 3 gram</i> .....                                                               | 9  |
| <i>ampicillin-sulbactam injection recon soln 15 gram</i> .....                                                                        | 9  |
| <i>ampicillin-sulbactam intravenous recon soln 1.5 gram</i> .....                                                                     | 9  |
| <i>ampicillin-sulbactam intravenous recon soln 3 gram</i> .....                                                                       | 9  |
| <i>AMPYRA</i> .....                                                                                                                   | 20 |
| <i>anagrelide</i> .....                                                                                                               | 41 |
| <i>anastrozole</i> .....                                                                                                              | 16 |
| <i>ANDROGEL TRANSDERMAL GEL IN METERED-DOSE PUMP 20.25 MG/1.25 GRAM (1.62 %)</i> .....                                                | 43 |
| <i>ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (20.25 MG/1.25 GRAM)</i> .....                                                           | 43 |
| <i>ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (40.5 MG/2.5 GRAM)</i> .....                                                             | 43 |
| <i>androxy</i> .....                                                                                                                  | 43 |
| <i>ANORO ELLIPTA</i> .....                                                                                                            | 54 |
| <i>APOKYN</i> .....                                                                                                                   | 20 |
| <i>apraclonidine</i> .....                                                                                                            | 53 |
| <i>apri</i> .....                                                                                                                     | 51 |
| <i>APRISO</i> .....                                                                                                                   | 46 |
| <i>APTIOM ORAL TABLET 200 MG, 400 MG, 600 MG</i> .....                                                                                | 20 |
| <i>APTIOM ORAL TABLET 800 MG</i> .....                                                                                                | 20 |
| <i>APTIVUS ORAL CAPSULE</i> .....                                                                                                     | 9  |
| <i>APTIVUS ORAL SOLUTION</i> .....                                                                                                    | 9  |
| <i>ARALAST NP</i> .....                                                                                                               | 41 |
| <i>aranelle (28)</i> .....                                                                                                            | 51 |
| <i>ARANESP (IN POLYSORBATE) INJECTION SOLUTION 100 MCG/ML, 150 MCG/0.75 ML, 200 MCG/ML, 300 MCG/ML</i> .....                          | 48 |
| <i>ARANESP (IN POLYSORBATE) INJECTION SOLUTION 25 MCG/ML, 40 MCG/ML, 60 MCG/ML</i> .....                                              | 48 |
| <i>ARANESP (IN POLYSORBATE) INJECTION SYRINGE 10 MCG/0.4 ML, 25 MCG/0.42 ML, 40 MCG/0.4 ML, 60 MCG/0.3 ML</i> .....                   | 48 |
| <i>ARANESP (IN POLYSORBATE) INJECTION SYRINGE 100 MCG/0.5 ML, 150 MCG/0.3 ML, 200 MCG/0.4 ML, 300 MCG/0.6 ML, 500 MCG/ML</i> .....    | 48 |
| <i>ARCALYST</i> .....                                                                                                                 | 48 |
| <i>aripiprazole oral tablet 10 mg</i> .....                                                                                           | 20 |
| <i>aripiprazole oral tablet 15 mg</i> .....                                                                                           | 20 |
| <i>aripiprazole oral tablet 2 mg</i> .....                                                                                            | 20 |
| <i>aripiprazole oral tablet 20 mg, 30 mg</i> .....                                                                                    | 20 |
| <i>aripiprazole oral tablet 5 mg</i> .....                                                                                            | 20 |
| <i>ARNUITY ELLIPTA</i> .....                                                                                                          | 54 |
| <i>ARRANON</i> .....                                                                                                                  | 16 |
| <i>ARZERRA</i> .....                                                                                                                  | 16 |
| <i>ASACOL HD</i> .....                                                                                                                | 46 |
| <i>ASMANEX HFA</i> .....                                                                                                              | 54 |
| <i>ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG (30 DOSES)</i> .....                                          | 54 |
| <i>ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG (7 DOSES), 220 MCG (14 DOSES)</i> .....                       | 54 |
| <i>ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG (120 DOSES), 220 MCG (30 DOSES), 220 MCG (60 DOSES)</i> ..... | 54 |
| <i>ATACAND HCT ORAL TABLET 16-12.5 MG</i> .....                                                                                       | 32 |
| <i>ATACAND HCT ORAL TABLET 32-12.5 MG, 32-25 MG</i> .....                                                                             | 32 |
| <i>ATACAND ORAL TABLET 16 MG, 4 MG, 8 MG</i> .....                                                                                    | 32 |

|                                                         |    |                                                           |    |
|---------------------------------------------------------|----|-----------------------------------------------------------|----|
| ATACAND ORAL TABLET 32 MG.....                          | 32 | BELEODAQ.....                                             | 16 |
| <i>atenolol</i> .....                                   | 32 | <i>benazepril</i> .....                                   | 32 |
| <i>atenolol-chlorthalidone</i> .....                    | 32 | <i>benazepril-hydrochlorothiazide oral tablet 10-12.5</i> |    |
| <i>atorvastatin</i> .....                               | 32 | <i>mg, 20-12.5 mg, 5-6.25 mg</i> .....                    | 32 |
| <i>atovaquone</i> .....                                 | 9  | <i>benazepril-hydrochlorothiazide oral tablet 20-25</i>   |    |
| <i>atovaquone-proguanil</i> .....                       | 9  | <i>mg</i> .....                                           | 32 |
| ATRIPLA.....                                            | 9  | BENICAR HCT.....                                          | 32 |
| <i>atropine injection syringe 0.05 mg/ml, 0.1 mg/</i>   |    | BENICAR ORAL TABLET 20 MG, 40 MG.....                     | 32 |
| <i>ml</i> .....                                         | 46 | BENICAR ORAL TABLET 5 MG.....                             | 32 |
| <i>atropine ophthalmic drops</i> .....                  | 53 | BENLYSTA.....                                             | 50 |
| ATROVENT HFA.....                                       | 54 | <i>benztropine injection</i> .....                        | 20 |
| AVALIDE ORAL TABLET 150-12.5 MG.....                    | 32 | <i>benztropine oral</i> .....                             | 20 |
| AVALIDE ORAL TABLET 300-12.5 MG.....                    | 32 | BESIVANCE.....                                            | 53 |
| AVAPRO.....                                             | 32 | BETAGAN OPHTHALMIC DROPS 0.5 %.....                       | 53 |
| AVASTIN.....                                            | 16 | <i>betamethasone dipropionate topical cream</i> .....     | 39 |
| <i>aviane</i> .....                                     | 51 | <i>betamethasone dipropionate topical lotion</i> .....    | 39 |
| AVONEX (WITH ALBUMIN).....                              | 48 | <i>betamethasone dipropionate topical</i>                 |    |
| AVONEX INTRAMUSCULAR PEN INJECTOR KIT.....              | 48 | <i>ointment</i> .....                                     | 39 |
| AVONEX INTRAMUSCULAR SYRINGE.....                       | 48 | <i>betamethasone valerate topical cream</i> .....         | 39 |
| AVONEX INTRAMUSCULAR SYRINGE KIT.....                   | 48 | <i>betamethasone valerate topical lotion</i> .....        | 39 |
| <i>azacitidine</i> .....                                | 16 | <i>betamethasone valerate topical ointment</i> .....      | 39 |
| <i>azathioprine</i> .....                               | 16 | <i>betamethasone, augmented topical cream</i> .....       | 39 |
| <i>azelastine nasal</i> .....                           | 42 | <i>betamethasone, augmented topical gel</i> .....         | 39 |
| <i>azelastine ophthalmic</i> .....                      | 53 | <i>betamethasone, augmented topical lotion</i> .....      | 39 |
| AZILECT.....                                            | 20 | <i>betamethasone, augmented topical ointment</i> .....    | 39 |
| <i>azithromycin intravenous recon soln 500 mg</i> ..... | 9  | BETASERON SUBCUTANEOUS KIT.....                           | 48 |
| <i>azithromycin intravenous recon soln 500 mg (2</i>    |    | <i>betaxolol ophthalmic</i> .....                         | 53 |
| <i>mg/ml)</i> .....                                     | 9  | <i>betaxolol oral</i> .....                               | 32 |
| <i>azithromycin oral packet</i> .....                   | 9  | <i>bethanechol chloride oral tablet 10 mg, 25 mg, 5</i>   |    |
| <i>azithromycin oral suspension for reconstitution</i>  |    | <i>mg</i> .....                                           | 56 |
| <i>100 mg/5 ml</i> .....                                | 9  | <i>bethanechol chloride oral tablet 50 mg</i> .....       | 56 |
| <i>azithromycin oral suspension for reconstitution</i>  |    | BEXSERO (PF).....                                         | 48 |
| <i>200 mg/5 ml</i> .....                                | 9  | <i>bicalutamide</i> .....                                 | 16 |
| <i>azithromycin oral tablet</i> .....                   | 9  | BICILLIN C-R.....                                         | 9  |
| AZOPT.....                                              | 53 | BICILLIN L-A.....                                         | 9  |
| AZOR.....                                               | 32 | BICNU.....                                                | 16 |
| <i>aztreonam</i> .....                                  | 9  | BIDIL.....                                                | 32 |
| <i>azurette (28)</i> .....                              | 51 | <i>bimatoprost</i> .....                                  | 53 |
| <i>bacitracin ophthalmic</i> .....                      | 53 | <i>bisoprolol fumarate</i> .....                          | 32 |
| <i>bacitracin-polymyxin b ophthalmic</i> .....          | 53 | <i>bisoprolol-hydrochlorothiazide</i> .....               | 32 |
| <i>baclofen</i> .....                                   | 20 | BIVIGAM.....                                              | 48 |
| <i>balsalazide</i> .....                                | 46 | <i>bleomycin</i> .....                                    | 16 |
| <i>balziva (28)</i> .....                               | 51 | BLEPHAMIDE S.O.P.....                                     | 53 |
| BANZEL ORAL SUSPENSION.....                             | 20 | BLINCYTO.....                                             | 16 |
| BANZEL ORAL TABLET 200 MG.....                          | 20 | BONIVA INTRAVENOUS.....                                   | 50 |
| BANZEL ORAL TABLET 400 MG.....                          | 20 | BOOSTRIX TDAP.....                                        | 49 |
| BARACLUDE ORAL SOLUTION.....                            | 9  | BOSULIF ORAL TABLET 100 MG.....                           | 16 |
| BCG VACCINE, LIVE (PF).....                             | 48 | BOSULIF ORAL TABLET 500 MG.....                           | 16 |

|                                                         |    |                                                             |    |
|---------------------------------------------------------|----|-------------------------------------------------------------|----|
| BOTOX.....                                              | 49 | CALAN ORAL TABLET 120 MG.....                               | 33 |
| BREO ELLIPTA.....                                       | 54 | CALAN SR ORAL TABLET EXTENDED RELEASE 120                   |    |
| <i>briellyn</i> .....                                   | 51 | MG.....                                                     | 33 |
| BRILINTA.....                                           | 32 | <i>calcipotriene topical cream</i> .....                    | 39 |
| <i>brimonidine ophthalmic drops 0.15 %</i> .....        | 53 | <i>calcipotriene topical ointment</i> .....                 | 39 |
| <i>brimonidine ophthalmic drops 0.2 %</i> .....         | 53 | <i>calcipotriene topical solution</i> .....                 | 39 |
| BRINTELLIX ORAL TABLET 10 MG.....                       | 20 | <i>calcitonin (salmon)</i> .....                            | 43 |
| BRINTELLIX ORAL TABLET 20 MG.....                       | 20 | <i>calcitriol intravenous solution 1 mcg/ml</i> .....       | 43 |
| BRINTELLIX ORAL TABLET 5 MG.....                        | 20 | <i>calcitriol oral capsule</i> .....                        | 43 |
| <i>bromocriptine</i> .....                              | 20 | <i>calcitriol oral solution</i> .....                       | 43 |
| <i>budesonide oral</i> .....                            | 46 | <i>calcium acetate oral capsule</i> .....                   | 56 |
| <i>bumetanide injection</i> .....                       | 33 | <i>camila</i> .....                                         | 51 |
| <i>bumetanide oral tablet 0.5 mg, 1 mg</i> .....        | 33 | CANCIDAS.....                                               | 9  |
| <i>bumetanide oral tablet 2 mg</i> .....                | 33 | <i>candesartan oral tablet 16 mg, 4 mg, 8 mg</i> .....      | 33 |
| BUPHENYL ORAL TABLET.....                               | 41 | <i>candesartan oral tablet 32 mg</i> .....                  | 33 |
| <i>buprenorphine hcl injection syringe</i> .....        | 20 | <i>candesartan-hydrochlorothiazid oral tablet 16-</i>       |    |
| <i>buprenorphine hcl sublingual tablet 2 mg</i> .....   | 20 | 12.5 mg.....                                                | 33 |
| <i>buprenorphine hcl sublingual tablet 8 mg</i> .....   | 21 | <i>candesartan-hydrochlorothiazid oral tablet 32-</i>       |    |
| <i>buprenorphine-naloxone sublingual tablet 2-0.5</i>   |    | 12.5 mg, 32-25 mg.....                                      | 33 |
| mg.....                                                 | 21 | CAPASTAT.....                                               | 9  |
| <i>buprenorphine-naloxone sublingual tablet 8-2</i>     |    | CAPRELSA ORAL TABLET 100 MG.....                            | 16 |
| mg.....                                                 | 21 | CAPRELSA ORAL TABLET 300 MG.....                            | 16 |
| <i>buproban</i> .....                                   | 41 | <i>captopril oral tablet 100 mg, 25 mg, 50 mg</i> .....     | 33 |
| <i>bupropion hcl oral tablet 100 mg</i> .....           | 21 | <i>captopril oral tablet 12.5 mg</i> .....                  | 33 |
| <i>bupropion hcl oral tablet 75 mg</i> .....            | 21 | <i>captopril-hydrochlorothiazide oral tablet 25-15</i>      |    |
| <i>bupropion hcl oral tablet extended release 100</i>   |    | mg, 50-15 mg, 50-25 mg.....                                 | 33 |
| mg.....                                                 | 21 | <i>captopril-hydrochlorothiazide oral tablet 25-25</i>      |    |
| <i>bupropion hcl oral tablet extended release 150</i>   |    | mg.....                                                     | 33 |
| mg, 200 mg.....                                         | 21 | CARBAGLU.....                                               | 41 |
| <i>bupropion hcl oral tablet extended release 24 hr</i> |    | <i>carbamazepine oral capsule, er multiphase 12</i>         |    |
| 150 mg.....                                             | 21 | hr.....                                                     | 21 |
| <i>bupropion hcl oral tablet extended release 24 hr</i> |    | <i>carbamazepine oral suspension 100 mg/5 ml</i> .....      | 21 |
| 300 mg.....                                             | 21 | <i>carbamazepine oral tablet</i> .....                      | 21 |
| <i>buspirone oral tablet 10 mg, 15 mg, 5 mg</i> .....   | 21 | <i>carbamazepine oral tablet extended release 12</i>        |    |
| <i>buspirone oral tablet 30 mg, 7.5 mg</i> .....        | 21 | hr.....                                                     | 21 |
| BUSULFEX.....                                           | 16 | <i>carbamazepine oral tablet, chewable</i> .....            | 21 |
| <i>butorphanol tartrate injection solution 1 mg/</i>    |    | <i>carbidopa-levodopa oral tablet</i> .....                 | 21 |
| ml.....                                                 | 21 | <i>carbidopa-levodopa oral tablet extended release</i>      |    |
| <i>butorphanol tartrate injection solution 2 mg/</i>    |    | 25-100 mg.....                                              | 21 |
| ml.....                                                 | 21 | <i>carbidopa-levodopa oral tablet extended release</i>      |    |
| <i>butorphanol tartrate nasal</i> .....                 | 21 | 50-200 mg.....                                              | 21 |
| BYDUREON.....                                           | 43 | <i>carbidopa-levodopa oral tablet, disintegrating</i> ..... | 21 |
| BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/                |    | <i>carboplatin intravenous solution</i> .....               | 16 |
| DOSE(250 MCG/ML) 2.4 ML.....                            | 43 | CARDIZEM LA ORAL TABLET EXTENDED RELEASE                    |    |
| BYETTA SUBCUTANEOUS PEN INJECTOR 5 MCG/                 |    | 24 HR 180 MG, 240 MG, 420 MG.....                           | 33 |
| DOSE (250 MCG/ML) 1.2 ML.....                           | 43 | CARIMUNE NF NANOFILTERED INTRAVENOUS                        |    |
| BYSTOLIC.....                                           | 33 | RECON SOLN 12 GRAM, 6 GRAM.....                             | 49 |
| <i>cabergoline</i> .....                                | 43 | <i>carteolol</i> .....                                      | 53 |

|                                                             |    |                                                            |    |
|-------------------------------------------------------------|----|------------------------------------------------------------|----|
| <i>cartia xt</i> .....                                      | 33 | <i>cefuroxime axetil oral tablet 500 mg</i> .....          | 10 |
| <i>carvedilol</i> .....                                     | 33 | <i>cefuroxime sodium injection recon soln 1.5 gram,</i>    |    |
| CAYSTON.....                                                | 9  | 750 mg.....                                                | 10 |
| <i>caziant (28)</i> .....                                   | 51 | <i>cefuroxime sodium intravenous vial</i> .....            | 10 |
| <i>cefaclor oral capsule</i> .....                          | 9  | CELLCEPT INTRAVENOUS.....                                  | 16 |
| <i>cefaclor oral suspension for reconstitution 125</i>      |    | CELONTIN ORAL CAPSULE 300 MG.....                          | 21 |
| <i>mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i> .....              | 9  | <i>cephalexin oral capsule 250 mg, 500 mg</i> .....        | 10 |
| <i>cefaclor oral tablet extended release 12 hr</i> .....    | 9  | <i>cephalexin oral suspension for reconstitution</i> ..... | 10 |
| <i>cefadroxil oral capsule</i> .....                        | 9  | <i>cephalexin oral tablet</i> .....                        | 10 |
| <i>cefadroxil oral suspension for reconstitution 250</i>    |    | CEREZYME INTRAVENOUS RECON SOLN 400                        |    |
| <i>mg/5 ml, 500 mg/5 ml</i> .....                           | 9  | UNIT.....                                                  | 43 |
| <i>cefadroxil oral tablet</i> .....                         | 9  | CERVARIX VACCINE (PF).....                                 | 49 |
| <i>cefazolin in dextrose (iso-os) intravenous</i>           |    | <i>cetirizine oral solution 1 mg/ml</i> .....              | 54 |
| <i>piggyback 1 gram/50 ml, 2 gram/50 ml</i> .....           | 9  | CHANTIX.....                                               | 41 |
| <i>cefazolin injection recon soln 1 gram, 500 mg</i> .....  | 9  | CHANTIX CONTINUING MONTH BOX.....                          | 41 |
| <i>cefazolin injection recon soln 10 gram, 100 gram,</i>    |    | CHANTIX STARTING MONTH BOX.....                            | 41 |
| <i>20 gram, 300 g</i> .....                                 | 9  | <i>chloramphenicol sod succinate</i> .....                 | 10 |
| <i>cefazolin intravenous</i> .....                          | 9  | <i>chlorhexidine gluconate mucous membrane</i> .....       | 42 |
| <i>cefdinir oral capsule</i> .....                          | 9  | <i>chloroquine phosphate oral tablet 250 mg</i> .....      | 10 |
| <i>cefdinir oral suspension for reconstitution</i> .....    | 9  | <i>chloroquine phosphate oral tablet 500 mg</i> .....      | 10 |
| <i>cefepime</i> .....                                       | 9  | <i>chlorothiazide oral tablet 250 mg</i> .....             | 33 |
| <i>cefepime in dextrose,iso-osm intravenous</i>             |    | <i>chlorothiazide oral tablet 500 mg</i> .....             | 33 |
| <i>piggyback 1 gram/50 ml</i> .....                         | 9  | <i>chlorothiazide sodium</i> .....                         | 33 |
| <i>cefepime in dextrose,iso-osm intravenous</i>             |    | <i>chlorthalidone oral tablet 25 mg, 50 mg</i> .....       | 33 |
| <i>piggyback 2 gram/100 ml</i> .....                        | 9  | <i>cholestyramine (with sugar)</i> .....                   | 33 |
| <i>cefotaxime injection recon soln 1 gram, 2 gram,</i>      |    | <i>cholestyramine light</i> .....                          | 33 |
| <i>500 mg</i> .....                                         | 9  | CIALIS ORAL TABLET 2.5 MG, 5 MG.....                       | 56 |
| <i>cefotetan</i> .....                                      | 9  | <i>ciclodan topical cream</i> .....                        | 39 |
| <i>cefoxitin in dextrose, iso-osm</i> .....                 | 9  | <i>ciclodan topical solution</i> .....                     | 39 |
| <i>cefoxitin intravenous recon soln 1 gram</i> .....        | 9  | <i>ciclopirox topical cream</i> .....                      | 39 |
| <i>cefoxitin intravenous recon soln 10 gram, 2</i>          |    | <i>ciclopirox topical gel</i> .....                        | 39 |
| <i>gram</i> .....                                           | 9  | <i>ciclopirox topical shampoo</i> .....                    | 39 |
| <i>cefpodoxime oral suspension for reconstitution</i> ..... | 9  | <i>ciclopirox topical solution</i> .....                   | 39 |
| <i>cefpodoxime oral tablet 100 mg</i> .....                 | 10 | <i>ciclopirox topical suspension</i> .....                 | 39 |
| <i>cefpodoxime oral tablet 200 mg</i> .....                 | 10 | <i>cidofovir</i> .....                                     | 10 |
| <i>cefprozil oral suspension for reconstitution</i> .....   | 10 | <i>cilostazol</i> .....                                    | 33 |
| <i>cefprozil oral tablet 250 mg</i> .....                   | 10 | CIMZIA.....                                                | 46 |
| <i>cefprozil oral tablet 500 mg</i> .....                   | 10 | CIMZIA POWDER FOR RECONST.....                             | 46 |
| CEFTAZIDIME IN D5W.....                                     | 10 | CIMZIA STARTER KIT.....                                    | 46 |
| <i>ceftazidime injection recon soln 1 gram, 2</i>           |    | CINRYZE.....                                               | 54 |
| <i>gram</i> .....                                           | 10 | CIPRODEX.....                                              | 42 |
| <i>ceftazidime injection recon soln 6 gram</i> .....        | 10 | <i>ciprofloxacin (mixture) oral tablet, er multiphase</i>  |    |
| <i>ceftriaxone in dextrose,iso-os</i> .....                 | 10 | 24 hr 1,000 mg.....                                        | 10 |
| <i>ceftriaxone injection recon soln 1 gram, 2 gram,</i>     |    | <i>ciprofloxacin (mixture) oral tablet, er multiphase</i>  |    |
| <i>250 mg, 500 mg</i> .....                                 | 10 | 24 hr 500 mg.....                                          | 10 |
| <i>ceftriaxone injection recon soln 10 gram</i> .....       | 10 | <i>ciprofloxacin hcl ophthalmic</i> .....                  | 53 |
| <i>ceftriaxone intravenous recon soln</i> .....             | 10 | <i>ciprofloxacin hcl oral tablet</i> .....                 | 10 |
| <i>cefuroxime axetil oral tablet 250 mg</i> .....           | 10 |                                                            |    |

|                                                                                      |    |                                                                 |    |
|--------------------------------------------------------------------------------------|----|-----------------------------------------------------------------|----|
| <i>ciprofloxacin in 5 % dextrose</i> .....                                           | 10 | CLINIMIX E 5%/D15W SULFIT FREE.....                             | 56 |
| <i>ciprofloxacin lactate intravenous solution 200 mg/<br/>20 ml</i> .....            | 10 | CLINIMIX E 5%/D20W SULFIT FREE.....                             | 57 |
| <i>ciprofloxacin lactate intravenous solution 400 mg/<br/>40 ml</i> .....            | 10 | CLINIMIX E 5%/D25W SULFIT FREE.....                             | 57 |
| <i>ciprofloxacin oral suspension</i> .....                                           | 10 | <i>clobetasol topical cream</i> .....                           | 39 |
| <i>cisplatin</i> .....                                                               | 16 | <i>clobetasol topical foam</i> .....                            | 39 |
| <i>citalopram oral solution</i> .....                                                | 21 | <i>clobetasol topical gel</i> .....                             | 39 |
| <i>citalopram oral tablet 10 mg</i> .....                                            | 21 | <i>clobetasol topical lotion</i> .....                          | 39 |
| <i>citalopram oral tablet 20 mg</i> .....                                            | 21 | <i>clobetasol topical ointment</i> .....                        | 39 |
| <i>citalopram oral tablet 40 mg</i> .....                                            | 21 | <i>clobetasol topical shampoo</i> .....                         | 39 |
| <i>cladribine</i> .....                                                              | 16 | <i>clobetasol topical solution</i> .....                        | 39 |
| <i>claravis oral capsule 10 mg, 20 mg, 40 mg</i> .....                               | 39 | <i>clobetasol-emollient topical cream</i> .....                 | 39 |
| <i>claravis oral capsule 30 mg</i> .....                                             | 39 | <i>clobetasol-emollient topical foam</i> .....                  | 39 |
| <i>clarithromycin oral suspension for reconstitution<br/>125 mg/5 ml</i> .....       | 10 | CLOBEX TOPICAL LOTION.....                                      | 39 |
| <i>clarithromycin oral suspension for reconstitution<br/>250 mg/5 ml</i> .....       | 10 | CLOLAR.....                                                     | 16 |
| <i>clarithromycin oral tablet</i> .....                                              | 10 | <i>clomipramine</i> .....                                       | 21 |
| <i>clarithromycin oral tablet extended release 24<br/>hr</i> .....                   | 10 | <i>clonazepam oral tablet 0.5 mg</i> .....                      | 21 |
| <i>clemastine oral tablet 2.68 mg</i> .....                                          | 54 | <i>clonazepam oral tablet 1 mg</i> .....                        | 21 |
| <i>clindamycin hcl oral capsule</i> .....                                            | 10 | <i>clonazepam oral tablet 2 mg</i> .....                        | 21 |
| <i>clindamycin in 5 % dextrose</i> .....                                             | 10 | <i>clonazepam oral tablet,disintegrating 0.125<br/>mg</i> ..... | 21 |
| <i>clindamycin phosphate injection</i> .....                                         | 10 | <i>clonazepam oral tablet,disintegrating 0.25<br/>mg</i> .....  | 21 |
| <i>clindamycin phosphate intravenous solution 300<br/>mg/2 ml, 900 mg/6 ml</i> ..... | 10 | <i>clonazepam oral tablet,disintegrating 0.5 mg</i> .....       | 21 |
| <i>clindamycin phosphate intravenous solution 600<br/>mg/4 ml</i> .....              | 10 | <i>clonazepam oral tablet,disintegrating 1 mg</i> .....         | 21 |
| <i>clindamycin phosphate topical gel</i> .....                                       | 39 | <i>clonazepam oral tablet,disintegrating 2 mg</i> .....         | 21 |
| <i>clindamycin phosphate topical lotion</i> .....                                    | 39 | <i>clonidine hcl oral tablet</i> .....                          | 33 |
| <i>clindamycin phosphate topical solution</i> .....                                  | 39 | <i>clonidine transdermal patch</i> .....                        | 33 |
| <i>clindamycin phosphate topical swab</i> .....                                      | 39 | <i>clopidogrel oral tablet 300 mg</i> .....                     | 33 |
| <i>clindamycin phosphate vaginal</i> .....                                           | 51 | <i>clopidogrel oral tablet 75 mg</i> .....                      | 33 |
| <i>clindamycin-benzoyl peroxide</i> .....                                            | 39 | <i>clorazepate dipotassium</i> .....                            | 21 |
| CLINIMIX 2.75%/D5W SULFIT FREE.....                                                  | 56 | <i>clotrimazole mucous membrane</i> .....                       | 10 |
| CLINIMIX 4.25%-D20W SULF-FREE.....                                                   | 56 | <i>clotrimazole topical cream</i> .....                         | 39 |
| CLINIMIX 4.25%-D25W SULF-FREE.....                                                   | 56 | <i>clotrimazole topical solution</i> .....                      | 39 |
| CLINIMIX 4.25%/D10W SULF FREE.....                                                   | 56 | <i>clotrimazole-betamethasone topical cream</i> .....           | 39 |
| CLINIMIX 4.25%/D5W SULFIT FREE.....                                                  | 41 | <i>clotrimazole-betamethasone topical lotion</i> .....          | 39 |
| CLINIMIX 5%-D20W(SULFITE-FREE).....                                                  | 56 | <i>clozapine oral tablet 100 mg</i> .....                       | 21 |
| CLINIMIX 5%/D15W SULFITE FREE.....                                                   | 56 | <i>clozapine oral tablet 200 mg</i> .....                       | 21 |
| CLINIMIX 5%/D25W SULFITE-FREE.....                                                   | 56 | <i>clozapine oral tablet 25 mg</i> .....                        | 21 |
| CLINIMIX E 2.75%/D10W SUL FREE.....                                                  | 41 | <i>clozapine oral tablet 50 mg</i> .....                        | 21 |
| CLINIMIX E 2.75%/D5W SULF FREE.....                                                  | 41 | <i>clozapine oral tablet,disintegrating 100 mg</i> .....        | 21 |
| CLINIMIX E 4.25%/D10W SUL FREE.....                                                  | 56 | <i>clozapine oral tablet,disintegrating 12.5 mg</i> .....       | 22 |
| CLINIMIX E 4.25%/D25W SUL FREE.....                                                  | 56 | <i>clozapine oral tablet,disintegrating 150 mg</i> .....        | 22 |
| CLINIMIX E 4.25%/D5W SULF FREE.....                                                  | 56 | <i>clozapine oral tablet,disintegrating 200 mg</i> .....        | 22 |
|                                                                                      |    | <i>clozapine oral tablet,disintegrating 25 mg</i> .....         | 22 |
|                                                                                      |    | COARTEM.....                                                    | 10 |
|                                                                                      |    | <i>colchicine-probenecid</i> .....                              | 50 |
|                                                                                      |    | COLCRYS.....                                                    | 50 |
|                                                                                      |    | <i>colestipol</i> .....                                         | 33 |

|                                                                                                                                                                        |    |                                                                                                      |    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|------------------------------------------------------------------------------------------------------|----|
| <i>colistin (colistimethate na)</i> .....                                                                                                                              | 10 | <i>cyclosporine oral capsule</i> .....                                                               | 16 |
| COMBIGAN.....                                                                                                                                                          | 53 | CYRAMZA.....                                                                                         | 16 |
| COMBIVENT RESPIMAT.....                                                                                                                                                | 54 | CYSTADANE.....                                                                                       | 47 |
| COMETRIQ ORAL CAPSULE 100 MG/DAY(80<br>MG[1]-20 MG[1]).....                                                                                                            | 16 | CYSTAGON.....                                                                                        | 56 |
| COMETRIQ ORAL CAPSULE 140 MG/DAY(80<br>MG[1]-20 MG[3]).....                                                                                                            | 16 | <i>cytarabine</i> .....                                                                              | 16 |
| COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG<br>[3]/DAY).....                                                                                                                | 16 | <i>cytarabine (pf) injection solution 100 mg/5 ml (20<br/>mg/ml), 2 gram/20 ml (100 mg/ml)</i> ..... | 16 |
| COMPLERA.....                                                                                                                                                          | 10 | <i>cytarabine (pf) injection solution 20 mg/ml</i> .....                                             | 16 |
| <i>compro</i> .....                                                                                                                                                    | 46 | CYTOMEL.....                                                                                         | 43 |
| COMVAX (PF).....                                                                                                                                                       | 49 | <i>cytra k crystals</i> .....                                                                        | 56 |
| <i>constulose</i> .....                                                                                                                                                | 47 | <i>d10 % &amp; 0.45 % sodium chloride</i> .....                                                      | 41 |
| COPAXONE SUBCUTANEOUS SYRINGE 20 MG/<br>ML.....                                                                                                                        | 22 | <i>d2.5 %-0.45 % sodium chloride</i> .....                                                           | 41 |
| COPAXONE SUBCUTANEOUS SYRINGE 40 MG/<br>ML.....                                                                                                                        | 22 | <i>d5 % and 0.9 % sodium chloride</i> .....                                                          | 41 |
| COREG CR.....                                                                                                                                                          | 33 | <i>d5 %-0.45 % sodium chloride</i> .....                                                             | 41 |
| <i>cormax topical solution</i> .....                                                                                                                                   | 39 | <i>dacarbazine</i> .....                                                                             | 16 |
| <i>cortisone</i> .....                                                                                                                                                 | 43 | DALIRESP.....                                                                                        | 54 |
| CORTISPORIN OTIC SOLUTION.....                                                                                                                                         | 42 | <i>danazol oral</i> .....                                                                            | 43 |
| CORZIDE ORAL TABLET 40-5 MG.....                                                                                                                                       | 33 | <i>dantrolene</i> .....                                                                              | 22 |
| COSMEGEN.....                                                                                                                                                          | 16 | DAPSONE.....                                                                                         | 10 |
| COSOPT.....                                                                                                                                                            | 53 | DAPTACEL (DTAP PEDIATRIC) (PF).....                                                                  | 49 |
| COUMADIN ORAL.....                                                                                                                                                     | 33 | DARAPRIM.....                                                                                        | 10 |
| COZAAR ORAL TABLET 100 MG.....                                                                                                                                         | 33 | <i>dasetta 1/35 (28)</i> .....                                                                       | 51 |
| COZAAR ORAL TABLET 25 MG, 50 MG.....                                                                                                                                   | 33 | <i>dasetta 7/7/7 (28)</i> .....                                                                      | 51 |
| CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC)<br>12,000-38,000 -60,000 UNIT, 24,000-76,000 -<br>120,000 UNIT, 3,000-9,500- 15,000 UNIT, 6,000-<br>19,000 -30,000 UNIT..... | 47 | <i>daunorubicin intravenous solution</i> .....                                                       | 16 |
| CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC)<br>36,000-114,000- 180,000 UNIT.....                                                                                         | 47 | <i>decitabine</i> .....                                                                              | 16 |
| CRESTOR.....                                                                                                                                                           | 33 | DELZICOL.....                                                                                        | 47 |
| CRIXIVAN ORAL CAPSULE 200 MG.....                                                                                                                                      | 10 | <i>demeclocycline oral</i> .....                                                                     | 10 |
| CRIXIVAN ORAL CAPSULE 400 MG.....                                                                                                                                      | 10 | DEMSEER.....                                                                                         | 33 |
| <i>cromolyn inhalation</i> .....                                                                                                                                       | 54 | DENAVIR.....                                                                                         | 39 |
| <i>cromolyn ophthalmic</i> .....                                                                                                                                       | 53 | <i>denta 5000 plus</i> .....                                                                         | 42 |
| <i>cromolyn oral</i> .....                                                                                                                                             | 47 | <i>dentagel</i> .....                                                                                | 42 |
| <i>cryselle (28)</i> .....                                                                                                                                             | 51 | DEPEN TITRATABS.....                                                                                 | 50 |
| CUBICIN.....                                                                                                                                                           | 10 | DERMATOP TOPICAL OINTMENT.....                                                                       | 39 |
| <i>cyclafem 1/35 (28)</i> .....                                                                                                                                        | 51 | <i>desipramine oral</i> .....                                                                        | 22 |
| <i>cyclafem 7/7/7 (28)</i> .....                                                                                                                                       | 51 | <i>desloratadine oral tablet</i> .....                                                               | 54 |
| <i>cyclobenzaprine oral tablet</i> .....                                                                                                                               | 22 | <i>desloratadine oral tablet,disintegrating</i> .....                                                | 54 |
| <i>cyclophosphamide oral capsule</i> .....                                                                                                                             | 16 | <i>desmopressin injection</i> .....                                                                  | 43 |
| CYCLOSET.....                                                                                                                                                          | 43 | <i>desmopressin nasal aerosol,spray</i> .....                                                        | 43 |
| <i>cyclosporine intravenous</i> .....                                                                                                                                  | 16 | <i>desmopressin nasal solution</i> .....                                                             | 43 |
| <i>cyclosporine modified</i> .....                                                                                                                                     | 16 | <i>desmopressin nasal spray,non-aerosol</i> .....                                                    | 43 |
|                                                                                                                                                                        |    | <i>desmopressin oral</i> .....                                                                       | 43 |
|                                                                                                                                                                        |    | <i>desonide</i> .....                                                                                | 39 |
|                                                                                                                                                                        |    | <i>desoximetasone topical cream</i> .....                                                            | 39 |
|                                                                                                                                                                        |    | <i>desoximetasone topical gel</i> .....                                                              | 39 |
|                                                                                                                                                                        |    | <i>desoximetasone topical ointment 0.25 %</i> .....                                                  | 39 |
|                                                                                                                                                                        |    | DESVENLAFAXINE FUMARATE ORAL TABLET<br>EXTENDED RELEASE 24HR 100 MG.....                             | 22 |

|                                                    |    |  |
|----------------------------------------------------|----|--|
| DESVENLAFAXINE FUMARATE ORAL TABLET                |    |  |
| EXTENDED RELEASE 24HR 50 MG.....                   | 22 |  |
| DESVENLAFAXINE ORAL TABLET EXTENDED                |    |  |
| RELEASE 24 HR 100 MG.....                          | 22 |  |
| DESVENLAFAXINE ORAL TABLET EXTENDED                |    |  |
| RELEASE 24 HR 50 MG.....                           | 22 |  |
| DESVENLAFAXINE ORAL TABLET EXTENDED                |    |  |
| RELEASE 24HR 100 MG.....                           | 22 |  |
| DESVENLAFAXINE ORAL TABLET EXTENDED                |    |  |
| RELEASE 24HR 50 MG.....                            | 22 |  |
| dexamethasone oral elixir 0.5mg/ml.....            | 43 |  |
| dexamethasone oral solution 0.5mg/ml.....          | 43 |  |
| dexamethasone oral tablet 0.5 mg, 1.5 mg.....      | 43 |  |
| dexamethasone oral tablet 0.75 mg, 1 mg, 4 mg,     |    |  |
| 6 mg.....                                          | 43 |  |
| dexamethasone oral tablet 2 mg.....                | 43 |  |
| dexamethasone sodium phos (pf).....                | 43 |  |
| dexamethasone sodium phosphate injection.....      | 43 |  |
| dexamethasone sodium phosphate                     |    |  |
| ophthalmic.....                                    | 53 |  |
| DEXILANT.....                                      | 47 |  |
| dexrazoxane hcl intravenous recon soln 250         |    |  |
| mg.....                                            | 16 |  |
| dexrazoxane hcl intravenous recon soln 500         |    |  |
| mg.....                                            | 16 |  |
| dextroamphetamine oral tablet 10 mg.....           | 22 |  |
| dextroamphetamine oral tablet 5 mg.....            | 22 |  |
| dextrose 10 % and 0.2 % nacl.....                  | 41 |  |
| dextrose 10 % in water (d10w) intravenous          |    |  |
| parenteral solution.....                           | 41 |  |
| dextrose 25 % in water (d25w).....                 | 41 |  |
| dextrose 30 % in water (d30w).....                 | 41 |  |
| dextrose 40 % in water (d40w).....                 | 41 |  |
| dextrose 5 % in water (d5w).....                   | 41 |  |
| dextrose 5 %-lactated ringers.....                 | 41 |  |
| dextrose 5%-0.2 % sod chloride.....                | 41 |  |
| dextrose 5%-0.3 % sod.chloride.....                | 41 |  |
| dextrose 50 % in water (d50w) intravenous          |    |  |
| parenteral solution.....                           | 41 |  |
| dextrose 50 % in water (d50w) intravenous          |    |  |
| syringe.....                                       | 41 |  |
| dextrose 70 % in water (d70w).....                 | 41 |  |
| dextrose with sodium chloride.....                 | 41 |  |
| dextrose-kcl-nacl.....                             | 57 |  |
| diazepam intensol.....                             | 22 |  |
| diazepam oral concentrate.....                     | 22 |  |
| diazepam oral solution 5 mg/5 ml.....              | 22 |  |
| diazepam oral tablet 10 mg.....                    | 22 |  |
| diazepam oral tablet 2 mg.....                     | 22 |  |
| diazepam oral tablet 5 mg.....                     | 22 |  |
| diazepam rectal kit 12.5-15-17.5-20 mg.....        | 22 |  |
| diazepam rectal kit 2.5 mg, 5-7.5-10 mg.....       | 22 |  |
| diclofenac potassium.....                          | 22 |  |
| diclofenac sodium ophthalmic.....                  | 53 |  |
| diclofenac sodium oral tablet extended release     |    |  |
| 24 hr.....                                         | 22 |  |
| diclofenac sodium oral tablet,delayed release (dr/ |    |  |
| ec) 25 mg.....                                     | 22 |  |
| diclofenac sodium oral tablet,delayed release (dr/ |    |  |
| ec) 50 mg, 75 mg.....                              | 22 |  |
| dicloxacillin.....                                 | 10 |  |
| dicyclomine oral capsule.....                      | 47 |  |
| dicyclomine oral solution.....                     | 47 |  |
| dicyclomine oral tablet.....                       | 47 |  |
| didanosine oral capsule,delayed release(dr/ec)     |    |  |
| 125 mg.....                                        | 11 |  |
| didanosine oral capsule,delayed release(dr/ec)     |    |  |
| 200 mg.....                                        | 11 |  |
| didanosine oral capsule,delayed release(dr/ec)     |    |  |
| 250 mg.....                                        | 11 |  |
| didanosine oral capsule,delayed release(dr/ec)     |    |  |
| 400 mg.....                                        | 11 |  |
| DIFICID.....                                       | 11 |  |
| diflorasone.....                                   | 39 |  |
| diflunisal.....                                    | 22 |  |
| DIGITEK ORAL TABLET 125 MCG.....                   | 33 |  |
| digox oral tablet 125 mcg.....                     | 33 |  |
| digoxin oral solution 50 mcg/ml.....               | 33 |  |
| digoxin oral tablet 125 mcg.....                   | 33 |  |
| dihydroergotamine injection.....                   | 22 |  |
| DILANTIN 30 MG CAPSULE.....                        | 22 |  |
| DILANTIN INFATABS.....                             | 22 |  |
| dilt-xr.....                                       | 33 |  |
| diltiazem hcl intravenous recon soln.....          | 33 |  |
| diltiazem hcl intravenous solution.....            | 33 |  |
| diltiazem hcl oral capsule, extended release 120   |    |  |
| mg, 180 mg, 240 mg, 300 mg.....                    | 33 |  |
| diltiazem hcl oral capsule, extended release 360   |    |  |
| mg.....                                            | 33 |  |
| diltiazem hcl oral capsule, extended release 420   |    |  |
| mg.....                                            | 33 |  |
| diltiazem hcl oral capsule,ext release             |    |  |
| degradable.....                                    | 33 |  |
| diltiazem hcl oral capsule,extended release 12     |    |  |
| hr.....                                            | 33 |  |

|                                                            |    |                                                          |    |
|------------------------------------------------------------|----|----------------------------------------------------------|----|
| <i>diltiazem hcl oral capsule,extended release 24hr</i>    |    | <i>dronabinol oral capsule 10 mg</i> .....               | 47 |
| 120 mg, 180 mg, 240 mg, 300 mg.....                        | 33 | <i>dronabinol oral capsule 2.5 mg, 5 mg</i> .....        | 47 |
| <i>diltiazem hcl oral capsule,extended release 24hr</i>    |    | <i>drospirenone-ethinyl estradiol</i> .....              | 51 |
| 360 mg.....                                                | 34 | DUETACT ORAL TABLET 30-4 MG.....                         | 43 |
| <i>diltiazem hcl oral tablet</i> .....                     | 34 | DULERA.....                                              | 54 |
| DIOVAN HCT.....                                            | 34 | <i>duloxetine oral capsule,delayed release(dr/ec) 20</i> |    |
| DIPENTUM.....                                              | 47 | mg.....                                                  | 22 |
| <i>diphenhydramine hcl injection solution 50 mg/</i>       |    | <i>duloxetine oral capsule,delayed release(dr/ec) 30</i> |    |
| <i>ml</i> .....                                            | 54 | mg.....                                                  | 22 |
| <i>diphenhydramine hcl injection syringe</i> .....         | 54 | <i>duloxetine oral capsule,delayed release(dr/ec) 40</i> |    |
| <i>diphenoxylate-atropine oral liquid</i> .....            | 47 | mg.....                                                  | 23 |
| <i>diphenoxylate-atropine oral tablet</i> .....            | 47 | <i>duloxetine oral capsule,delayed release(dr/ec) 60</i> |    |
| DIPROLENE AF.....                                          | 39 | mg.....                                                  | 23 |
| diskets.....                                               | 22 | <i>duramorph (pf) injection solution 0.5 mg/ml</i> ..... | 23 |
| disulfiram.....                                            | 41 | <i>duramorph (pf) injection solution 1 mg/ml</i> .....   | 23 |
| <i>divalproex oral capsule, sprinkle</i> .....             | 22 | DUREZOL.....                                             | 53 |
| <i>divalproex oral tablet extended release 24 hr</i> ..... | 22 | DYAZIDE.....                                             | 34 |
| <i>divalproex oral tablet,delayed release (dr/ec) 125</i>  |    | DYSPORT.....                                             | 49 |
| <i>mg, 250 mg</i> .....                                    | 22 | <i>e.e.s. 400 oral tablet</i> .....                      | 11 |
| <i>divalproex oral tablet,delayed release (dr/ec) 500</i>  |    | <i>econazole topical</i> .....                           | 39 |
| <i>mg</i> .....                                            | 22 | EDURANT.....                                             | 11 |
| DOCEFREZ INTRAVENOUS RECON SOLN 20                         |    | EFFIENT.....                                             | 34 |
| MG.....                                                    | 16 | ELAPRASE.....                                            | 43 |
| <i>docetaxel intravenous solution 10 mg/ml, 140</i>        |    | ELIDEL.....                                              | 39 |
| <i>mg/7 ml (20 mg/ml), 160 mg/16 ml (10 mg/ml),</i>        |    | <i>elinest</i> .....                                     | 51 |
| <i>20 mg/2 ml (10 mg/ml)</i> .....                         | 16 | ELIQUIS.....                                             | 34 |
| <i>docetaxel intravenous solution 20 mg/ml (1 ml),</i>     |    | ELITEK.....                                              | 16 |
| <i>80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/</i>           |    | ELIXOPHYLLIN ORAL ELIXIR 80 MG/15 ML.....                | 54 |
| <i>ml)</i> .....                                           | 16 | ELLA.....                                                | 51 |
| <i>donepezil oral tablet 10 mg, 5 mg</i> .....             | 22 | ELOCON TOPICAL SOLUTION.....                             | 39 |
| <i>donepezil oral tablet,disintegrating</i> .....          | 22 | EMCYT.....                                               | 16 |
| DORIBAX.....                                               | 11 | EMEND ORAL CAPSULE 125 MG.....                           | 47 |
| <i>dorzolamide</i> .....                                   | 53 | EMEND ORAL CAPSULE 40 MG.....                            | 47 |
| <i>dorzolamide-timolol</i> .....                           | 53 | EMEND ORAL CAPSULE 80 MG.....                            | 47 |
| <i>doxazosin</i> .....                                     | 34 | EMEND ORAL CAPSULE,DOSE PACK.....                        | 47 |
| <i>doxepin oral</i> .....                                  | 22 | <i>emoquette</i> .....                                   | 51 |
| <i>doxercalciferol intravenous</i> .....                   | 43 | EMSAM.....                                               | 23 |
| <i>doxorubicin intravenous recon soln</i> .....            | 16 | EMTRIVA ORAL CAPSULE.....                                | 11 |
| <i>doxorubicin intravenous solution</i> .....              | 16 | EMTRIVA ORAL SOLUTION.....                               | 11 |
| DOXY-100.....                                              | 11 | <i>enalapril maleate</i> .....                           | 34 |
| <i>doxycycline hyclate intravenous</i> .....               | 11 | <i>enalapril-hydrochlorothiazide</i> .....               | 34 |
| <i>doxycycline hyclate oral capsule</i> .....              | 11 | ENBREL SUBCUTANEOUS RECON SOLN.....                      | 50 |
| <i>doxycycline hyclate oral tablet 100 mg</i> .....        | 11 | ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5ML                  |    |
| <i>doxycycline hyclate oral tablet 20 mg</i> .....         | 11 | (0.51).....                                              | 50 |
| <i>doxycycline hyclate oral tablet 50 mg</i> .....         | 11 | ENBREL SUBCUTANEOUS SYRINGE 50 MG/ML                     |    |
| <i>doxycycline monohydrate oral tablet 100 mg</i> .....    | 11 | (0.98 ML).....                                           | 50 |
| <i>doxycycline monohydrate oral tablet 150 mg, 50</i>      |    | ENBREL SURECLICK.....                                    | 50 |
| <i>mg, 75 mg</i> .....                                     | 11 | <i>endocet oral tablet 10-325 mg, 7.5-325 mg</i> .....   | 23 |

|                                                          |    |                                                           |    |
|----------------------------------------------------------|----|-----------------------------------------------------------|----|
| <i>endocet oral tablet 5-325 mg</i> .....                | 23 | ERWINAZE.....                                             | 16 |
| <i>endodan</i> .....                                     | 23 | <i>ery pads</i> .....                                     | 39 |
| ENERGIX-B (PF).....                                      | 49 | <i>ery-tab oral tablet,delayed release (dr/ec) 250</i>    |    |
| ENERGIX-B PEDIATRIC (PF) INTRAMUSCULAR                   |    | <i>mg, 333 mg</i> .....                                   | 11 |
| SUSPENSION.....                                          | 49 | <i>erythrocine (as stearate) oral tablet 250 mg</i> ..... | 11 |
| ENERGIX-B PEDIATRIC (PF) INTRAMUSCULAR                   |    | ERYTHROCIN INTRAVENOUS RECON SOLN 500                     |    |
| SYRINGE.....                                             | 49 | MG.....                                                   | 11 |
| <i>enoxaparin subcutaneous solution</i> .....            | 34 | <i>erythromycin ethylsuccinate oral tablet</i> .....      | 11 |
| <i>enoxaparin subcutaneous syringe 100 mg/ml, 150</i>    |    | <i>erythromycin ophthalmic</i> .....                      | 53 |
| <i>mg/ml</i> .....                                       | 34 | <i>erythromycin oral capsule,delayed release(dr/</i>      |    |
| <i>enoxaparin subcutaneous syringe 120 mg/0.8 ml,</i>    |    | <i>ec)</i> .....                                          | 11 |
| <i>80 mg/0.8 ml</i> .....                                | 34 | <i>erythromycin oral tablet</i> .....                     | 11 |
| <i>enoxaparin subcutaneous syringe 30 mg/0.3</i>         |    | <i>erythromycin with ethanol</i> .....                    | 39 |
| <i>ml</i> .....                                          | 34 | <i>erythromycin-benzoyl peroxide</i> .....                | 39 |
| <i>enoxaparin subcutaneous syringe 40 mg/0.4</i>         |    | ESBRIET.....                                              | 55 |
| <i>ml</i> .....                                          | 34 | <i>escitalopram oxalate oral solution</i> .....           | 23 |
| <i>enoxaparin subcutaneous syringe 60 mg/0.6</i>         |    | <i>escitalopram oxalate oral tablet 10 mg</i> .....       | 23 |
| <i>ml</i> .....                                          | 34 | <i>escitalopram oxalate oral tablet 20 mg</i> .....       | 23 |
| <i>enpresse</i> .....                                    | 51 | <i>escitalopram oxalate oral tablet 5 mg</i> .....        | 23 |
| <i>entacapone</i> .....                                  | 23 | <i>esomeprazole sodium intravenous</i> .....              | 47 |
| <i>entecavir</i> .....                                   | 11 | <i>estarylla</i> .....                                    | 51 |
| <i>enulose</i> .....                                     | 47 | <i>estradiol oral</i> .....                               | 51 |
| <i>epinephrine injection auto-injector</i> .....         | 54 | <i>estradiol transdermal patch weekly</i> .....           | 51 |
| <i>epinephrine injection solution 1 mg/ml (1:1,</i>      |    | <i>estradiol valerate intramuscular oil 20 mg/ml, 40</i>  |    |
| <i>000)</i> .....                                        | 55 | <i>mg/ml</i> .....                                        | 51 |
| <i>epinephrine injection syringe 0.1 mg/ml (1:10,</i>    |    | <i>ethambutol</i> .....                                   | 11 |
| <i>000)</i> .....                                        | 55 | <i>ethosuximide oral capsule</i> .....                    | 23 |
| EPIPEN 2-PAK.....                                        | 55 | <i>ethosuximide oral solution</i> .....                   | 23 |
| EPIPEN JR 2-PAK.....                                     | 55 | <i>etidronate disodium oral tablet 200 mg</i> .....       | 41 |
| <i>epirubicin intravenous solution 200 mg/100</i>        |    | <i>etidronate disodium oral tablet 400 mg</i> .....       | 41 |
| <i>ml</i> .....                                          | 16 | <i>etodolac oral capsule</i> .....                        | 23 |
| <i>epirubicin intravenous solution 50 mg/25 ml</i> ..... | 16 | <i>etodolac oral tablet</i> .....                         | 23 |
| <i>epitol</i> .....                                      | 23 | <i>etodolac oral tablet extended release 24 hr</i> .....  | 23 |
| EPIVIR HBV ORAL SOLUTION.....                            | 11 | ETOPOPHOS.....                                            | 16 |
| EPIVIR ORAL SOLUTION.....                                | 11 | <i>etoposide intravenous</i> .....                        | 16 |
| <i>eplerenone</i> .....                                  | 34 | EVOTAZ.....                                               | 11 |
| <i>eprosartan</i> .....                                  | 34 | EXELON ORAL CAPSULE 1.5 MG, 4.5 MG.....                   | 23 |
| EPZICOM.....                                             | 11 | <i>exemestane</i> .....                                   | 16 |
| EQUETRO ORAL CAPSULE, ER MULTIPHASE 12 HR                |    | EXFORGE.....                                              | 34 |
| 100 MG.....                                              | 23 | EXFORGE HCT.....                                          | 34 |
| EQUETRO ORAL CAPSULE, ER MULTIPHASE 12 HR                |    | EXJADE.....                                               | 41 |
| 200 MG.....                                              | 23 | EXTAVIA SUBCUTANEOUS KIT.....                             | 49 |
| EQUETRO ORAL CAPSULE, ER MULTIPHASE 12 HR                |    | EXTAVIA SUBCUTANEOUS RECON SOLN.....                      | 49 |
| 300 MG.....                                              | 23 | FABRAZYME.....                                            | 43 |
| ERBITUX.....                                             | 16 | <i>falmina (28)</i> .....                                 | 51 |
| <i>ergoloid</i> .....                                    | 23 | <i>famciclovir oral tablet 125 mg, 250 mg</i> .....       | 11 |
| ERIVEDGE.....                                            | 16 | <i>famciclovir oral tablet 500 mg</i> .....               | 11 |
| <i>errin</i> .....                                       | 51 | <i>famotidine (pf)</i> .....                              | 47 |

|                                                          |    |                                                          |    |
|----------------------------------------------------------|----|----------------------------------------------------------|----|
| <i>famotidine (pf)-nacl (iso-os)</i> .....               | 47 | FIRMAGON KIT W DILUENT SYRINGE                           |    |
| <i>famotidine intravenous</i> .....                      | 47 | SUBCUTANEOUS RECON SOLN 120 MG.....                      | 17 |
| <i>famotidine oral suspension</i> .....                  | 47 | FIRMAGON KIT W DILUENT SYRINGE                           |    |
| <i>famotidine oral tablet 20 mg, 40 mg</i> .....         | 47 | SUBCUTANEOUS RECON SOLN 80 MG.....                       | 17 |
| FANAPT ORAL TABLET 1 MG.....                             | 23 | <i>flavoxate</i> .....                                   | 56 |
| FANAPT ORAL TABLET 10 MG.....                            | 23 | <i>flecainide oral tablet 100 mg, 50 mg</i> .....        | 34 |
| FANAPT ORAL TABLET 12 MG.....                            | 23 | <i>flecainide oral tablet 150 mg</i> .....               | 34 |
| FANAPT ORAL TABLET 2 MG.....                             | 23 | FLOVENT DISKUS INHALATION BLISTER WITH                   |    |
| FANAPT ORAL TABLET 4 MG.....                             | 23 | DEVICE 100 MCG/ACTUATION.....                            | 55 |
| FANAPT ORAL TABLET 6 MG.....                             | 23 | FLOVENT DISKUS INHALATION BLISTER WITH                   |    |
| FANAPT ORAL TABLET 8 MG.....                             | 23 | DEVICE 250 MCG/ACTUATION, 50 MCG/                        |    |
| FANAPT ORAL TABLETS,DOSE PACK.....                       | 23 | ACTUATION.....                                           | 55 |
| FARESTON.....                                            | 16 | FLOVENT HFA INHALATION HFA AEROSOL                       |    |
| FARYDAK ORAL CAPSULE 10 MG.....                          | 17 | INHALER 110 MCG/ACTUATION.....                           | 55 |
| FARYDAK ORAL CAPSULE 15 MG, 20 MG.....                   | 17 | FLOVENT HFA INHALATION HFA AEROSOL                       |    |
| FASLODEX.....                                            | 17 | INHALER 220 MCG/ACTUATION.....                           | 55 |
| <i>felbamate oral suspension</i> .....                   | 23 | FLOVENT HFA INHALATION HFA AEROSOL                       |    |
| <i>felbamate oral tablet 400 mg</i> .....                | 23 | INHALER 44 MCG/ACTUATION.....                            | 55 |
| <i>felbamate oral tablet 600 mg</i> .....                | 23 | <i>fluconazole in dextrose(iso-o)</i> .....              | 11 |
| FELBATOL ORAL TABLET 400 MG.....                         | 23 | <i>fluconazole in nacl (iso-osm) intravenous</i>         |    |
| <i>felodipine oral tablet extended release 24 hr 10</i>  |    | <i>piggyback 100 mg/50 ml, 400 mg/200 ml</i> .....       | 11 |
| <i>mg</i> .....                                          | 34 | <i>fluconazole in nacl (iso-osm) intravenous</i>         |    |
| <i>felodipine oral tablet extended release 24 hr 2.5</i> |    | <i>piggyback 200 mg/100 ml</i> .....                     | 11 |
| <i>mg, 5 mg</i> .....                                    | 34 | <i>fluconazole oral suspension for reconstitution 10</i> |    |
| <i>fenofibrate micronized oral capsule 130 mg</i> .....  | 34 | <i>mg/ml</i> .....                                       | 11 |
| <i>fenofibrate micronized oral capsule 134 mg, 200</i>   |    | <i>fluconazole oral suspension for reconstitution 40</i> |    |
| <i>mg, 67 mg</i> .....                                   | 34 | <i>mg/ml</i> .....                                       | 11 |
| <i>fenofibrate micronized oral capsule 43 mg</i> .....   | 34 | <i>fluconazole oral tablet 100 mg</i> .....              | 11 |
| <i>fenofibrate nanocrystallized 48 mg, 145 mg</i> .....  | 34 | <i>fluconazole oral tablet 150 mg, 50 mg</i> .....       | 11 |
| <i>fenofibrate oral tablet 160 mg</i> .....              | 34 | <i>fluconazole oral tablet 200 mg</i> .....              | 11 |
| <i>fenofibrate oral tablet 54 mg</i> .....               | 34 | <i>flucytosine</i> .....                                 | 11 |
| <i>fenofibric acid (choline) dr capsules</i> .....       | 34 | <i>fludarabine intravenous recon soln</i> .....          | 17 |
| <i>fenopropfen oral tablet</i> .....                     | 23 | <i>fludarabine intravenous solution</i> .....            | 17 |
| <i>fentanyl citrate</i> .....                            | 23 | <i>fludrocortisone</i> .....                             | 43 |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr,</i>    |    | <i>flunisolide nasal spray,non-aerosol 25 mcg (0.025</i> |    |
| <i>12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/</i>          |    | <i>%)</i> .....                                          | 55 |
| <i>hr</i> .....                                          | 23 | <i>fluocinolone acetamide oil otic</i> .....             | 42 |
| FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE                   |    | <i>fluocinolone topical cream</i> .....                  | 40 |
| PACK.....                                                | 23 | <i>fluocinolone topical ointment</i> .....               | 40 |
| FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24                 |    | <i>fluocinolone topical solution</i> .....               | 40 |
| HR 120 MG, 80 MG.....                                    | 23 | <i>fluocinonide topical cream 0.05 %</i> .....           | 40 |
| FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24                 |    | <i>fluocinonide topical gel</i> .....                    | 40 |
| HR 20 MG.....                                            | 23 | <i>fluocinonide topical ointment</i> .....               | 40 |
| FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24                 |    | <i>fluocinonide topical solution</i> .....               | 40 |
| HR 40 MG.....                                            | 23 | <i>fluocinonide-e</i> .....                              | 40 |
| <i>finasteride oral tablet 5 mg</i> .....                | 56 | <i>fluocinonide-emollient</i> .....                      | 40 |
| FIRAZYR.....                                             | 55 | <i>fluoritab oral tablet,chewable 1 mg fluoride (2.2</i> |    |
|                                                          |    | <i>mg)</i> .....                                         | 57 |

|                                                                              |    |                                                                                        |    |
|------------------------------------------------------------------------------|----|----------------------------------------------------------------------------------------|----|
| <i>fluorometholone</i> .....                                                 | 53 | <i>furosemide injection</i> .....                                                      | 34 |
| <i>fluorouracil intravenous</i> .....                                        | 17 | <i>furosemide oral solution 10 mg/ml</i> .....                                         | 34 |
| <i>fluorouracil topical cream 5 %</i> .....                                  | 40 | <i>furosemide oral solution 40 mg/5 ml</i> .....                                       | 34 |
| <i>fluorouracil topical solution</i> .....                                   | 40 | <i>furosemide oral tablet</i> .....                                                    | 34 |
| <i>fluoxetine oral capsule 10 mg</i> .....                                   | 23 | FUSILEV.....                                                                           | 17 |
| <i>fluoxetine oral capsule 20 mg</i> .....                                   | 23 | FUZEON SUBCUTANEOUS RECON SOLN.....                                                    | 11 |
| <i>fluoxetine oral capsule 40 mg</i> .....                                   | 24 | FYCOMPA ORAL TABLET 10 MG, 12 MG.....                                                  | 24 |
| <i>fluoxetine oral solution</i> .....                                        | 24 | FYCOMPA ORAL TABLET 2 MG.....                                                          | 24 |
| <i>fluoxetine oral tablet 10 mg</i> .....                                    | 24 | FYCOMPA ORAL TABLET 4 MG.....                                                          | 24 |
| <i>fluoxetine oral tablet 20 mg</i> .....                                    | 24 | FYCOMPA ORAL TABLET 6 MG.....                                                          | 24 |
| <i>fluphenazine decanoate</i> .....                                          | 24 | FYCOMPA ORAL TABLET 8 MG.....                                                          | 24 |
| <i>fluphenazine hcl injection</i> .....                                      | 24 | <i>gabapentin oral capsule 100 mg</i> .....                                            | 24 |
| <i>fluphenazine hcl oral</i> .....                                           | 24 | <i>gabapentin oral capsule 300 mg</i> .....                                            | 24 |
| <i>flurbiprofen</i> .....                                                    | 24 | <i>gabapentin oral capsule 400 mg</i> .....                                            | 24 |
| <i>flurbiprofen sodium</i> .....                                             | 53 | <i>gabapentin oral solution 250 mg/5 ml</i> .....                                      | 24 |
| <i>flutamide</i> .....                                                       | 17 | <i>gabapentin oral solution 250 mg/5 ml (5 ml), 300</i><br><i>mg/6 ml (6 ml)</i> ..... | 24 |
| <i>fluticasone nasal</i> .....                                               | 55 | <i>gabapentin oral tablet 600 mg</i> .....                                             | 24 |
| <i>fluticasone topical cream</i> .....                                       | 40 | <i>gabapentin oral tablet 800 mg</i> .....                                             | 24 |
| <i>fluticasone topical lotion</i> .....                                      | 40 | GABITRIL ORAL TABLET 12 MG.....                                                        | 24 |
| <i>fluticasone topical ointment</i> .....                                    | 40 | GABITRIL ORAL TABLET 16 MG.....                                                        | 24 |
| <i>fluvastatin oral capsule 20 mg</i> .....                                  | 34 | <i>galantamine oral capsule,ext rel. pellets 24</i><br><i>hr</i> .....                 | 24 |
| <i>fluvastatin oral capsule 40 mg</i> .....                                  | 34 | <i>galantamine oral solution</i> .....                                                 | 24 |
| <i>fluvoxamine oral tablet 100 mg</i> .....                                  | 24 | <i>galantamine oral tablet</i> .....                                                   | 24 |
| <i>fluvoxamine oral tablet 25 mg</i> .....                                   | 24 | GAMASTAN S/D.....                                                                      | 49 |
| <i>fluvoxamine oral tablet 50 mg</i> .....                                   | 24 | GAMMAGARD LIQUID.....                                                                  | 49 |
| FOLOTYN.....                                                                 | 17 | GAMMAGARD S-D (IGA &lt; 1 MCG/ML).....                                                 | 49 |
| <i>fomepizole</i> .....                                                      | 49 | GAMUNEX-C.....                                                                         | 49 |
| <i>fondaparinux subcutaneous syringe 10 mg/0.8</i><br><i>ml</i> .....        | 34 | <i>ganciclovir sodium</i> .....                                                        | 11 |
| <i>fondaparinux subcutaneous syringe 2.5 mg/0.5</i><br><i>ml</i> .....       | 34 | GARDASIL (PF).....                                                                     | 49 |
| <i>fondaparinux subcutaneous syringe 5 mg/0.4</i><br><i>ml</i> .....         | 34 | GARDASIL 9 (PF).....                                                                   | 49 |
| <i>fondaparinux subcutaneous syringe 7.5 mg/0.6</i><br><i>ml</i> .....       | 34 | GATTEX 30-VIAL.....                                                                    | 47 |
| FORADIL AEROLIZER.....                                                       | 55 | GATTEX ONE-VIAL.....                                                                   | 47 |
| FORTEO.....                                                                  | 50 | <i>gauze pads 2 x 2</i> .....                                                          | 43 |
| <i>fortical</i> .....                                                        | 43 | <i>gavilyte-c</i> .....                                                                | 47 |
| FOSAMAX ORAL TABLET 70 MG.....                                               | 50 | <i>gavilyte-g</i> .....                                                                | 47 |
| FOSAMAX PLUS D.....                                                          | 50 | <i>gavilyte-n</i> .....                                                                | 47 |
| <i>foscarnet</i> .....                                                       | 11 | GAZYVA.....                                                                            | 17 |
| <i>fosinopril</i> .....                                                      | 34 | <i>gemcitabine intravenous recon soln 1 gram, 200</i><br><i>mg</i> .....               | 17 |
| <i>fosinopril-hydrochlorothiazide oral tablet 10-12.5</i><br><i>mg</i> ..... | 34 | <i>gemcitabine intravenous recon soln 2 gram</i> .....                                 | 17 |
| <i>fosinopril-hydrochlorothiazide oral tablet 20-12.5</i><br><i>mg</i> ..... | 34 | <i>gemcitabine intravenous solution</i> .....                                          | 17 |
| <i>fosphenytoin</i> .....                                                    | 24 | <i>gemfibrozil oral</i> .....                                                          | 34 |
| <i>freamine iii 10 %</i> .....                                               | 57 | <i>generlac</i> .....                                                                  | 47 |
|                                                                              |    | <i>gengraf</i> .....                                                                   | 17 |
|                                                                              |    | <i>gentak ophthalmic ointment</i> .....                                                | 53 |

|                                                                                                                                                                           |       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| <i>gentamicin in nacl (iso-osm) intravenous<br/>piggyback 100 mg/100 ml, 60 mg/50 ml.....</i>                                                                             | 11    |
| GENTAMICIN IN NACL (ISO-OSM) INTRAVENOUS<br>PIGGYBACK 100 MG/50 ML, 120 MG/100<br>ML.....                                                                                 | 11    |
| <i>gentamicin in nacl (iso-osm) intravenous<br/>piggyback 70 mg/50 ml, 80 mg/100 ml, 80 mg/<br/>50 ml, 90 mg/100 ml.....</i>                                              | 12    |
| <i>gentamicin injection.....</i>                                                                                                                                          | 12    |
| <i>gentamicin ophthalmic.....</i>                                                                                                                                         | 53    |
| <i>gentamicin sulfate (ped) (pf).....</i>                                                                                                                                 | 12    |
| <i>gentamicin sulfate (pf) intravenous solution 100<br/>mg/10 ml.....</i>                                                                                                 | 12    |
| GENTAMICIN SULFATE (PF) INTRAVENOUS<br>SOLUTION 60 MG/6 ML.....                                                                                                           | 12    |
| <i>gentamicin sulfate (pf) intravenous solution 80<br/>mg/8 ml.....</i>                                                                                                   | 12    |
| <i>gentamicin topical.....</i>                                                                                                                                            | 40    |
| GEODON INTRAMUSCULAR.....                                                                                                                                                 | 24    |
| <i>gildagia.....</i>                                                                                                                                                      | 51    |
| <i>gildess.....</i>                                                                                                                                                       | 51    |
| <i>gildess fe.....</i>                                                                                                                                                    | 51    |
| GILENYA.....                                                                                                                                                              | 24    |
| GILOTRIF.....                                                                                                                                                             | 17    |
| GLATOPA.....                                                                                                                                                              | 24    |
| GLEEVEC ORAL TABLET 100 MG.....                                                                                                                                           | 17    |
| GLEEVEC ORAL TABLET 400 MG.....                                                                                                                                           | 17    |
| GLEOSTINE.....                                                                                                                                                            | 17    |
| <i>glimepiride oral tablet 1 mg.....</i>                                                                                                                                  | 43    |
| <i>glimepiride oral tablet 2 mg.....</i>                                                                                                                                  | 43    |
| <i>glimepiride oral tablet 4 mg.....</i>                                                                                                                                  | 43    |
| <i>glipizide oral tablet 10 mg.....</i>                                                                                                                                   | 43    |
| <i>glipizide oral tablet 5 mg.....</i>                                                                                                                                    | 43    |
| <i>glipizide oral tablet extended release 24hr 10<br/>mg.....</i>                                                                                                         | 43    |
| <i>glipizide oral tablet extended release 24hr 2.5<br/>mg.....</i>                                                                                                        | 43    |
| <i>glipizide oral tablet extended release 24hr 5<br/>mg.....</i>                                                                                                          | 43    |
| <i>glipizide-metformin oral tablet 2.5-250 mg.....</i>                                                                                                                    | 43    |
| <i>glipizide-metformin oral tablet 2.5-500 mg, 5-500<br/>mg.....</i>                                                                                                      | 43    |
| GLUCAGEN HYPOKIT.....                                                                                                                                                     | 43    |
| GLUCAGON EMERGENCY KIT (HUMAN).....                                                                                                                                       | 43    |
| GLUCOPHAGE ORAL TABLET 1,000 MG.....                                                                                                                                      | 43    |
| GLUCOPHAGE ORAL TABLET 500 MG.....                                                                                                                                        | 44    |
| GLUCOPHAGE ORAL TABLET 850 MG.....                                                                                                                                        | 44    |
| GLUCOPHAGE XR ORAL TABLET EXTENDED<br>RELEASE 24 HR 500 MG.....                                                                                                           | 44    |
| GLUCOPHAGE XR ORAL TABLET EXTENDED<br>RELEASE 24 HR 750 MG.....                                                                                                           | 44    |
| GLUCOTROL ORAL TABLET 10 MG.....                                                                                                                                          | 44    |
| GLUCOTROL ORAL TABLET 5 MG.....                                                                                                                                           | 44    |
| GLUCOTROL XL ORAL TABLET EXTENDED RELEASE<br>24HR 10 MG.....                                                                                                              | 44    |
| GLUCOTROL XL ORAL TABLET EXTENDED RELEASE<br>24HR 2.5 MG.....                                                                                                             | 44    |
| GLUCOTROL XL ORAL TABLET EXTENDED RELEASE<br>24HR 5 MG.....                                                                                                               | 44    |
| GLUCOVANCE.....                                                                                                                                                           | 44    |
| GLUMETZA ORAL TABLET,ER GAST.RETENTION<br>24 HR 1,000 MG.....                                                                                                             | 44    |
| GLUMETZA ORAL TABLET,ER GAST.RETENTION<br>24 HR 500 MG.....                                                                                                               | 44    |
| <i>glycopyrrolate injection.....</i>                                                                                                                                      | 47    |
| <i>glycopyrrolate oral tablet.....</i>                                                                                                                                    | 47    |
| GRIS-PEG (ULTRAMICROSIZED) ORAL TABLET 250<br>MG.....                                                                                                                     | 12    |
| <i>griseofulvin microsize oral suspension.....</i>                                                                                                                        | 12    |
| <i>griseofulvin ultramicrosize.....</i>                                                                                                                                   | 12    |
| <i>guanfacine oral tablet extended release 24 hr.....</i>                                                                                                                 | 24    |
| <i>guanidine.....</i>                                                                                                                                                     | 24    |
| HALAVEN.....                                                                                                                                                              | 17    |
| <i>halobetasol propionate.....</i>                                                                                                                                        | 40    |
| <i>haloperidol.....</i>                                                                                                                                                   | 24    |
| <i>haloperidol decanoate.....</i>                                                                                                                                         | 24    |
| <i>haloperidol lactate injection.....</i>                                                                                                                                 | 24    |
| <i>haloperidol lactate oral.....</i>                                                                                                                                      | 24    |
| HARVONI.....                                                                                                                                                              | 12    |
| HAVRIX (PF) INTRAMUSCULAR SUSPENSION.....                                                                                                                                 | 49    |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440<br>ELISA UNIT/ML.....                                                                                                             | 49    |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA<br>UNIT/0.5 ML.....                                                                                                           | 49    |
| <i>heather.....</i>                                                                                                                                                       | 51    |
| <i>heparin (porcine) in 5 % dex intravenous<br/>parenteral solution 12,500 unit/250 ml, 20,000<br/>unit/500 ml (40 unit/ml), 25,000 unit/250<br/>ml(100 unit/ml).....</i> | 34–35 |
| <i>heparin (porcine) in 5 % dex intravenous<br/>parenteral solution 25,000 unit/500 ml (50 unit/<br/>ml).....</i>                                                         | 35    |
| <i>heparin (porcine) in nacl (pf) intravenous<br/>parenteral solution 1,000 unit/500 ml, 2,000<br/>unit/1,000 ml.....</i>                                                 | 35    |

|                                                       |    |                                                       |    |
|-------------------------------------------------------|----|-------------------------------------------------------|----|
| <i>heparin (porcine) injection cartridge</i> .....    | 35 | <i>hydrocodone-acetaminophen oral tablet 10-325</i>   |    |
| <i>heparin (porcine) injection solution</i> .....     | 35 | mg, 5-325 mg, 7.5-325 mg.....                         | 24 |
| HEPARIN(PORCINE) IN 0.45% NACL INTRAVENOUS            |    | <i>hydrocodone-ibuprofen</i> .....                    | 24 |
| PARENTERAL SOLUTION 12,500 UNIT/250                   |    | <i>hydrocortisone butyrate topical cream</i> .....    | 40 |
| ML.....                                               | 35 | <i>hydrocortisone butyrate topical ointment</i> ..... | 40 |
| <i>heparin(porcine) in 0.45% nacl intravenous</i>     |    | <i>hydrocortisone butyrate topical solution</i> ..... | 40 |
| <i>parenteral solution 25,000 unit/250 ml, 25,000</i> |    | <i>hydrocortisone oral tablet 10 mg, 5 mg</i> .....   | 44 |
| <i>unit/500 ml</i> .....                              | 35 | <i>hydrocortisone oral tablet 20 mg</i> .....         | 44 |
| <i>heparin, porcine (pf) injection</i> .....          | 35 | <i>hydrocortisone rectal enema</i> .....              | 47 |
| HEPATAMINE 8%.....                                    | 57 | <i>hydrocortisone topical cream 1 %</i> .....         | 40 |
| HERCEPTIN.....                                        | 17 | <i>hydrocortisone topical cream 2.5 %</i> .....       | 40 |
| HETLIOZ.....                                          | 24 | <i>hydrocortisone topical lotion 2.5 %</i> .....      | 40 |
| HEXALEN.....                                          | 17 | <i>hydrocortisone topical ointment 1 %</i> .....      | 40 |
| HUMALOG KWIKPEN SUBCUTANEOUS INSULIN                  |    | <i>hydrocortisone topical ointment 2.5 %</i> .....    | 40 |
| PEN 100 UNIT/ML.....                                  | 44 | <i>hydrocortisone valerate</i> .....                  | 40 |
| HUMALOG KWIKPEN SUBCUTANEOUS INSULIN                  |    | <i>hydrocortisone-acetic acid</i> .....               | 42 |
| PEN 200 UNIT/ML (3 ML).....                           | 44 | <i>hydrocortisone-min oil-wht pet</i> .....           | 40 |
| HUMALOG MIX 50-50.....                                | 44 | <i>hydromorphone (pf) injection solution 1 mg/</i>    |    |
| HUMALOG MIX 50-50 KWIKPEN.....                        | 44 | ml.....                                               | 24 |
| HUMALOG MIX 75-25.....                                | 44 | <i>hydromorphone (pf) injection solution 10 mg/</i>   |    |
| HUMALOG MIX 75-25 KWIKPEN.....                        | 44 | ml.....                                               | 24 |
| HUMALOG SUBCUTANEOUS CARTRIDGE.....                   | 44 | <i>hydromorphone (pf) injection solution 4 mg/</i>    |    |
| HUMALOG SUBCUTANEOUS SOLUTION 100 UNIT/               |    | ml.....                                               | 24 |
| ML.....                                               | 44 | <i>hydromorphone injection solution</i> .....         | 24 |
| HUMALOG SUBCUTANEOUS SOLUTION 100 UNIT/               |    | <i>hydromorphone injection syringe 1 mg/ml</i> .....  | 24 |
| ML (PREFILLED SYRINGE).....                           | 44 | <i>hydromorphone injection syringe 2 mg/ml</i> .....  | 24 |
| HUMIRA CROHN'S DIS START PCK.....                     | 50 | <i>hydromorphone injection syringe 4 mg/ml</i> .....  | 25 |
| HUMIRA PED CROHN'S STARTER PK.....                    | 50 | <i>hydromorphone oral tablet 2 mg, 4 mg</i> .....     | 25 |
| HUMIRA PEN.....                                       | 50 | <i>hydromorphone oral tablet 8 mg</i> .....           | 25 |
| HUMIRA PSORIASIS STARTER PACK.....                    | 50 | <i>hydroxychloroquine oral</i> .....                  | 12 |
| HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/                |    | <i>hydroxyurea</i> .....                              | 17 |
| 0.2 ML, 20 MG/0.4 ML.....                             | 50 | HYZAAR.....                                           | 35 |
| HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/                |    | <i>ibandronate intravenous solution</i> .....         | 50 |
| 0.8 ML.....                                           | 50 | <i>ibandronate intravenous syringe</i> .....          | 50 |
| HUMULIN 70/30.....                                    | 44 | <i>ibandronate oral</i> .....                         | 50 |
| HUMULIN 70/30 KWIKPEN.....                            | 44 | IBRANCE.....                                          | 17 |
| HUMULIN N.....                                        | 44 | <i>ibuprofen oral suspension</i> .....                | 25 |
| HUMULIN N KWIKPEN.....                                | 44 | <i>ibuprofen oral tablet 400 mg, 600 mg, 800</i>      |    |
| HUMULIN R.....                                        | 44 | mg.....                                               | 25 |
| HUMULIN R U-500 "CONCENTRATED".....                   | 44 | <i>ibuprofen-oxycodone</i> .....                      | 25 |
| <i>hydralazine injection</i> .....                    | 35 | ICLUSIG ORAL TABLET 15 MG.....                        | 17 |
| <i>hydralazine oral</i> .....                         | 35 | ICLUSIG ORAL TABLET 45 MG.....                        | 17 |
| <i>hydrochlorothiazide</i> .....                      | 35 | <i>idarubicin</i> .....                               | 17 |
| <i>hydrocodone-acetaminophen oral solution 2.5-</i>   |    | IFEX.....                                             | 17 |
| <i>167 mg/5 ml</i> .....                              | 24 | <i>ifosfamide intravenous recon soln 1 gram</i> ..... | 17 |
| <i>hydrocodone-acetaminophen oral solution 7.5-</i>   |    | <i>ifosfamide intravenous recon soln 3 gram</i> ..... | 17 |
| <i>325 mg/15 ml</i> .....                             | 24 | <i>ifosfamide intravenous solution</i> .....          | 17 |
|                                                       |    | ILARIS (PF).....                                      | 49 |

|                                                       |    |                                                         |    |
|-------------------------------------------------------|----|---------------------------------------------------------|----|
| ILEVRO.....                                           | 53 | INVIRASE ORAL TABLET.....                               | 12 |
| IMBRUVICA.....                                        | 17 | IONOSOL-B IN D5W.....                                   | 57 |
| <i>imipenem-cilastatin intravenous recon soln 250</i> |    | IONOSOL-MB IN D5W.....                                  | 57 |
| <i>mg.....</i>                                        | 12 | IOPIDINE OPHTHALMIC DROPS.....                          | 53 |
| <i>imipenem-cilastatin intravenous recon soln 500</i> |    | IPOL.....                                               | 49 |
| <i>mg.....</i>                                        | 12 | <i>ipratropium bromide inhalation.....</i>              | 55 |
| <i>imipramine hcl.....</i>                            | 25 | <i>ipratropium bromide nasal.....</i>                   | 42 |
| <i>imiquimod.....</i>                                 | 40 | <i>ipratropium-albuterol.....</i>                       | 55 |
| IMOVAX RABIES VACCINE (PF).....                       | 49 | <i>irbesartan oral tablet 150 mg, 75 mg.....</i>        | 35 |
| INCRELEX.....                                         | 41 | <i>irbesartan oral tablet 300 mg.....</i>               | 35 |
| <i>indapamide.....</i>                                | 35 | <i>irbesartan-hydrochlorothiazide oral tablet 150-</i>  |    |
| INFANRIX (DTAP) (PF).....                             | 49 | <i>12.5 mg.....</i>                                     | 35 |
| INLYTA ORAL TABLET 1 MG.....                          | 17 | <i>irbesartan-hydrochlorothiazide oral tablet 300-</i>  |    |
| INLYTA ORAL TABLET 5 MG.....                          | 17 | <i>12.5 mg.....</i>                                     | 35 |
| <i>insulin pen needle.....</i>                        | 44 | <i>irinotecan intravenous solution 100 mg/5 ml, 40</i>  |    |
| INSULIN SYRINGE (DISP) U-100 0.3 ML, 1/2              |    | <i>mg/2 ml.....</i>                                     | 17 |
| ML.....                                               | 44 | <i>irinotecan intravenous solution 500 mg/25</i>        |    |
| INSULIN SYRINGE (DISP) U-100 1 ML.....                | 44 | <i>ml.....</i>                                          | 17 |
| INTELENCE ORAL TABLET 100 MG.....                     | 12 | ISENTRESS ORAL POWDER IN PACKET.....                    | 12 |
| INTELENCE ORAL TABLET 200 MG.....                     | 12 | ISENTRESS ORAL TABLET.....                              | 12 |
| INTELENCE ORAL TABLET 25 MG.....                      | 12 | ISENTRESS ORAL TABLET,CHEWABLE 100 MG.....              | 12 |
| <i>intralipid intravenous emulsion 20 %.....</i>      | 57 | ISENTRESS ORAL TABLET,CHEWABLE 25 MG.....               | 12 |
| INTRALIPID INTRAVENOUS EMULSION 30 %.....             | 57 | ISOLYTE S PH 7.4.....                                   | 57 |
| INTRON A INJECTION.....                               | 49 | ISOLYTE-P IN 5 % DEXTROSE.....                          | 57 |
| <i>introvale.....</i>                                 | 51 | ISOLYTE-S.....                                          | 57 |
| INVANZ 1 GM ADD-VANTAGE VIAL.....                     | 12 | <i>isoniazid injection.....</i>                         | 12 |
| INVEGA ORAL TABLET EXTENDED RELEASE 24HR              |    | <i>isoniazid oral solution.....</i>                     | 12 |
| 1.5 MG.....                                           | 25 | <i>isoniazid oral tablet 100 mg.....</i>                | 12 |
| INVEGA ORAL TABLET EXTENDED RELEASE 24HR              |    | <i>isoniazid oral tablet 300 mg.....</i>                | 12 |
| 3 MG.....                                             | 25 | ISOPTO CARPINE.....                                     | 53 |
| INVEGA ORAL TABLET EXTENDED RELEASE 24HR              |    | <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 5</i> |    |
| 6 MG.....                                             | 25 | <i>mg.....</i>                                          | 35 |
| INVEGA ORAL TABLET EXTENDED RELEASE 24HR              |    | <i>isosorbide dinitrate oral tablet 30 mg.....</i>      | 35 |
| 9 MG.....                                             | 25 | <i>isosorbide dinitrate oral tablet extended</i>        |    |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE                 |    | <i>release.....</i>                                     | 35 |
| 117 MG/0.75 ML, 156 MG/ML, 234 MG/1.5 ML,             |    | <i>isosorbide mononitrate.....</i>                      | 35 |
| 78 MG/0.5 ML.....                                     | 25 | <i>isradipine.....</i>                                  | 35 |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE                 |    | ISTODAX.....                                            | 17 |
| 39 MG/0.25 ML.....                                    | 25 | <i>itraconazole.....</i>                                | 12 |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 273               |    | <i>ivermectin oral.....</i>                             | 12 |
| MG/0.875 ML.....                                      | 25 | IXEMPRA.....                                            | 17 |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 410               |    | IXIARO (PF).....                                        | 49 |
| MG/1.315 ML.....                                      | 25 | JAKAFI ORAL TABLET 10 MG.....                           | 17 |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 546               |    | JAKAFI ORAL TABLET 15 MG.....                           | 17 |
| MG/1.75 ML.....                                       | 25 | JAKAFI ORAL TABLET 20 MG.....                           | 17 |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 819               |    | JAKAFI ORAL TABLET 25 MG.....                           | 17 |
| MG/2.625 ML.....                                      | 25 | JAKAFI ORAL TABLET 5 MG.....                            | 17 |
| INVIRASE ORAL CAPSULE.....                            | 12 |                                                         |    |

|                                                        |    |                                                            |    |
|--------------------------------------------------------|----|------------------------------------------------------------|----|
| <i>jantoven oral tablet 1 mg, 10 mg, 2.5 mg, 3 mg,</i> |    | <i>klor-con m20</i> .....                                  | 57 |
| <i>4 mg, 5 mg, 6 mg, 7.5 mg</i> .....                  | 35 | <i>klor-con/ef</i> .....                                   | 57 |
| <i>jantoven oral tablet 2 mg</i> .....                 | 35 | KORLYM.....                                                | 44 |
| JANUMET.....                                           | 44 | KUVAN ORAL TABLET,SOLUBLE.....                             | 44 |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24               |    | <i>labetalol intravenous solution</i> .....                | 35 |
| HR 100-1,000 MG.....                                   | 44 | <i>labetalol oral tablet 100 mg, 200 mg</i> .....          | 35 |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24               |    | <i>labetalol oral tablet 300 mg</i> .....                  | 35 |
| HR 50-1,000 MG, 50-500 MG.....                         | 44 | LACRISERT.....                                             | 53 |
| JANUVIA ORAL TABLET 100 MG.....                        | 44 | <i>lactated ringers intravenous</i> .....                  | 57 |
| JANUVIA ORAL TABLET 25 MG.....                         | 44 | <i>lactated ringers irrigation</i> .....                   | 41 |
| JANUVIA ORAL TABLET 50 MG.....                         | 44 | <i>lactulose oral solution 10 gram/15 ml (15 ml)</i> ..... | 47 |
| JARDIANCE.....                                         | 44 | <i>lactulose oral solution 10 gram/15 ml, 20 gram/</i>     |    |
| JENTADUETO.....                                        | 44 | <i>30 ml</i> .....                                         | 47 |
| JEVTANA.....                                           | 17 | LAMISIL ORAL TABLET.....                                   | 12 |
| <i>jolessa</i> .....                                   | 51 | <i>lamivudine oral solution</i> .....                      | 12 |
| <i>jolivette</i> .....                                 | 51 | <i>lamivudine oral tablet 100 mg</i> .....                 | 12 |
| <i>junel 1.5/30 (21)</i> .....                         | 51 | <i>lamivudine oral tablet 150 mg</i> .....                 | 12 |
| <i>junel 1/20 (21)</i> .....                           | 51 | <i>lamivudine oral tablet 300 mg</i> .....                 | 12 |
| <i>junel fe 1.5/30 (28)</i> .....                      | 51 | <i>lamivudine-zidovudine</i> .....                         | 12 |
| <i>junel fe 1/20 (28)</i> .....                        | 51 | <i>lamotrigine oral tablet 100 mg, 150 mg, 200</i>         |    |
| JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 5                  |    | <i>mg</i> .....                                            | 25 |
| MG.....                                                | 35 | <i>lamotrigine oral tablet 25 mg</i> .....                 | 25 |
| <i>k-effervescent</i> .....                            | 57 | <i>lamotrigine oral tablet, chewable dispersible</i> ..... | 25 |
| <i>k-sol</i> .....                                     | 57 | LANOXIN ORAL TABLET 125 MCG.....                           | 35 |
| <i>k-tab oral tablet extended release 8 meq</i> .....  | 57 | LANOXIN ORAL TABLET 62.5 MCG.....                          | 35 |
| KADCYLA.....                                           | 17 | <i>lansoprazole oral capsule,delayed release(dr/</i>       |    |
| KALETRA ORAL SOLUTION.....                             | 12 | <i>ec)</i> .....                                           | 47 |
| KALETRA ORAL TABLET 100-25 MG.....                     | 12 | LANTUS.....                                                | 44 |
| KALETRA ORAL TABLET 200-50 MG.....                     | 12 | LANTUS SOLOSTAR.....                                       | 44 |
| KALYDECO ORAL TABLET.....                              | 55 | LARIN 1/20 (21).....                                       | 51 |
| <i>kariva (28)</i> .....                               | 51 | LARIN FE.....                                              | 51 |
| <i>kelnor 1/35 (28)</i> .....                          | 51 | <i>latanoprost</i> .....                                   | 53 |
| KETEK.....                                             | 12 | LATUDA ORAL TABLET 120 MG.....                             | 25 |
| <i>ketoconazole oral</i> .....                         | 12 | LATUDA ORAL TABLET 20 MG.....                              | 25 |
| <i>ketoconazole topical cream</i> .....                | 40 | LATUDA ORAL TABLET 40 MG.....                              | 25 |
| <i>ketoconazole topical shampoo</i> .....              | 40 | LATUDA ORAL TABLET 60 MG.....                              | 25 |
| <i>ketorolac ophthalmic</i> .....                      | 53 | LATUDA ORAL TABLET 80 MG.....                              | 25 |
| KEYTRUDA.....                                          | 17 | <i>leena 28</i> .....                                      | 51 |
| KHEDEZLA ORAL TABLET EXTENDED RELEASE                  |    | <i>leflunomide oral tablet 10 mg</i> .....                 | 50 |
| 24HR 100 MG.....                                       | 25 | <i>leflunomide oral tablet 20 mg</i> .....                 | 50 |
| KHEDEZLA ORAL TABLET EXTENDED RELEASE                  |    | LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG [1]/                 |    |
| 24HR 50 MG.....                                        | 25 | <i>DAY)</i> .....                                          | 17 |
| KINERET.....                                           | 50 | LENVIMA ORAL CAPSULE 14 MG (10 MG[1] -4                    |    |
| <i>kionex</i> .....                                    | 41 | <i>MG[1])/DAY, 20 MG/DAY (10 MG [2]/DAY)</i> .....         | 17 |
| <i>klor-con 10</i> .....                               | 57 | LENVIMA ORAL CAPSULE 24 MG (10 MG[2] -4                    |    |
| <i>klor-con 8</i> .....                                | 57 | <i>MG[1])/DAY</i> .....                                    | 17 |
| <i>klor-con m10</i> .....                              | 57 | LESCOL.....                                                | 35 |
| <i>klor-con m15</i> .....                              | 57 | <i>lessina</i> .....                                       | 51 |

|                                                  |    |                                                 |    |
|--------------------------------------------------|----|-------------------------------------------------|----|
| LETAIRIS.....                                    | 55 | levonorgestrel-ethinyl estrad oral tablets,dose |    |
| letrozole.....                                   | 17 | pack,3 month.....                               | 51 |
| leucovorin calcium injection recon soln 100 mg,  |    | levora-28.....                                  | 51 |
| 350 mg.....                                      | 17 | levothyroxine oral.....                         | 45 |
| leucovorin calcium injection recon soln 200 mg,  |    | levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg,  |    |
| 50 mg.....                                       | 18 | 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg,     |    |
| leucovorin calcium injection recon soln 500      |    | 50 mcg, 75 mcg, 88 mcg.....                     | 45 |
| mg.....                                          | 18 | LEXIVA ORAL SUSPENSION.....                     | 12 |
| leucovorin calcium oral tablet 10 mg, 25 mg..... | 18 | LEXIVA ORAL TABLET.....                         | 12 |
| leucovorin calcium oral tablet 15 mg, 5 mg.....  | 18 | LIALDA.....                                     | 47 |
| LEUKERAN.....                                    | 18 | lidocaine hcl laryngotracheal.....              | 40 |
| leuprolide.....                                  | 18 | lidocaine hcl mucous membrane gel.....          | 40 |
| levalbuterol hcl inhalation solution for         |    | lidocaine hcl mucous membrane jelly in          |    |
| nebulization 0.31 mg/3 ml, 1.25 mg/0.5 ml, 1.25  |    | applicator.....                                 | 40 |
| mg/3 ml.....                                     | 55 | lidocaine hcl mucous membrane solution 2 %..... | 40 |
| levalbuterol hcl inhalation solution for         |    | lidocaine hcl mucous membrane solution 4 % (40  |    |
| nebulization 0.63 mg/3 ml.....                   | 55 | mg/ml).....                                     | 40 |
| LEVEMIR.....                                     | 44 | lidocaine hcl urethral.....                     | 40 |
| LEVEMIR FLEXTOUCH.....                           | 45 | lidocaine topical adhesive patch,medicated..... | 40 |
| levetiracetam in nacl (iso-os).....              | 25 | lidocaine topical ointment.....                 | 40 |
| levetiracetam intravenous.....                   | 25 | lidocaine viscous.....                          | 40 |
| levetiracetam oral solution 100 mg/ml.....       | 25 | lidocaine-prilocaine.....                       | 40 |
| levetiracetam oral solution 500 mg/5 ml (5       |    | LINCOCIN.....                                   | 12 |
| ml).....                                         | 25 | lindane topical shampoo.....                    | 40 |
| levetiracetam oral tablet 1,000 mg.....          | 25 | linezolid intravenous.....                      | 12 |
| levetiracetam oral tablet 250 mg, 500 mg, 750    |    | linezolid oral.....                             | 13 |
| mg.....                                          | 25 | linezolid-0.9% sodium chloride.....             | 13 |
| levetiracetam oral tablet extended release 24 hr |    | LINZESS.....                                    | 47 |
| 500 mg.....                                      | 25 | liothyronine intravenous.....                   | 45 |
| levetiracetam oral tablet extended release 24 hr |    | liothyronine oral tablet 25 mcg, 5 mcg.....     | 45 |
| 750 mg.....                                      | 25 | liothyronine oral tablet 50 mcg.....            | 45 |
| levobunolol ophthalmic drops 0.5 %.....          | 53 | LIPITOR ORAL TABLET 10 MG.....                  | 35 |
| levocarnitine (with sugar).....                  | 42 | liposyn iii intravenous emulsion 10 %.....      | 57 |
| levocarnitine intravenous.....                   | 42 | liposyn iii intravenous emulsion 20 %.....      | 57 |
| levocarnitine oral tablet.....                   | 42 | lisinopril.....                                 | 35 |
| levocetirizine oral tablet.....                  | 55 | lisinopril-hydrochlorothiazide.....             | 35 |
| levofloxacin in d5w intravenous piggyback 250    |    | lithium carbonate oral capsule 150 mg, 300      |    |
| mg/50 ml.....                                    | 12 | mg.....                                         | 25 |
| levofloxacin in d5w intravenous piggyback 500    |    | lithium carbonate oral capsule 600 mg.....      | 25 |
| mg/100 ml, 750 mg/150 ml.....                    | 12 | lithium carbonate oral tablet.....              | 25 |
| levofloxacin ophthalmic.....                     | 53 | lithium carbonate oral tablet extended          |    |
| levofloxacin oral tablet.....                    | 12 | release.....                                    | 25 |
| levonest (28).....                               | 51 | lithium citrate oral solution 8 meq/5 ml.....   | 26 |
| levonorgestrel-ethinyl estrad oral tablet 0.1-20 |    | LOFIBRA ORAL CAPSULE 200 MG.....                | 35 |
| mg-mcg, 0.15-0.03 mg.....                        | 51 | LOMUSTINE.....                                  | 18 |
| levonorgestrel-ethinyl estrad oral tablet 90-20  |    | loperamide oral capsule.....                    | 47 |
| mcg.....                                         | 51 | LOPID.....                                      | 35 |
|                                                  |    | lorazepam oral tablet.....                      | 26 |

|                                                           |    |                                                                   |    |
|-----------------------------------------------------------|----|-------------------------------------------------------------------|----|
| <i>loryna (28)</i> .....                                  | 51 | <i>mefloquine</i> .....                                           | 13 |
| <i>losartan oral tablet 100 mg</i> .....                  | 35 | <i>megestrol oral suspension 400 mg/10 ml (10 ml)</i> .....       | 18 |
| <i>losartan oral tablet 25 mg, 50 mg</i> .....            | 35 | <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i> .....    | 18 |
| <i>losartan-hydrochlorothiazide</i> .....                 | 35 | <i>megestrol oral tablet</i> .....                                | 18 |
| LOTENSIN ORAL TABLET 20 MG, 40 MG.....                    | 35 | MEKINIST ORAL TABLET 0.5 MG.....                                  | 18 |
| <i>lovastatin oral tablet 10 mg, 20 mg</i> .....          | 35 | MEKINIST ORAL TABLET 2 MG.....                                    | 18 |
| <i>lovastatin oral tablet 40 mg</i> .....                 | 35 | <i>meloxicam oral suspension</i> .....                            | 26 |
| <i>low-ogestrel (28)</i> .....                            | 52 | <i>meloxicam oral tablet</i> .....                                | 26 |
| <i>loxapine succinate oral capsule 10 mg, 5 mg</i> .....  | 26 | <i>melphalan hcl</i> .....                                        | 18 |
| <i>loxapine succinate oral capsule 25 mg, 50 mg</i> ..... | 26 | MENACTRA (PF) INTRAMUSCULAR SOLUTION.....                         | 49 |
| LUMIGAN OPHTHALMIC DROPS 0.01 %.....                      | 53 | MENEST.....                                                       | 52 |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG.....       | 18 | MENOMUNE - A/C/Y/W-135.....                                       | 49 |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG.....        | 18 | MENOMUNE - A/C/Y/W-135 (PF).....                                  | 49 |
| LUPRON DEPOT-PED INTRAMUSCULAR KIT 7.5 MG (PED).....      | 18 | MENVEO A-C-Y-W-135-DIP (PF).....                                  | 49 |
| <i>luteal (28)</i> .....                                  | 52 | <i>mercaptopurine</i> .....                                       | 18 |
| LYNPARZA.....                                             | 18 | <i>meropenem</i> .....                                            | 13 |
| LYRICA ORAL CAPSULE 100 MG.....                           | 26 | <i>mesalamine rectal</i> .....                                    | 47 |
| LYRICA ORAL CAPSULE 150 MG.....                           | 26 | <i>mesalamine with cleansing wipe</i> .....                       | 47 |
| LYRICA ORAL CAPSULE 200 MG.....                           | 26 | <i>mesna</i> .....                                                | 18 |
| LYRICA ORAL CAPSULE 225 MG, 300 MG.....                   | 26 | MESNEX ORAL.....                                                  | 18 |
| LYRICA ORAL CAPSULE 25 MG.....                            | 26 | MESTINON ORAL SYRUP.....                                          | 26 |
| LYRICA ORAL CAPSULE 50 MG.....                            | 26 | MESTINON TIMESPAN.....                                            | 26 |
| LYRICA ORAL CAPSULE 75 MG.....                            | 26 | <i>metformin oral tablet 1,000 mg</i> .....                       | 45 |
| LYRICA ORAL SOLUTION.....                                 | 26 | <i>metformin oral tablet 500 mg</i> .....                         | 45 |
| LYSODREN.....                                             | 18 | <i>metformin oral tablet 850 mg</i> .....                         | 45 |
| <i>lyza</i> .....                                         | 52 | <i>metformin oral tablet extended release 24 hr 500 mg</i> .....  | 45 |
| M-M-R II (PF).....                                        | 49 | <i>metformin oral tablet extended release 24 hr 750 mg</i> .....  | 45 |
| <i>magnesium sulfate in water</i> .....                   | 57 | <i>metformin oral tablet extended release 24hr 1,000 mg</i> ..... | 45 |
| <i>magnesium sulfate injection solution</i> .....         | 57 | <i>metformin oral tablet extended release 24hr 500 mg</i> .....   | 45 |
| <i>magnesium sulfate injection syringe</i> .....          | 57 | <i>methadone intensol</i> .....                                   | 26 |
| MALARONE.....                                             | 13 | <i>methadone oral concentrate</i> .....                           | 26 |
| <i>malathion</i> .....                                    | 40 | <i>methadone oral solution 10 mg/5 ml</i> .....                   | 26 |
| <i>maprotiline oral tablet 25 mg</i> .....                | 26 | <i>methadone oral solution 5 mg/5 ml</i> .....                    | 26 |
| <i>maprotiline oral tablet 50 mg</i> .....                | 26 | <i>methadone oral tablet 10 mg</i> .....                          | 26 |
| <i>maprotiline oral tablet 75 mg</i> .....                | 26 | <i>methadone oral tablet 5 mg</i> .....                           | 26 |
| <i>marlissa</i> .....                                     | 52 | <i>methadone oral tablet, soluble</i> .....                       | 26 |
| MARPLAN.....                                              | 26 | <i>methadose oral concentrate</i> .....                           | 26 |
| MATULANE.....                                             | 18 | <i>methadose oral tablet, soluble</i> .....                       | 26 |
| MAVIK.....                                                | 35 | <i>methazolamide oral</i> .....                                   | 53 |
| MAXZIDE.....                                              | 35 | <i>methenamine hippurate</i> .....                                | 13 |
| MAXZIDE-25MG.....                                         | 35 | <i>methenamine mandelate</i> .....                                | 13 |
| <i>meclizine oral tablet 12.5 mg, 25 mg</i> .....         | 47 | <i>methimazole oral tablet 10 mg</i> .....                        | 45 |
| <i>meclofenamate oral</i> .....                           | 26 |                                                                   |    |
| <i>medroxyprogesterone intramuscular</i> .....            | 52 |                                                                   |    |
| <i>medroxyprogesterone oral</i> .....                     | 52 |                                                                   |    |

|                                                            |    |                                                           |    |
|------------------------------------------------------------|----|-----------------------------------------------------------|----|
| <i>methimazole oral tablet 5 mg</i> .....                  | 45 | MICARDIS HCT ORAL TABLET 40-12.5 MG, 80-25                |    |
| <i>methotrexate sodium (pf) injection recon soln</i> ..... | 18 | MG.....                                                   | 36 |
| <i>methotrexate sodium (pf) injection solution</i> .....   | 18 | MICARDIS HCT ORAL TABLET 80-12.5 MG.....                  | 36 |
| <i>methotrexate sodium injection</i> .....                 | 18 | MICARDIS ORAL TABLET 20 MG, 40 MG.....                    | 36 |
| <i>methotrexate sodium oral</i> .....                      | 18 | MICARDIS ORAL TABLET 80 MG.....                           | 36 |
| <i>methoxsalen rapid</i> .....                             | 40 | <i>miconazole-3 vaginal suppository</i> .....             | 52 |
| <i>methscopolamine oral</i> .....                          | 47 | MICROGESTIN 1.5/30 (21).....                              | 52 |
| <i>methyclothiazide</i> .....                              | 35 | MICROGESTIN 1/20 (21).....                                | 52 |
| <i>methylergonovine oral</i> .....                         | 52 | MICROGESTIN FE 1.5/30 (28).....                           | 52 |
| <i>methylphenidate oral tablet</i> .....                   | 26 | MICROGESTIN FE 1/20 (28).....                             | 52 |
| <i>methylprednisolone acetate</i> .....                    | 45 | MICROZIDE.....                                            | 36 |
| <i>methylprednisolone oral tablet 16 mg, 4 mg, 8</i>       |    | <i>midodrine</i> .....                                    | 42 |
| <i>mg</i> .....                                            | 45 | MINIPRESS ORAL CAPSULE 2 MG.....                          | 36 |
| <i>methylprednisolone oral tablet 32 mg</i> .....          | 45 | <i>minocycline oral capsule 100 mg, 50 mg</i> .....       | 13 |
| <i>methylprednisolone oral tablets,dose pack</i> .....     | 45 | <i>minocycline oral capsule 75 mg</i> .....               | 13 |
| <i>methylprednisolone sodium succ injection recon</i>      |    | <i>minocycline oral tablet</i> .....                      | 13 |
| <i>soln 125 mg, 40 mg</i> .....                            | 45 | <i>minoxidil oral</i> .....                               | 36 |
| <i>methylprednisolone sodium succ intravenous</i> .....    | 45 | MIRAPEX ORAL TABLET 0.25 MG, 0.75 MG.....                 | 26 |
| <i>metipranolol</i> .....                                  | 53 | <i>mirtazapine oral tablet 15 mg</i> .....                | 26 |
| <i>metoclopramide hcl injection solution</i> .....         | 47 | <i>mirtazapine oral tablet 30 mg</i> .....                | 26 |
| <i>metoclopramide hcl injection syringe</i> .....          | 47 | <i>mirtazapine oral tablet 45 mg</i> .....                | 26 |
| <i>metoclopramide hcl oral solution</i> .....              | 47 | <i>mirtazapine oral tablet 7.5 mg</i> .....               | 26 |
| <i>metoclopramide hcl oral tablet</i> .....                | 47 | <i>mirtazapine oral tablet,disintegrating 15 mg</i> ..... | 26 |
| <i>metolazone oral tablet 10 mg, 5 mg</i> .....            | 35 | <i>mirtazapine oral tablet,disintegrating 30 mg</i> ..... | 26 |
| <i>metolazone oral tablet 2.5 mg</i> .....                 | 35 | <i>mirtazapine oral tablet,disintegrating 45 mg</i> ..... | 26 |
| <i>metoprolol succinate oral tablet extended release</i>   |    | <i>misoprostol oral tablet 100 mcg</i> .....              | 47 |
| <i>24 hr 100 mg, 25 mg, 50 mg</i> .....                    | 36 | <i>misoprostol oral tablet 200 mcg</i> .....              | 47 |
| <i>metoprolol succinate oral tablet extended release</i>   |    | <i>mitomycin</i> .....                                    | 18 |
| <i>24 hr 200 mg</i> .....                                  | 36 | <i>mitoxantrone</i> .....                                 | 18 |
| <i>metoprolol ta-hydrochlorothiaz oral tablet 100-</i>     |    | <i>modafinil oral tablet 100 mg</i> .....                 | 26 |
| <i>25 mg, 100-50 mg</i> .....                              | 36 | <i>modafinil oral tablet 200 mg</i> .....                 | 26 |
| <i>metoprolol ta-hydrochlorothiaz oral tablet 50-25</i>    |    | <i>moexipril</i> .....                                    | 36 |
| <i>mg</i> .....                                            | 36 | <i>moexipril-hydrochlorothiazide</i> .....                | 36 |
| <i>metoprolol tartrate intravenous solution</i> .....      | 36 | <i>mometasone</i> .....                                   | 40 |
| <i>metoprolol tartrate intravenous syringe</i> .....       | 36 | <i>mono-lynyah</i> .....                                  | 52 |
| <i>metoprolol tartrate oral</i> .....                      | 36 | <i>mononessa (28)</i> .....                               | 52 |
| <i>metro i.v.</i> .....                                    | 13 | <i>montelukast oral granules in packet</i> .....          | 55 |
| <i>metronidazole in nacl (iso-os)</i> .....                | 13 | <i>montelukast oral tablet</i> .....                      | 55 |
| <i>metronidazole oral capsule</i> .....                    | 13 | <i>montelukast oral tablet,chewable</i> .....             | 55 |
| <i>metronidazole oral tablet</i> .....                     | 13 | <i>morphine (pf) injection solution 0.5 mg/ml</i> .....   | 26 |
| <i>metronidazole topical cream</i> .....                   | 40 | <i>morphine (pf) injection solution 1 mg/ml</i> .....     | 26 |
| <i>metronidazole topical gel 0.75 %</i> .....              | 40 | <i>morphine (pf) intravenous patient</i>                  |    |
| <i>metronidazole topical lotion</i> .....                  | 40 | <i>control.analgesia soln 150 mg/30 ml</i> .....          | 26 |
| <i>metronidazole vaginal</i> .....                         | 52 | <i>morphine (pf) intravenous patient</i>                  |    |
| <i>mexiletine oral capsule 150 mg, 250 mg</i> .....        | 36 | <i>control.analgesia soln 30 mg/30 ml</i> .....           | 26 |
| <i>mexiletine oral capsule 200 mg</i> .....                | 36 | <i>morphine concentrate oral solution</i> .....           | 26 |
| MIACALCIN INJECTION.....                                   | 45 | <i>morphine intravenous cartridge</i> .....               | 26 |
| MIACALCIN NASAL.....                                       | 45 | MORPHINE INTRAVENOUS CARTRIDGE.....                       | 27 |

|                                                                                 |    |                                                                         |    |
|---------------------------------------------------------------------------------|----|-------------------------------------------------------------------------|----|
| <i>morphine intravenous pt controlled analgesia syringe</i> .....               | 27 | NAMENDA ORAL SOLUTION.....                                              | 27 |
| <i>morphine intravenous solution 100 mg/4 ml, 25 mg/ml, 250 mg/10 ml</i> .....  | 27 | NAMENDA XR ORAL CAP,SPRINKLE,ER 24HR DOSE PACK.....                     | 27 |
| <i>morphine intravenous solution 50 mg/ml</i> .....                             | 27 | NAMENDA XR ORAL CAPSULE,SPRINKLE,ER 24HR.....                           | 27 |
| <i>morphine intravenous syringe 2 mg/ml, 4 mg/ml</i> .....                      | 27 | <i>naphazoline</i> .....                                                | 53 |
| <i>morphine oral solution 10 mg/5 ml</i> .....                                  | 27 | <i>naproxen oral suspension</i> .....                                   | 27 |
| <i>morphine oral solution 20 mg/5 ml</i> .....                                  | 27 | <i>naproxen oral tablet</i> .....                                       | 27 |
| <i>morphine oral tablet 15 mg</i> .....                                         | 27 | <i>naproxen oral tablet,delayed release (dr/ec)</i> .....               | 27 |
| <i>morphine oral tablet 30 mg</i> .....                                         | 27 | <i>naproxen sodium oral tablet 275 mg, 550 mg</i> .....                 | 27 |
| <i>morphine oral tablet extended release 100 mg, 30 mg, 60 mg</i> .....         | 27 | <i>naratriptan</i> .....                                                | 27 |
| <i>morphine oral tablet extended release 15 mg</i> .....                        | 27 | NASONEX.....                                                            | 55 |
| <i>morphine oral tablet extended release 200 mg</i> .....                       | 27 | <i>nateglinide oral tablet 120 mg</i> .....                             | 45 |
| <i>morphine rectal</i> .....                                                    | 27 | <i>nateglinide oral tablet 60 mg</i> .....                              | 45 |
| MOXEZA.....                                                                     | 53 | NATPARA.....                                                            | 45 |
| <i>moxifloxacin</i> .....                                                       | 13 | NEBUPENT.....                                                           | 13 |
| MULTAQ.....                                                                     | 36 | <i>necon 0.5/35 (28)</i> .....                                          | 52 |
| <i>mupirocin calcium</i> .....                                                  | 40 | <i>necon 1/35 (28)</i> .....                                            | 52 |
| <i>mupirocin ointment</i> .....                                                 | 40 | <i>necon 1/50 (28)</i> .....                                            | 52 |
| MUSTARGEN.....                                                                  | 18 | <i>necon 10/11 (28)</i> .....                                           | 52 |
| MYCAMINE.....                                                                   | 13 | <i>necon 7/7/7 (28)</i> .....                                           | 52 |
| <i>mycophenolate mofetil oral capsule</i> .....                                 | 18 | <i>needles, insulin disp.,safety</i> .....                              | 45 |
| <i>mycophenolate mofetil oral suspension for reconstitution</i> .....           | 18 | <i>nefazodone oral tablet 100 mg</i> .....                              | 27 |
| <i>mycophenolate mofetil oral tablet</i> .....                                  | 18 | <i>nefazodone oral tablet 150 mg</i> .....                              | 27 |
| <i>myorisan</i> .....                                                           | 40 | <i>nefazodone oral tablet 200 mg</i> .....                              | 27 |
| MYOZYME.....                                                                    | 45 | <i>nefazodone oral tablet 250 mg</i> .....                              | 27 |
| MYRBETRIQ.....                                                                  | 56 | <i>nefazodone oral tablet 50 mg</i> .....                               | 27 |
| <i>myzilra</i> .....                                                            | 52 | <i>neo-polycin</i> .....                                                | 53 |
| <i>nabumetone</i> .....                                                         | 27 | <i>neo-polycin hc</i> .....                                             | 53 |
| <i>nadolol oral tablet 20 mg, 40 mg</i> .....                                   | 36 | <i>neomycin</i> .....                                                   | 13 |
| <i>nadolol oral tablet 80 mg</i> .....                                          | 36 | <i>neomycin-bacitracin-poly-hc</i> .....                                | 53 |
| <i>nadolol-bendroflumethiazide</i> .....                                        | 36 | <i>neomycin-bacitracin-polymyxin</i> .....                              | 53 |
| <i>nafacillin</i> .....                                                         | 13 | <i>neomycin-polymyxin b gu</i> .....                                    | 42 |
| <i>nafacillin in dextrose iso-osm intravenous piggyback 1 gram/50 ml</i> .....  | 13 | <i>neomycin-polymyxin b-dexameth</i> .....                              | 53 |
| <i>nafacillin in dextrose iso-osm intravenous piggyback 2 gram/100 ml</i> ..... | 13 | <i>neomycin-polymyxin-gramicidin</i> .....                              | 53 |
| NAGLAZYME.....                                                                  | 45 | <i>neomycin-polymyxin-hc ophthalmic</i> .....                           | 53 |
| <i>nalbuphine injection solution 10 mg/ml</i> .....                             | 27 | <i>neomycin-polymyxin-hc otic</i> .....                                 | 42 |
| <i>nalbuphine injection solution 20 mg/ml</i> .....                             | 27 | NEPHRAMINE 5.4 %.....                                                   | 57 |
| <i>naloxone injection solution</i> .....                                        | 27 | NEUMEGA.....                                                            | 49 |
| <i>naloxone injection syringe 0.4 mg/ml</i> .....                               | 27 | NEUPOGEN.....                                                           | 49 |
| <i>naloxone injection syringe 1 mg/ml</i> .....                                 | 27 | NEUPRO.....                                                             | 27 |
| <i>naltrexone oral</i> .....                                                    | 27 | NEVANAC.....                                                            | 53 |
|                                                                                 |    | <i>nevirapine oral suspension</i> .....                                 | 13 |
|                                                                                 |    | <i>nevirapine oral tablet</i> .....                                     | 13 |
|                                                                                 |    | <i>nevirapine oral tablet extended release 24 hr</i> .....              | 13 |
|                                                                                 |    | NEXAVAR.....                                                            | 18 |
|                                                                                 |    | <i>niacin oral tablet extended release 24 hr 1,000 mg, 750 mg</i> ..... | 36 |

|                                                                        |    |                                                                                       |    |
|------------------------------------------------------------------------|----|---------------------------------------------------------------------------------------|----|
| <i>niacin oral tablet extended release 24 hr 500 mg</i> .....          | 36 | NOXAFIL ORAL SUSPENSION.....                                                          | 13 |
| NIACOR.....                                                            | 36 | NUEDEXTA.....                                                                         | 27 |
| <i>nicardipine intravenous</i> .....                                   | 36 | NULOJIX.....                                                                          | 18 |
| <i>nicardipine oral</i> .....                                          | 36 | <i>nyamyc</i> .....                                                                   | 40 |
| NICOTROL NS.....                                                       | 42 | <i>nystatin oral suspension</i> .....                                                 | 13 |
| <i>nifedical xl</i> .....                                              | 36 | <i>nystatin oral tablet</i> .....                                                     | 13 |
| <i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg</i> ..... | 36 | <i>nystatin topical cream</i> .....                                                   | 40 |
| <i>nifedipine oral tablet extended release 24hr 90 mg</i> .....        | 36 | <i>nystatin topical ointment</i> .....                                                | 40 |
| <i>nifedipine oral tablet extended release 30 mg, 60 mg</i> .....      | 36 | <i>nystatin topical powder</i> .....                                                  | 40 |
| <i>nifedipine oral tablet extended release 90 mg</i> .....             | 36 | <i>nystatin-triamcinolone</i> .....                                                   | 40 |
| NILANDRON.....                                                         | 18 | <i>nystop</i> .....                                                                   | 40 |
| <i>nimodipine</i> .....                                                | 36 | <i>ocella</i> .....                                                                   | 52 |
| NIPENT.....                                                            | 18 | OCTAGAM.....                                                                          | 49 |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i> .....    | 13 | <i>octreotide acetate injection solution 1,000 mcg/ml, 500 mcg/ml</i> .....           | 18 |
| <i>nitrofurantoin monohyd/m-cryst</i> .....                            | 13 | <i>octreotide acetate injection solution 100 mcg/ml, 200 mcg/ml, 50 mcg/ml</i> .....  | 18 |
| <i>nitroglycerin intravenous</i> .....                                 | 36 | <i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml)</i> ..... | 18 |
| <i>nitroglycerin transdermal patch 24 hour</i> .....                   | 36 | <i>octreotide acetate injection syringe 500 mcg/ml (1 ml)</i> .....                   | 18 |
| NITROSTAT.....                                                         | 36 | OFEV ORAL CAPSULE 150 MG.....                                                         | 55 |
| <i>nizatidine oral capsule 150 mg</i> .....                            | 47 | <i>ofloxacin ophthalmic</i> .....                                                     | 53 |
| <i>nizatidine oral capsule 300 mg</i> .....                            | 47 | <i>ofloxacin oral tablet 400 mg</i> .....                                             | 13 |
| NOR-QD.....                                                            | 52 | <i>ofloxacin otic</i> .....                                                           | 42 |
| <i>nora-be</i> .....                                                   | 52 | <i>ogestrel (28)</i> .....                                                            | 52 |
| NORDITROPIN FLEXPLO.....                                               | 49 | <i>olanzapine intramuscular</i> .....                                                 | 27 |
| NORDITROPIN NORDIFLEX.....                                             | 49 | <i>olanzapine oral tablet 10 mg</i> .....                                             | 27 |
| <i>norethindrone (contraceptive)</i> .....                             | 52 | <i>olanzapine oral tablet 15 mg</i> .....                                             | 27 |
| <i>norethindrone acetate</i> .....                                     | 52 | <i>olanzapine oral tablet 2.5 mg</i> .....                                            | 27 |
| <i>norgestimate-ethinyl estradiol</i> .....                            | 52 | <i>olanzapine oral tablet 20 mg</i> .....                                             | 27 |
| NORMOSOL-M IN 5 % DEXTROSE.....                                        | 57 | <i>olanzapine oral tablet 5 mg</i> .....                                              | 27 |
| NORMOSOL-R.....                                                        | 57 | <i>olanzapine oral tablet 7.5 mg</i> .....                                            | 27 |
| NORMOSOL-R IN 5 % DEXTROSE.....                                        | 57 | <i>olanzapine oral tablet,disintegrating 10 mg</i> .....                              | 27 |
| NORMOSOL-R PH 7.4.....                                                 | 57 | <i>olanzapine oral tablet,disintegrating 15 mg</i> .....                              | 27 |
| NORPACE.....                                                           | 36 | <i>olanzapine oral tablet,disintegrating 20 mg</i> .....                              | 27 |
| <i>nortrel 0.5/35 (28)</i> .....                                       | 52 | <i>olanzapine oral tablet,disintegrating 5 mg</i> .....                               | 27 |
| <i>nortrel 1/35 (21)</i> .....                                         | 52 | OLYSIO.....                                                                           | 13 |
| <i>nortrel 1/35 (28)</i> .....                                         | 52 | <i>omega-3 acid ethyl esters</i> .....                                                | 36 |
| <i>nortrel 7/7/7 (28)</i> .....                                        | 52 | <i>omeprazole oral capsule,delayed release(dr/ec) 10 mg, 40 mg</i> .....              | 47 |
| <i>nortriptyline oral capsule</i> .....                                | 27 | <i>omeprazole oral capsule,delayed release(dr/ec) 20 mg</i> .....                     | 47 |
| <i>nortriptyline oral solution</i> .....                               | 27 | OMNITROPE.....                                                                        | 49 |
| NORVASC ORAL TABLET 10 MG, 2.5 MG.....                                 | 36 | ONCASPAS.....                                                                         | 18 |
| NORVASC ORAL TABLET 5 MG.....                                          | 36 | <i>ondansetron hcl (pf) injection solution</i> .....                                  | 48 |
| NORVIR ORAL CAPSULE.....                                               | 13 | <i>ondansetron hcl (pf) injection syringe</i> .....                                   | 48 |
| NORVIR ORAL SOLUTION.....                                              | 13 | <i>ondansetron hcl intravenous solution</i> .....                                     | 48 |
| NORVIR ORAL TABLET.....                                                | 13 |                                                                                       |    |

|                                                          |    |                                                          |    |
|----------------------------------------------------------|----|----------------------------------------------------------|----|
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i> .....      | 48 | <i>oxycodone-aspirin</i> .....                           | 28 |
| <i>ondansetron oral tablet,disintegrating 4 mg</i> ..... | 48 | <i>pacerone oral tablet 100 mg, 400 mg</i> .....         | 36 |
| <i>ondansetron oral tablet,disintegrating 8 mg</i> ..... | 48 | <i>pacerone oral tablet 200 mg</i> .....                 | 36 |
| ONFI ORAL SUSPENSION.....                                | 28 | <i>paclitaxel</i> .....                                  | 18 |
| ONFI ORAL TABLET 10 MG.....                              | 28 | <i>pamidronate</i> .....                                 | 45 |
| ONFI ORAL TABLET 20 MG.....                              | 28 | PANRETIN.....                                            | 40 |
| OPDIVO.....                                              | 18 | <i>pantoprazole oral</i> .....                           | 48 |
| <i>opium tincture oral tincture</i> .....                | 48 | <i>paregoric</i> .....                                   | 48 |
| ORAP.....                                                | 28 | <i>paricalcitol oral capsule 1 mcg, 2 mcg</i> .....      | 45 |
| ORENCIA.....                                             | 50 | <i>paricalcitol oral capsule 4 mcg</i> .....             | 45 |
| ORENCIA (WITH MALTOSE).....                              | 50 | <i>paroex oral rinse</i> .....                           | 42 |
| ORFADIN ORAL CAPSULE 10 MG, 5 MG.....                    | 42 | <i>paromomycin</i> .....                                 | 13 |
| ORFADIN ORAL CAPSULE 2 MG.....                           | 42 | <i>paroxetine hcl oral tablet 10 mg</i> .....            | 28 |
| <i>orsythia</i> .....                                    | 52 | <i>paroxetine hcl oral tablet 20 mg</i> .....            | 28 |
| ORTHO MICRONOR.....                                      | 52 | <i>paroxetine hcl oral tablet 30 mg</i> .....            | 28 |
| OSMOPREP.....                                            | 48 | <i>paroxetine hcl oral tablet 40 mg</i> .....            | 28 |
| <i>oxacillin in dextrose(iso-osm) intravenous</i>        |    | <i>paroxetine hcl oral tablet extended release 24 hr</i> |    |
| <i>piggyback 1 gram/50 ml</i> .....                      | 13 | 12.5 mg.....                                             | 28 |
| <i>oxacillin in dextrose(iso-osm) intravenous</i>        |    | <i>paroxetine hcl oral tablet extended release 24 hr</i> |    |
| <i>piggyback 2 gram/50 ml</i> .....                      | 13 | 25 mg.....                                               | 28 |
| <i>oxacillin injection</i> .....                         | 13 | <i>paroxetine hcl oral tablet extended release 24 hr</i> |    |
| <i>oxacillin intravenous</i> .....                       | 13 | 37.5 mg.....                                             | 28 |
| <i>oxaliplatin intravenous recon soln 100 mg</i> .....   | 18 | PASER.....                                               | 13 |
| <i>oxaliplatin intravenous recon soln 50 mg</i> .....    | 18 | PATADAY.....                                             | 53 |
| <i>oxaliplatin intravenous solution</i> .....            | 18 | PAXIL ORAL SUSPENSION.....                               | 28 |
| <i>oxandrolone oral tablet 10 mg</i> .....               | 45 | PAZEO.....                                               | 53 |
| <i>oxandrolone oral tablet 2.5 mg</i> .....              | 45 | PEDVAX HIB (PF).....                                     | 49 |
| <i>oxaprozin</i> .....                                   | 28 | <i>peg 3350-electrolytes oral recon soln 236-22.74-</i>  |    |
| <i>oxazepam</i> .....                                    | 28 | 6.74 -5.86 gram.....                                     | 48 |
| <i>oxcarbazepine oral suspension</i> .....               | 28 | <i>peg 3350-electrolytes oral recon soln 240-22.72-</i>  |    |
| <i>oxcarbazepine oral tablet 150 mg, 300 mg</i> .....    | 28 | 6.72 -5.84 gram.....                                     | 48 |
| <i>oxcarbazepine oral tablet 600 mg</i> .....            | 28 | <i>peg-3350 with flavor packs</i> .....                  | 48 |
| <i>oxybutynin chloride oral syrup</i> .....              | 56 | <i>peg-electrolyte soln</i> .....                        | 48 |
| <i>oxybutynin chloride oral tablet</i> .....             | 56 | PEGANONE.....                                            | 28 |
| <i>oxybutynin chloride oral tablet extended release</i>  |    | PEGINTRON SUBCUTANEOUS KIT 120 MCG/0.5                   |    |
| 24hr 10 mg, 15 mg.....                                   | 56 | ML, 50 MCG/0.5 ML, 80 MCG/0.5 ML.....                    | 49 |
| <i>oxybutynin chloride oral tablet extended release</i>  |    | PENICILLIN G POT IN DEXTROSE.....                        | 13 |
| 24hr 5 mg.....                                           | 56 | <i>penicillin g potassium</i> .....                      | 13 |
| <i>oxycodone oral capsule</i> .....                      | 28 | <i>penicillin g procaine intramuscular syringe 1.2</i>   |    |
| <i>oxycodone oral concentrate</i> .....                  | 28 | million unit/2 ml.....                                   | 13 |
| <i>oxycodone oral solution</i> .....                     | 28 | <i>penicillin g procaine intramuscular syringe 600,</i>  |    |
| <i>oxycodone oral tablet 10 mg, 5 mg</i> .....           | 28 | 000 unit/ml.....                                         | 13 |
| <i>oxycodone oral tablet 15 mg</i> .....                 | 28 | <i>penicillin g sodium</i> .....                         | 13 |
| <i>oxycodone oral tablet 20 mg, 30 mg</i> .....          | 28 | <i>penicillin v potassium oral recon soln</i> .....      | 13 |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg,</i>    |    | <i>penicillin v potassium oral tablet 250 mg</i> .....   | 13 |
| 2.5-325 mg, 7.5-325 mg.....                              | 28 | <i>penicillin v potassium oral tablet 500 mg</i> .....   | 13 |
| <i>oxycodone-acetaminophen oral tablet 5-325</i>         |    | PENTAM.....                                              | 13 |
| mg.....                                                  | 28 | PENTASA.....                                             | 48 |

|                                                        |    |                                                                                                                               |    |
|--------------------------------------------------------|----|-------------------------------------------------------------------------------------------------------------------------------|----|
| <i>pentoxifylline</i> .....                            | 36 | <i>polycin</i> .....                                                                                                          | 53 |
| PERFOROMIST.....                                       | 55 | <i>polyethylene glycol 3350 oral</i> .....                                                                                    | 48 |
| <i>perindopril erbumine</i> .....                      | 36 | <i>polymyxin b sulf-trimethoprim</i> .....                                                                                    | 53 |
| <i>periogard</i> .....                                 | 42 | <i>polymyxin b sulfate</i> .....                                                                                              | 13 |
| PERJETA.....                                           | 18 | POMALYST ORAL CAPSULE 1 MG.....                                                                                               | 18 |
| <i>permethrin topical cream</i> .....                  | 40 | POMALYST ORAL CAPSULE 2 MG.....                                                                                               | 18 |
| <i>perphenazine</i> .....                              | 28 | POMALYST ORAL CAPSULE 3 MG, 4 MG.....                                                                                         | 18 |
| <i>pfizerpen-g</i> .....                               | 13 | <i>portia</i> .....                                                                                                           | 52 |
| <i>phenelzine</i> .....                                | 28 | <i>potassium bicarb and chloride</i> .....                                                                                    | 57 |
| <i>phenobarbital oral elixir</i> .....                 | 28 | <i>potassium bicarb-citric acid</i> .....                                                                                     | 57 |
| <i>phenobarbital oral tablet 100 mg</i> .....          | 28 | <i>potassium chlorid-d5-0.45%nacl intravenous</i><br><i>parenteral solution 10 meq/l, 30 meq/l, 40 meq/</i><br><i>l</i> ..... | 57 |
| <i>phenobarbital oral tablet 15 mg</i> .....           | 28 | <i>potassium chlorid-d5-0.45%nacl intravenous</i><br><i>parenteral solution 20 meq/l</i> .....                                | 57 |
| <i>phenobarbital oral tablet 16.2 mg</i> .....         | 28 | <i>potassium chloride in 0.9%nacl intravenous</i><br><i>parenteral solution 20 meq/l, 40 meq/l</i> .....                      | 57 |
| <i>phenobarbital oral tablet 30 mg</i> .....           | 28 | <i>potassium chloride in 5 % dex intravenous</i><br><i>parenteral solution 20 meq/l, 30 meq/l, 40 meq/</i><br><i>l</i> .....  | 57 |
| <i>phenobarbital oral tablet 32.4 mg</i> .....         | 28 | <i>potassium chloride in lr-d5 intravenous parenteral</i><br><i>solution 20 meq/l</i> .....                                   | 57 |
| <i>phenobarbital oral tablet 60 mg</i> .....           | 28 | <i>potassium chloride in lr-d5 intravenous parenteral</i><br><i>solution 40 meq/l</i> .....                                   | 57 |
| <i>phenobarbital oral tablet 64.8 mg</i> .....         | 28 | <i>potassium chloride intravenous piggyback 10</i><br><i>meq/100 ml, 20 meq/100 ml, 30 meq/100</i><br><i>ml</i> .....         | 57 |
| <i>phenobarbital oral tablet 97.2 mg</i> .....         | 28 | <i>potassium chloride intravenous piggyback 10</i><br><i>meq/50 ml</i> .....                                                  | 57 |
| <i>phenytoin oral suspension 100 mg/4 ml</i> .....     | 28 | <i>potassium chloride oral capsule, extended</i><br><i>release</i> .....                                                      | 57 |
| <i>phenytoin oral suspension 125 mg/5 ml</i> .....     | 28 | <i>potassium chloride oral liquid</i> .....                                                                                   | 57 |
| <i>phenytoin oral tablet, chewable</i> .....           | 28 | <i>potassium chloride oral tablet extended</i><br><i>release</i> .....                                                        | 57 |
| <i>phenytoin sodium extended</i> .....                 | 28 | <i>potassium chloride oral tablet, er particles/</i><br><i>crystals</i> .....                                                 | 57 |
| <i>phenytoin sodium intravenous solution</i> .....     | 28 | <i>potassium chloride-0.45 % nacl</i> .....                                                                                   | 58 |
| <i>phenytoin sodium intravenous syringe</i> .....      | 28 | <i>potassium chloride-d5-0.2%nacl intravenous</i><br><i>parenteral solution 20 meq/l</i> .....                                | 58 |
| <i>philith</i> .....                                   | 52 | <i>potassium chloride-d5-0.2%nacl intravenous</i><br><i>parenteral solution 30 meq/l, 40 meq/l</i> .....                      | 58 |
| <i>phospha 250 neutral</i> .....                       | 57 | <i>potassium chloride-d5-0.3%nacl intravenous</i><br><i>parenteral solution 20 meq/l</i> .....                                | 58 |
| PHOSPHOLINE IODIDE.....                                | 53 | <i>potassium chloride-d5-0.9%nacl intravenous</i><br><i>parenteral solution 20 meq/l</i> .....                                | 58 |
| PHYSIOLYTE.....                                        | 42 | <i>potassium chloride-d5-0.9%nacl intravenous</i><br><i>parenteral solution 40 meq/l</i> .....                                | 58 |
| PHYSIOSOL IRRIGATION.....                              | 42 |                                                                                                                               |    |
| <i>pilocarpine hcl ophthalmic drops 1 %, 2 %</i> ..... | 53 |                                                                                                                               |    |
| <i>pilocarpine hcl ophthalmic drops 4 %</i> .....      | 53 |                                                                                                                               |    |
| <i>pilocarpine hcl oral</i> .....                      | 42 |                                                                                                                               |    |
| PIMTREA (28).....                                      | 52 |                                                                                                                               |    |
| <i>pindolol oral tablet 10 mg</i> .....                | 36 |                                                                                                                               |    |
| <i>pindolol oral tablet 5 mg</i> .....                 | 36 |                                                                                                                               |    |
| <i>pioglitazone oral tablet 15 mg</i> .....            | 45 |                                                                                                                               |    |
| <i>pioglitazone oral tablet 30 mg</i> .....            | 45 |                                                                                                                               |    |
| <i>pioglitazone oral tablet 45 mg</i> .....            | 45 |                                                                                                                               |    |
| <i>pioglitazone-glimepiride</i> .....                  | 45 |                                                                                                                               |    |
| <i>pioglitazone-metformin</i> .....                    | 45 |                                                                                                                               |    |
| <i>piperacillin-tazobactam</i> .....                   | 13 |                                                                                                                               |    |
| <i>pirmella oral tablet 1-35 mg-mcg</i> .....          | 52 |                                                                                                                               |    |
| <i>piroxicam</i> .....                                 | 28 |                                                                                                                               |    |
| PLASMA-LYTE 148.....                                   | 57 |                                                                                                                               |    |
| PLASMA-LYTE A.....                                     | 57 |                                                                                                                               |    |
| PLASMA-LYTE-56 IN 5 % DEXTROSE.....                    | 57 |                                                                                                                               |    |
| PLEGRIDY.....                                          | 49 |                                                                                                                               |    |
| <i>podofilox</i> .....                                 | 40 |                                                                                                                               |    |

|                                                                                       |    |                                                                                                              |    |
|---------------------------------------------------------------------------------------|----|--------------------------------------------------------------------------------------------------------------|----|
| <i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> .....         | 56 | PRIMAQUINE.....                                                                                              | 14 |
| <i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> .....            | 56 | <i>primidone</i> .....                                                                                       | 29 |
| POTIGA ORAL TABLET 200 MG.....                                                        | 28 | PRINIVIL ORAL TABLET 10 MG, 20 MG, 5 MG.....                                                                 | 37 |
| POTIGA ORAL TABLET 300 MG, 400 MG.....                                                | 28 | PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 100 MG.....                                                       | 29 |
| POTIGA ORAL TABLET 50 MG.....                                                         | 29 | PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG.....                                                        | 29 |
| PRADAXA.....                                                                          | 36 | PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 50 MG.....                                                        | 29 |
| <i>pramipexole oral tablet</i> .....                                                  | 29 | PRIVIGEN.....                                                                                                | 49 |
| PRANDIMET.....                                                                        | 45 | PROAIR HFA.....                                                                                              | 55 |
| PRAVACHOL ORAL TABLET 20 MG.....                                                      | 36 | <i>probenecid</i> .....                                                                                      | 50 |
| <i>pravastatin oral tablet 10 mg, 20 mg, 40 mg</i> .....                              | 36 | <i>procainamide injection solution 100 mg/ml</i> .....                                                       | 37 |
| <i>pravastatin oral tablet 80 mg</i> .....                                            | 36 | <i>procainamide injection solution 500 mg/ml</i> .....                                                       | 37 |
| <i>prazosin oral capsule 1 mg, 2 mg</i> .....                                         | 36 | PROCALAMINE 3%.....                                                                                          | 58 |
| <i>prazosin oral capsule 5 mg</i> .....                                               | 36 | PROCARDIA.....                                                                                               | 37 |
| PRECOSE ORAL TABLET 100 MG.....                                                       | 45 | PROCARDIA XL ORAL TABLET EXTENDED RELEASE 24HR 30 MG.....                                                    | 37 |
| PRECOSE ORAL TABLET 25 MG.....                                                        | 45 | <i>prochlorperazine</i> .....                                                                                | 48 |
| PRECOSE ORAL TABLET 50 MG.....                                                        | 45 | <i>prochlorperazine edisylate</i> .....                                                                      | 48 |
| <i>prednicarbate</i> .....                                                            | 40 | <i>prochlorperazine maleate oral</i> .....                                                                   | 48 |
| <i>prednisolone acetate</i> .....                                                     | 53 | PROCRT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML..... | 49 |
| <i>prednisolone oral solution 15 mg/5 ml</i> .....                                    | 45 | PROCRT INJECTION SOLUTION 20,000 UNIT/ML, 40,000 UNIT/ML.....                                                | 49 |
| <i>prednisolone sodium phosphate ophthalmic</i> .....                                 | 53 | <i>procto-pak</i> .....                                                                                      | 48 |
| <i>prednisolone sodium phosphate oral solution 15 mg/5 ml</i> .....                   | 45 | <i>proctosol hc</i> .....                                                                                    | 48 |
| <i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> ..... | 46 | <i>proctozone-hc</i> .....                                                                                   | 48 |
| <i>prednisolone sodium phosphate oral tablet, disintegrating</i> .....                | 46 | <i>progesterone micronized</i> .....                                                                         | 52 |
| <i>prednisone intensol</i> .....                                                      | 46 | PROGLYCEM.....                                                                                               | 46 |
| <i>prednisone oral solution</i> .....                                                 | 46 | PROGRAF INTRAVENOUS.....                                                                                     | 18 |
| <i>prednisone oral tablet 1 mg</i> .....                                              | 46 | PROLEUKIN.....                                                                                               | 49 |
| <i>prednisone oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i> .....                 | 46 | PROLIA.....                                                                                                  | 51 |
| <i>prednisone oral tablets,dose pack</i> .....                                        | 46 | PROMACTA ORAL TABLET 12.5 MG, 25 MG, 75 MG.....                                                              | 37 |
| PREMARIN ORAL.....                                                                    | 52 | PROMACTA ORAL TABLET 50 MG.....                                                                              | 37 |
| PREMARIN VAGINAL.....                                                                 | 52 | <i>promethazine injection solution</i> .....                                                                 | 55 |
| <i>premasol 10 %</i> .....                                                            | 58 | <i>promethazine oral tablet 12.5 mg, 25 mg</i> .....                                                         | 55 |
| PREMASOL 6 %.....                                                                     | 58 | <i>propafenone oral tablet 150 mg, 225 mg</i> .....                                                          | 37 |
| PREMPRO.....                                                                          | 52 | <i>propafenone oral tablet 300 mg</i> .....                                                                  | 37 |
| <i>prenatal vitamin oral tablet</i> .....                                             | 58 | <i>propantheline</i> .....                                                                                   | 48 |
| <i>prevalite</i> .....                                                                | 36 | <i>propranolol intravenous</i> .....                                                                         | 37 |
| <i>previfem</i> .....                                                                 | 52 | <i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg</i> .....                                  | 37 |
| PREZCOBIX.....                                                                        | 13 | <i>propranolol oral capsule,extended release 24 hr 60 mg, 80 mg</i> .....                                    | 37 |
| PREZISTA ORAL SUSPENSION.....                                                         | 13 | <i>propranolol oral solution</i> .....                                                                       | 37 |
| PREZISTA ORAL TABLET 150 MG.....                                                      | 13 |                                                                                                              |    |
| PREZISTA ORAL TABLET 600 MG, 800 MG.....                                              | 13 |                                                                                                              |    |
| PREZISTA ORAL TABLET 75 MG.....                                                       | 14 |                                                                                                              |    |
| PRIFTIN.....                                                                          | 14 |                                                                                                              |    |

|                                                                 |    |                                                                         |    |
|-----------------------------------------------------------------|----|-------------------------------------------------------------------------|----|
| <i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> ..... | 37 | RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE                                |    |
| <i>propranolol oral tablet 60 mg</i> .....                      | 37 | 5 MCG/0.5 ML.....                                                       | 49 |
| <i>propranolol-hydrochlorothiazid</i> .....                     | 37 | <i>regonol</i> .....                                                    | 29 |
| <i>propylthiouracil</i> .....                                   | 46 | RELENZA DISKHALER.....                                                  | 14 |
| PROQUAD (PF).....                                               | 49 | RELISTOR SUBCUTANEOUS SOLUTION.....                                     | 48 |
| PROSOL 20 %.....                                                | 58 | RELISTOR SUBCUTANEOUS SYRINGE.....                                      | 48 |
| <i>protriptyline</i> .....                                      | 29 | REMICADE.....                                                           | 48 |
| PULMOZYME.....                                                  | 55 | RENVELA ORAL POWDER IN PACKET 0.8 GRAM.....                             | 42 |
| PURIXAN.....                                                    | 18 | RENVELA ORAL POWDER IN PACKET 2.4 GRAM.....                             | 42 |
| <i>pyrazinamide</i> .....                                       | 14 | RENVELA ORAL TABLET.....                                                | 42 |
| <i>pyridostigmine bromide oral tablet 60 mg</i> .....           | 29 | <i>repaglinide oral tablet 0.5 mg</i> .....                             | 46 |
| QUADRACEL (PF).....                                             | 49 | <i>repaglinide oral tablet 1 mg</i> .....                               | 46 |
| <i>quasense</i> .....                                           | 52 | <i>repaglinide oral tablet 2 mg</i> .....                               | 46 |
| <i>quetiapine oral tablet 100 mg</i> .....                      | 29 | REQUIP ORAL TABLET 1 MG, 4 MG, 5 MG.....                                | 29 |
| <i>quetiapine oral tablet 200 mg</i> .....                      | 29 | RESCRIPTOR ORAL TABLET.....                                             | 14 |
| <i>quetiapine oral tablet 25 mg</i> .....                       | 29 | RESCRIPTOR ORAL TABLET, DISPERSIBLE.....                                | 14 |
| <i>quetiapine oral tablet 300 mg</i> .....                      | 29 | <i>reserpine oral tablet 0.1 mg</i> .....                               | 37 |
| <i>quetiapine oral tablet 400 mg</i> .....                      | 29 | RESTASIS.....                                                           | 53 |
| <i>quetiapine oral tablet 50 mg</i> .....                       | 29 | RETROVIR INTRAVENOUS.....                                               | 14 |
| <i>quinapril oral tablet 10 mg, 5 mg</i> .....                  | 37 | REVLIMID ORAL CAPSULE 10 MG.....                                        | 18 |
| <i>quinapril oral tablet 20 mg, 40 mg</i> .....                 | 37 | REVLIMID ORAL CAPSULE 15 MG, 2.5 MG, 20 MG, 25 MG.....                  | 19 |
| <i>quinapril-hydrochlorothiazide</i> .....                      | 37 | REVLIMID ORAL CAPSULE 5 MG.....                                         | 19 |
| <i>quinidine sulfate oral tablet</i> .....                      | 37 | REYATAZ ORAL CAPSULE 150 MG, 200 MG.....                                | 14 |
| <i>quinidine sulfate oral tablet extended release</i> .....     | 37 | REYATAZ ORAL CAPSULE 300 MG.....                                        | 14 |
| QVAR INHALATION AEROSOL 40 MCG/ACTUATION.....                   | 55 | REYATAZ ORAL POWDER IN PACKET.....                                      | 14 |
| QVAR INHALATION AEROSOL 80 MCG/ACTUATION.....                   | 55 | <i>ribasphere oral capsule</i> .....                                    | 14 |
| RABAVERT (PF).....                                              | 49 | <i>ribasphere oral tablet 200 mg</i> .....                              | 14 |
| <i>raloxifene</i> .....                                         | 51 | <i>ribavirin oral capsule</i> .....                                     | 14 |
| <i>ramipril</i> .....                                           | 37 | <i>ribavirin oral tablet 200 mg</i> .....                               | 14 |
| RANEXA.....                                                     | 37 | RIDAURA.....                                                            | 51 |
| <i>ranitidine hcl injection</i> .....                           | 48 | <i>rifabutin</i> .....                                                  | 14 |
| <i>ranitidine hcl oral syrup</i> .....                          | 48 | <i>rifampin intravenous</i> .....                                       | 14 |
| <i>ranitidine hcl oral tablet 150 mg, 300 mg</i> .....          | 48 | <i>rifampin oral</i> .....                                              | 14 |
| RAPAMUNE ORAL SOLUTION.....                                     | 18 | RIFATER.....                                                            | 14 |
| RAVICTI.....                                                    | 42 | <i>riluzole</i> .....                                                   | 42 |
| RAZADYNE ORAL TABLET 4 MG.....                                  | 29 | <i>rimantadine</i> .....                                                | 14 |
| REBIF (WITH ALBUMIN).....                                       | 49 | <i>ringers intravenous</i> .....                                        | 58 |
| REBIF REBIDOSE.....                                             | 49 | <i>ringers irrigation</i> .....                                         | 42 |
| REBIF TITRATION PACK.....                                       | 49 | <i>risedronate oral tablet 150 mg oral tablet 30 mg</i> .....           | 42 |
| <i>reclipsen (28)</i> .....                                     | 52 | <i>risedronate oral tablet 150 mg oral tablet 35 mg</i> .....           | 51 |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION.....                | 49 | <i>risedronate oral tablet 150 mg oral tablet 35 mg (12 pack)</i> ..... | 51 |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML.....         | 49 |                                                                         |    |

|                                                                                 |    |
|---------------------------------------------------------------------------------|----|
| <i>risedronate oral tablet 150 mg oral tablet 5 mg</i> .....                    | 51 |
| RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 12.5 MG/2 ML, 25 MG/2 ML.....            | 29 |
| RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 37.5 MG/2 ML.....                        | 29 |
| RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 50 MG/2 ML.....                          | 29 |
| <i>risperidone oral solution</i> .....                                          | 29 |
| <i>risperidone oral tablet 0.25 mg</i> .....                                    | 29 |
| <i>risperidone oral tablet 0.5 mg</i> .....                                     | 29 |
| <i>risperidone oral tablet 1 mg</i> .....                                       | 29 |
| <i>risperidone oral tablet 2 mg</i> .....                                       | 29 |
| <i>risperidone oral tablet 3 mg</i> .....                                       | 29 |
| <i>risperidone oral tablet 4 mg</i> .....                                       | 29 |
| <i>risperidone oral tablet,disintegrating 0.25 mg</i> .....                     | 29 |
| <i>risperidone oral tablet,disintegrating 0.5 mg</i> .....                      | 29 |
| <i>risperidone oral tablet,disintegrating 1 mg</i> .....                        | 29 |
| <i>risperidone oral tablet,disintegrating 2 mg</i> .....                        | 29 |
| <i>risperidone oral tablet,disintegrating 3 mg</i> .....                        | 29 |
| <i>risperidone oral tablet,disintegrating 4 mg</i> .....                        | 29 |
| RITUXAN.....                                                                    | 19 |
| <i>rivastigmine tartrate</i> .....                                              | 29 |
| <i>ropinirole oral tablet</i> .....                                             | 29 |
| <i>ropinirole oral tablet extended release 24 hr</i> .....                      | 29 |
| <i>rosadan topical cream</i> .....                                              | 40 |
| <i>rosadan topical gel</i> .....                                                | 40 |
| ROTARIX.....                                                                    | 50 |
| ROTATEQ VACCINE.....                                                            | 50 |
| ROXICET ORAL SOLUTION.....                                                      | 29 |
| ROZEREM.....                                                                    | 29 |
| SABRIL ORAL POWDER IN PACKET.....                                               | 29 |
| SABRIL ORAL TABLET.....                                                         | 29 |
| SAMSCA ORAL TABLET 15 MG.....                                                   | 46 |
| SAMSCA ORAL TABLET 30 MG.....                                                   | 46 |
| SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON.....          | 19 |
| SANTYL.....                                                                     | 40 |
| SAPHRIS (BLACK CHERRY) SUBLINGUAL TABLET 10 MG.....                             | 29 |
| SAPHRIS (BLACK CHERRY) SUBLINGUAL TABLET 2.5 MG.....                            | 29 |
| SAPHRIS (BLACK CHERRY) SUBLINGUAL TABLET 5 MG.....                              | 29 |
| SAVELLA ORAL TABLET 100 MG.....                                                 | 51 |
| SAVELLA ORAL TABLET 12.5 MG.....                                                | 51 |
| SAVELLA ORAL TABLET 25 MG.....                                                  | 51 |
| SAVELLA ORAL TABLET 50 MG.....                                                  | 51 |
| SAVELLA ORAL TABLETS,DOSE PACK.....                                             | 51 |
| <i>selegiline hcl</i> .....                                                     | 29 |
| <i>selenium sulfide topical suspension</i> .....                                | 40 |
| SELZENTRY.....                                                                  | 14 |
| SENSIPAR ORAL TABLET 30 MG.....                                                 | 46 |
| SENSIPAR ORAL TABLET 60 MG.....                                                 | 46 |
| SENSIPAR ORAL TABLET 90 MG.....                                                 | 46 |
| SEREVENT DISKUS.....                                                            | 55 |
| SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG.....                      | 29 |
| SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 200 MG.....                      | 30 |
| SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 300 MG.....                      | 30 |
| SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 400 MG.....                      | 30 |
| SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 50 MG.....                       | 30 |
| <i>sertraline oral concentrate</i> .....                                        | 30 |
| <i>sertraline oral tablet 100 mg</i> .....                                      | 30 |
| <i>sertraline oral tablet 25 mg</i> .....                                       | 30 |
| <i>sertraline oral tablet 50 mg</i> .....                                       | 30 |
| <i>sf 5000 plus</i> .....                                                       | 42 |
| SIGNIFOR.....                                                                   | 19 |
| <i>sildenafil oral</i> .....                                                    | 55 |
| SILVADENE.....                                                                  | 40 |
| <i>silver sulfadiazine</i> .....                                                | 40 |
| SIMBRINZA.....                                                                  | 53 |
| SIMCOR ORAL TABLET, ER MULTIPHASE 24 HR 1, 000-20 MG, 750-20 MG.....            | 37 |
| SIMCOR ORAL TABLET, ER MULTIPHASE 24 HR 1, 000-40 MG, 500-20 MG, 500-40 MG..... | 37 |
| SIMPONI.....                                                                    | 51 |
| SIMULECT INTRAVENOUS RECON SOLN 10 MG.....                                      | 19 |
| SIMULECT INTRAVENOUS RECON SOLN 20 MG.....                                      | 19 |
| <i>simvastatin</i> .....                                                        | 37 |
| SINEMET CR ORAL TABLET EXTENDED RELEASE 25-100 MG.....                          | 30 |
| <i>sirolimus</i> .....                                                          | 19 |
| SIRTURO.....                                                                    | 14 |
| <i>sodium bicarbonate intravenous solution</i> .....                            | 58 |
| <i>sodium bicarbonate intravenous syringe</i> .....                             | 58 |
| <i>sodium chloride 0.45 % intravenous parenteral solution</i> .....             | 58 |
| <i>sodium chloride 0.45 % intravenous piggyback</i> .....                       | 58 |

|                                                           |    |                                                          |    |
|-----------------------------------------------------------|----|----------------------------------------------------------|----|
| <i>sodium chloride 0.9 % intravenous</i> .....            | 42 | STREPTOMYCIN INTRAMUSCULAR.....                          | 14 |
| <i>sodium chloride 3 %</i> .....                          | 58 | STRIBILD.....                                            | 14 |
| <i>sodium chloride 5 %</i> .....                          | 58 | STROMECTOL.....                                          | 14 |
| <i>sodium chloride intravenous</i> .....                  | 58 | SUBOXONE SUBLINGUAL FILM 12-3 MG.....                    | 30 |
| <i>sodium chloride irrigation</i> .....                   | 42 | SUBOXONE SUBLINGUAL FILM 2-0.5 MG.....                   | 30 |
| <i>sodium citrate-citric acid</i> .....                   | 56 | SUBOXONE SUBLINGUAL FILM 4-1 MG.....                     | 30 |
| <i>sodium fluoride oral tablet, chewable 0.5 mg</i>       |    | SUBOXONE SUBLINGUAL FILM 8-2 MG.....                     | 30 |
| <i>fluoride (1.1 mg), 1 mg fluoride (2.2 mg)</i> .....    | 58 | SUCRAID.....                                             | 48 |
| <i>sodium lactate intravenous solution</i> .....          | 58 | <i>sucralfate oral tablet</i> .....                      | 48 |
| <i>sodium phenylbutyrate</i> .....                        | 42 | SULAR ORAL TABLET EXTENDED RELEASE 24 HR                 |    |
| <i>sodium polystyrene (sorb free)</i> .....               | 42 | 17 MG.....                                               | 37 |
| <i>sodium polystyrene sulfonate oral powder</i> .....     | 42 | <i>sulfacetamide sodium (acne)</i> .....                 | 40 |
| <i>sodium polystyrene sulfonate oral suspension</i> ..... | 42 | <i>sulfacetamide sodium ophthalmic drops</i> .....       | 53 |
| <i>sodium polystyrene sulfonate rectal</i> .....          | 42 | <i>sulfacetamide sodium ophthalmic ointment</i> .....    | 53 |
| SODIUM POLYSTYRENE SULFONATE RECTAL.....                  | 42 | <i>sulfacetamide-prednisolone</i> .....                  | 53 |
| SOLTAMOX.....                                             | 19 | <i>sulfadiazine oral</i> .....                           | 14 |
| SOMATULINE DEPOT.....                                     | 19 | <i>sulfamethoxazole-trimethoprim intravenous</i> .....   | 14 |
| SOMAVERT.....                                             | 46 | <i>sulfamethoxazole-trimethoprim oral</i>                |    |
| <i>sorine oral tablet 120 mg, 160 mg</i> .....            | 37 | <i>suspension</i> .....                                  | 14 |
| <i>sorine oral tablet 240 mg</i> .....                    | 37 | <i>sulfamethoxazole-trimethoprim oral tablet</i> .....   | 14 |
| <i>sorine oral tablet 80 mg</i> .....                     | 37 | <i>sulfasalazine</i> .....                               | 48 |
| <i>sotalol af oral tablet 120 mg, 160 mg</i> .....        | 37 | <i>sulfazine</i> .....                                   | 48 |
| <i>sotalol af oral tablet 80 mg</i> .....                 | 37 | <i>sulfazine ec</i> .....                                | 48 |
| <i>sotalol oral tablet 120 mg, 160 mg, 240 mg</i> .....   | 37 | <i>sulindac oral tablet 150 mg</i> .....                 | 30 |
| <i>sotalol oral tablet 80 mg</i> .....                    | 37 | <i>sulindac oral tablet 200 mg</i> .....                 | 30 |
| SOVALDI.....                                              | 14 | <i>sumatriptan</i> .....                                 | 30 |
| SPIRIVA RESPIMAT.....                                     | 55 | <i>sumatriptan succinate oral</i> .....                  | 30 |
| SPIRIVA WITH HANDIHALER.....                              | 55 | <i>sumatriptan succinate subcutaneous</i>                |    |
| <i>spironolacton-hydrochlorothiaz</i> .....               | 37 | <i>cartridge</i> .....                                   | 30 |
| <i>spironolactone oral tablet 100 mg</i> .....            | 37 | <i>sumatriptan succinate subcutaneous pen</i>            |    |
| <i>spironolactone oral tablet 25 mg, 50 mg</i> .....      | 37 | <i>injector</i> .....                                    | 30 |
| <i>sprintec (28)</i> .....                                | 52 | <i>sumatriptan succinate subcutaneous solution</i> ..... | 30 |
| SPRYCEL.....                                              | 19 | <i>sumatriptan succinate subcutaneous syringe 6</i>      |    |
| <i>sps oral</i> .....                                     | 42 | <i>mg/0.5 ml</i> .....                                   | 30 |
| <i>sps rectal</i> .....                                   | 42 | SUPREP BOWEL PREP KIT.....                               | 48 |
| <i>sronyx</i> .....                                       | 52 | SURMONTIL.....                                           | 30 |
| <i>ssd</i> .....                                          | 40 | SUSTIVA ORAL CAPSULE 200 MG.....                         | 14 |
| <i>stavudine oral capsule 15 mg</i> .....                 | 14 | SUSTIVA ORAL CAPSULE 50 MG.....                          | 14 |
| <i>stavudine oral capsule 20 mg</i> .....                 | 14 | SUSTIVA ORAL TABLET.....                                 | 14 |
| <i>stavudine oral capsule 30 mg</i> .....                 | 14 | SUTENT ORAL CAPSULE 12.5 MG.....                         | 19 |
| <i>stavudine oral capsule 40 mg</i> .....                 | 14 | SUTENT ORAL CAPSULE 25 MG, 37.5 MG, 50                   |    |
| <i>stavudine oral recon soln</i> .....                    | 14 | MG.....                                                  | 19 |
| STIMATE.....                                              | 46 | <i>syeda</i> .....                                       | 52 |
| STIVARGA.....                                             | 19 | SYLATRON.....                                            | 50 |
| STRATTERA ORAL CAPSULE 10 MG, 18 MG, 25                   |    | SYMBYAX ORAL CAPSULE 12-25 MG, 12-50 MG,                 |    |
| MG, 40 MG.....                                            | 30 | 6-50 MG.....                                             | 30 |
| STRATTERA ORAL CAPSULE 100 MG, 60 MG, 80                  |    | SYMBYAX ORAL CAPSULE 3-25 MG.....                        | 30 |
| MG.....                                                   | 30 | SYMLINPEN 120.....                                       | 46 |

|                                                           |    |                                                        |    |
|-----------------------------------------------------------|----|--------------------------------------------------------|----|
| SYMLINPEN 60.....                                         | 46 | <i>terconazole vaginal cream</i> .....                 | 52 |
| SYNAGIS.....                                              | 14 | <i>terconazole vaginal suppository</i> .....           | 52 |
| SYNAREL.....                                              | 46 | <i>testosterone cypionate</i> .....                    | 46 |
| SYNERCID.....                                             | 14 | <i>testosterone enanthate</i> .....                    | 46 |
| SYNRIBO.....                                              | 19 | <i>tetanus toxoid,adsorbed (pf)</i> .....              | 50 |
| SYNTHROID.....                                            | 46 | <i>tetanus,diphtheria tox ped(pf)</i> .....            | 50 |
| SYPRINE.....                                              | 42 | TETANUS-DIPHTHERIA TOXOIDS-TD.....                     | 50 |
| TABLOID.....                                              | 19 | <i>tetracycline</i> .....                              | 14 |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg</i> .....         | 19 | TEVETEN ORAL TABLET 600 MG.....                        | 38 |
| <i>tacrolimus oral capsule 5 mg</i> .....                 | 19 | THALOMID ORAL CAPSULE 100 MG, 50 MG.....               | 19 |
| TAFINLAR.....                                             | 19 | THALOMID ORAL CAPSULE 150 MG, 200 MG.....              | 19 |
| TAMIFLU.....                                              | 14 | <i>theophylline oral solution</i> .....                | 55 |
| <i>tamoxifen</i> .....                                    | 19 | <i>theophylline oral tablet extended release</i> ..... | 55 |
| <i>tamsulosin</i> .....                                   | 56 | <i>theophylline oral tablet extended release 12</i>    |    |
| TANZEUM.....                                              | 46 | <i>hr</i> .....                                        | 55 |
| TAPAZOLE.....                                             | 46 | <i>thioridazine</i> .....                              | 30 |
| TARCEVA ORAL TABLET 100 MG, 150 MG.....                   | 19 | <i>thiothixene</i> .....                               | 30 |
| TARCEVA ORAL TABLET 25 MG.....                            | 19 | THYMOGLOBULIN.....                                     | 50 |
| TARGRETIN ORAL.....                                       | 19 | <i>tiagabine</i> .....                                 | 30 |
| TARGRETIN TOPICAL.....                                    | 19 | TIAZAC.....                                            | 38 |
| TASIGNA.....                                              | 19 | TICE BCG.....                                          | 50 |
| TAXOTERE INTRAVENOUS SOLUTION 20 MG/ML                    |    | TIKOSYN.....                                           | 38 |
| (1 ML), 80 MG/4 ML (20 MG/ML).....                        | 19 | <i>tilia fe</i> .....                                  | 52 |
| TAZORAC.....                                              | 40 | TIMENTIN INTRAVENOUS RECON SOLN 31                     |    |
| <i>taztia xt oral capsule, extended release 120 mg,</i>   |    | GRAM.....                                              | 14 |
| <i>180 mg, 240 mg, 360 mg</i> .....                       | 37 | <i>timolol maleate ophthalmic drops</i> .....          | 53 |
| <i>taztia xt oral capsule, extended release 300</i>       |    | <i>timolol maleate ophthalmic gel forming</i>          |    |
| <i>mg</i> .....                                           | 37 | <i>solution</i> .....                                  | 53 |
| TECFIDERA.....                                            | 30 | <i>timolol maleate oral tablet 10 mg, 5 mg</i> .....   | 38 |
| TEFLARO INTRAVENOUS RECON SOLN 400                        |    | <i>timolol maleate oral tablet 20 mg</i> .....         | 38 |
| MG.....                                                   | 14 | TIMOPTIC OCUDOSE (PF) OPHTHALMIC                       |    |
| TEFLARO INTRAVENOUS RECON SOLN 600                        |    | DROPPERETTE 0.25 %.....                                | 53 |
| MG.....                                                   | 14 | TIMOPTIC OPHTHALMIC DROPS 0.25 %.....                  | 54 |
| TEKTRUNA.....                                             | 37 | TIMOPTIC-XE.....                                       | 54 |
| TEKTRUNA HCT.....                                         | 37 | <i>tinidazole oral tablet 250 mg</i> .....             | 14 |
| <i>telmisartan oral tablet 20 mg, 40 mg</i> .....         | 37 | <i>tinidazole oral tablet 500 mg</i> .....             | 14 |
| <i>telmisartan oral tablet 80 mg</i> .....                | 37 | TIVICAY.....                                           | 14 |
| <i>telmisartan-hydrochlorothiazid oral tablet 40-12.5</i> |    | <i>tizanidine oral tablet</i> .....                    | 30 |
| <i>mg, 80-25 mg</i> .....                                 | 37 | TOBRADEX OPHTHALMIC OINTMENT.....                      | 54 |
| <i>telmisartan-hydrochlorothiazid oral tablet 80-12.5</i> |    | TOBRADEX ST.....                                       | 54 |
| <i>mg</i> .....                                           | 38 | <i>tobramycin</i> .....                                | 54 |
| TEMOVATE TOPICAL CREAM.....                               | 41 | <i>tobramycin in 0.225 % nacl</i> .....                | 14 |
| TEMOVATE TOPICAL OINTMENT.....                            | 41 | <i>tobramycin in 0.9 % nacl intravenous piggyback</i>  |    |
| TENORETIC 100.....                                        | 38 | <i>80 mg/100 ml</i> .....                              | 14 |
| TENORETIC 50.....                                         | 38 | <i>tobramycin sulfate injection recon soln</i> .....   | 14 |
| <i>terazosin</i> .....                                    | 38 | <i>tobramycin sulfate injection solution</i> .....     | 14 |
| <i>terbinafine hcl oral</i> .....                         | 14 | <i>tobramycin-dexamethasone</i> .....                  | 54 |
| <i>terbutaline oral</i> .....                             | 55 | <i>tolazamide oral tablet 250 mg</i> .....             | 46 |

|                                                                         |    |                                                                             |    |
|-------------------------------------------------------------------------|----|-----------------------------------------------------------------------------|----|
| <i>tolazamide oral tablet 500 mg</i> .....                              | 46 | <i>triamcinolone acetonide dental</i> .....                                 | 42 |
| <i>tolbutamide</i> .....                                                | 46 | <i>triamcinolone acetonide injection suspension 10 mg/ml</i> .....          | 46 |
| <i>tolcapone</i> .....                                                  | 30 | <i>triamcinolone acetonide injection suspension 40 mg/ml</i> .....          | 46 |
| <i>tolterodine oral capsule,extended release 24hr</i> .....             | 56 | <i>triamcinolone acetonide topical cream 0.025 %</i> .....                  | 41 |
| <i>tolterodine oral tablet</i> .....                                    | 56 | <i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> .....             | 41 |
| <i>topiramate oral capsule, sprinkle</i> .....                          | 30 | <i>triamcinolone acetonide topical lotion 0.025 %</i> .....                 | 41 |
| <i>topiramate oral tablet 100 mg</i> .....                              | 30 | <i>triamcinolone acetonide topical lotion 0.1 %</i> .....                   | 41 |
| <i>topiramate oral tablet 200 mg</i> .....                              | 30 | <i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i> ..... | 41 |
| <i>topiramate oral tablet 25 mg</i> .....                               | 30 | <i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i> .....         | 38 |
| <i>topiramate oral tablet 50 mg</i> .....                               | 30 | <i>triamterene-hydrochlorothiazid oral tablet</i> .....                     | 38 |
| <i>toposar</i> .....                                                    | 19 | <i>trianex</i> .....                                                        | 41 |
| <i>topotecan</i> .....                                                  | 19 | <i>TRIBENZOR</i> .....                                                      | 38 |
| <i>TORISEL</i> .....                                                    | 19 | <i>TRICOR ORAL TABLET 48 MG</i> .....                                       | 38 |
| <i>toremide oral tablet 10 mg, 5 mg</i> .....                           | 38 | <i>triderm topical cream</i> .....                                          | 41 |
| <i>toremide oral tablet 100 mg, 20 mg</i> .....                         | 38 | <i>trifluoperazine oral tablet 1 mg, 2 mg</i> .....                         | 30 |
| <i>TOUJEO SOLOSTAR</i> .....                                            | 46 | <i>trifluoperazine oral tablet 10 mg, 5 mg</i> .....                        | 30 |
| <i>TOVIAZ</i> .....                                                     | 56 | <i>trifluridine</i> .....                                                   | 54 |
| <i>TRACLEER</i> .....                                                   | 55 | <i>TRILIPIX ORAL CAPSULE,DELAYED RELEASE(DR/EC) 45 MG</i> .....             | 38 |
| <i>TRADJENTA</i> .....                                                  | 46 | <i>trilyte with flavor packets</i> .....                                    | 48 |
| <i>tramadol oral tablet</i> .....                                       | 30 | <i>trimethoprim</i> .....                                                   | 14 |
| <i>tramadol-acetaminophen</i> .....                                     | 30 | <i>trinessa (28)</i> .....                                                  | 52 |
| <i>trandolapril</i> .....                                               | 38 | <i>TRISENOX</i> .....                                                       | 19 |
| <i>tranexamic acid intravenous</i> .....                                | 38 | <i>TRIUMEQ</i> .....                                                        | 14 |
| <i>tranexamic acid oral</i> .....                                       | 52 | <i>trivora (28)</i> .....                                                   | 52 |
| <i>tranylcypromine</i> .....                                            | 30 | <i>TROPHAMINE 10 %</i> .....                                                | 58 |
| <i>travasol 10 %</i> .....                                              | 58 | <i>TROPHAMINE 6%</i> .....                                                  | 58 |
| <i>TRAVATAN Z</i> .....                                                 | 54 | <i>tropium oral tablet</i> .....                                            | 56 |
| <i>trazodone oral tablet 100 mg, 150 mg</i> .....                       | 30 | <i>TRULICITY</i> .....                                                      | 46 |
| <i>trazodone oral tablet 300 mg</i> .....                               | 30 | <i>TRUMENBA</i> .....                                                       | 50 |
| <i>trazodone oral tablet 50 mg</i> .....                                | 30 | <i>TRUVADA</i> .....                                                        | 14 |
| <i>TREANDA</i> .....                                                    | 19 | <i>TWINRIX (PF)</i> .....                                                   | 50 |
| <i>TRECATOR</i> .....                                                   | 14 | <i>TWYNSTA ORAL TABLET 40-10 MG, 40-5 MG, 80-5 MG</i> .....                 | 38 |
| <i>TRELSTAR DEPOT</i> .....                                             | 19 | <i>TYBOST</i> .....                                                         | 15 |
| <i>TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION</i> .....       | 19 | <i>TYGACIL</i> .....                                                        | 15 |
| <i>TRELSTAR INTRAMUSCULAR SYRINGE 11.25 MG/2 ML, 3.75 MG/2 ML</i> ..... | 19 | <i>TYKERB</i> .....                                                         | 19 |
| <i>TRELSTAR INTRAMUSCULAR SYRINGE 22.5 MG/2 ML</i> .....                | 19 | <i>TYPHIM VI INTRAMUSCULAR SOLUTION</i> .....                               | 50 |
| <i>TRELSTAR LA</i> .....                                                | 19 | <i>TYPHIM VI INTRAMUSCULAR SYRINGE</i> .....                                | 50 |
| <i>tretinoin (chemotherapy) capsule</i> .....                           | 19 | <i>TYSABRI</i> .....                                                        | 30 |
| <i>tretinoin topical</i> .....                                          | 41 | <i>TYZEKA</i> .....                                                         | 15 |
| <i>tri-estarylla</i> .....                                              | 52 |                                                                             |    |
| <i>tri-legest fe</i> .....                                              | 52 |                                                                             |    |
| <i>tri-linyah</i> .....                                                 | 52 |                                                                             |    |
| <i>tri-previfem (28)</i> .....                                          | 52 |                                                                             |    |
| <i>tri-sprintec (28)</i> .....                                          | 52 |                                                                             |    |

|                                                                                                        |    |
|--------------------------------------------------------------------------------------------------------|----|
| TYZINE NASAL DROPS 0.05 %.....                                                                         | 42 |
| UCERIS ORAL.....                                                                                       | 48 |
| ULORIC.....                                                                                            | 51 |
| <i>unithroid</i> .....                                                                                 | 46 |
| <i>ursodiol</i> .....                                                                                  | 48 |
| UVADEX.....                                                                                            | 41 |
| <i>valacyclovir</i> .....                                                                              | 15 |
| VALCHLOR.....                                                                                          | 41 |
| <i>valganciclovir</i> .....                                                                            | 15 |
| <i>valproate sodium</i> .....                                                                          | 30 |
| <i>valproic acid</i> .....                                                                             | 30 |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i> .....                                  | 30 |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml)</i> .....     | 31 |
| <i>valsartan oral tablet 160 mg</i> .....                                                              | 38 |
| <i>valsartan oral tablet 320 mg</i> .....                                                              | 38 |
| <i>valsartan oral tablet 40 mg, 80 mg</i> .....                                                        | 38 |
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 80-12.5 mg</i> ..... | 38 |
| <i>valsartan-hydrochlorothiazide oral tablet 320-25 mg</i> .....                                       | 38 |
| VANCOMYCIN 750 MG/150 ML BAG.....                                                                      | 15 |
| VANCOMYCIN IN D5W INTRAVENOUS PIGGYBACK 1 GRAM/200 ML.....                                             | 15 |
| VANCOMYCIN IN D5W INTRAVENOUS PIGGYBACK 500 MG/100 ML.....                                             | 15 |
| <i>vancomycin intravenous</i> .....                                                                    | 15 |
| VANCOMYCIN INTRAVENOUS 750 MG.....                                                                     | 15 |
| <i>vancomycin oral capsule 125 mg</i> .....                                                            | 15 |
| <i>vancomycin oral capsule 250 mg</i> .....                                                            | 15 |
| <i>vandazole</i> .....                                                                                 | 52 |
| VAQTA (PF) INTRAMUSCULAR SUSPENSION.....                                                               | 50 |
| VAQTA (PF) INTRAMUSCULAR SYRINGE.....                                                                  | 50 |
| VARIVAX (PF).....                                                                                      | 50 |
| VARIZIG INTRAMUSCULAR RECON SOLN.....                                                                  | 50 |
| VARIZIG INTRAMUSCULAR SOLUTION.....                                                                    | 50 |
| VASERETIC.....                                                                                         | 38 |
| VASOTEC ORAL TABLET 2.5 MG.....                                                                        | 38 |
| VECAMYL.....                                                                                           | 38 |
| VECTIBIX.....                                                                                          | 19 |
| VELCADE.....                                                                                           | 19 |
| <i>velivet triphasic regimen (28)</i> .....                                                            | 52 |
| <i>venlafaxine oral capsule,extended release 24hr 150 mg</i> .....                                     | 31 |
| <i>venlafaxine oral capsule,extended release 24hr 37.5 mg</i> .....                                    | 31 |

|                                                                                   |    |
|-----------------------------------------------------------------------------------|----|
| <i>venlafaxine oral capsule,extended release 24hr 75 mg</i> .....                 | 31 |
| <i>venlafaxine oral tablet 100 mg</i> .....                                       | 31 |
| <i>venlafaxine oral tablet 25 mg</i> .....                                        | 31 |
| <i>venlafaxine oral tablet 37.5 mg</i> .....                                      | 31 |
| <i>venlafaxine oral tablet 50 mg</i> .....                                        | 31 |
| <i>venlafaxine oral tablet 75 mg</i> .....                                        | 31 |
| <i>venlafaxine oral tablet extended release 24hr 150 mg</i> .....                 | 31 |
| VENLAFAXINE ORAL TABLET EXTENDED RELEASE 24HR 225 MG.....                         | 31 |
| <i>venlafaxine oral tablet extended release 24hr 37.5 mg</i> .....                | 31 |
| <i>venlafaxine oral tablet extended release 24hr 75 mg</i> .....                  | 31 |
| VENTAVIS.....                                                                     | 56 |
| <i>verapamil intravenous solution</i> .....                                       | 38 |
| <i>verapamil intravenous syringe</i> .....                                        | 38 |
| <i>verapamil oral capsule, 24 hr er pellet ct</i> .....                           | 38 |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i> ..... | 38 |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i> .....                 | 38 |
| <i>verapamil oral tablet</i> .....                                                | 38 |
| <i>verapamil oral tablet extended release 120 mg</i> .....                        | 38 |
| <i>verapamil oral tablet extended release 180 mg, 240 mg</i> .....                | 38 |
| VERSACLOZ.....                                                                    | 31 |
| VESICARE.....                                                                     | 56 |
| <i>vestura (28)</i> .....                                                         | 52 |
| VICTOZA 2-PAK.....                                                                | 46 |
| VICTOZA 3-PAK.....                                                                | 46 |
| VIDEX 2 GRAM PEDIATRIC.....                                                       | 15 |
| VIDEX 4 GRAM PEDIATRIC.....                                                       | 15 |
| VIEKIRA PAK.....                                                                  | 15 |
| VIGAMOX.....                                                                      | 54 |
| VIIBRYD ORAL TABLET 10 MG.....                                                    | 31 |
| VIIBRYD ORAL TABLET 20 MG.....                                                    | 31 |
| VIIBRYD ORAL TABLET 40 MG.....                                                    | 31 |
| VIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)-20 MG (7)-40 MG (16).....                | 31 |
| VIMPAT INTRAVENOUS.....                                                           | 31 |
| VIMPAT ORAL SOLUTION.....                                                         | 31 |
| VIMPAT ORAL TABLET 100 MG.....                                                    | 31 |
| VIMPAT ORAL TABLET 150 MG.....                                                    | 31 |
| VIMPAT ORAL TABLET 200 MG.....                                                    | 31 |
| VIMPAT ORAL TABLET 50 MG.....                                                     | 31 |

|                                                                  |    |                                                                 |    |
|------------------------------------------------------------------|----|-----------------------------------------------------------------|----|
| <i>vinblastine intravenous solution</i> .....                    | 19 | ZALTRAP.....                                                    | 19 |
| VINCASAR PFS INTRAVENOUS SOLUTION 1 MG/<br>ML.....               | 19 | ZANOSAR.....                                                    | 19 |
| <i>vincasar pfs intravenous solution 2 mg/2 ml</i> .....         | 19 | <i>zarah</i> .....                                              | 52 |
| <i>vincristine</i> .....                                         | 19 | ZARONTIN ORAL CAPSULE.....                                      | 31 |
| <i>vinorelbine</i> .....                                         | 19 | ZAVESCA.....                                                    | 46 |
| <i>viorele (28)</i> .....                                        | 52 | ZELBORAF.....                                                   | 20 |
| VIRACEPT ORAL TABLET 250 MG.....                                 | 15 | <i>zenatane oral capsule 10 mg, 20 mg, 40 mg</i> .....          | 41 |
| VIRACEPT ORAL TABLET 625 MG.....                                 | 15 | ZENATANE ORAL CAPSULE 30 MG.....                                | 41 |
| VIRAMUNE XR ORAL TABLET EXTENDED RELEASE<br>24 HR 100 MG.....    | 15 | <i>zenchent (28)</i> .....                                      | 52 |
| VIRAZOLE.....                                                    | 15 | ZENCHENT FE.....                                                | 52 |
| VIREAD ORAL POWDER.....                                          | 15 | <i>zenzedi oral tablet 10 mg</i> .....                          | 31 |
| VIREAD ORAL TABLET 150 MG, 250 MG, 300<br>MG.....                | 15 | <i>zenzedi oral tablet 5 mg</i> .....                           | 31 |
| VIREAD ORAL TABLET 200 MG.....                                   | 15 | ZESTORETIC.....                                                 | 38 |
| VITEKTA.....                                                     | 15 | ZESTRIL ORAL TABLET 10 MG, 20 MG, 40 MG, 5<br>MG.....           | 38 |
| VOLTAREN GEL TOPICAL GEL 1 %.....                                | 31 | ZETIA.....                                                      | 38 |
| <i>voriconazole intravenous</i> .....                            | 15 | ZIAC ORAL TABLET 10-6.25 MG, 5-6.25 MG.....                     | 38 |
| <i>voriconazole oral suspension for<br/>reconstitution</i> ..... | 15 | ZIAGEN ORAL SOLUTION.....                                       | 15 |
| <i>voriconazole oral tablet 200 mg</i> .....                     | 15 | <i>zidovudine oral capsule</i> .....                            | 15 |
| <i>voriconazole oral tablet 50 mg</i> .....                      | 15 | <i>zidovudine oral syrup</i> .....                              | 15 |
| VOTRIENT.....                                                    | 19 | <i>zidovudine oral tablet</i> .....                             | 15 |
| VPRIV.....                                                       | 46 | <i>ziprasidone hcl oral capsule 20 mg</i> .....                 | 31 |
| VYFEMLA (28).....                                                | 52 | <i>ziprasidone hcl oral capsule 40 mg</i> .....                 | 31 |
| <i>warfarin</i> .....                                            | 38 | <i>ziprasidone hcl oral capsule 60 mg, 80 mg</i> .....          | 31 |
| <i>water for irrigation, sterile</i> .....                       | 42 | ZIRGAN.....                                                     | 54 |
| WELCHOL.....                                                     | 38 | ZITHROMAX ORAL PACKET.....                                      | 15 |
| XALATAN.....                                                     | 54 | ZITHROMAX ORAL TABLET 250 MG.....                               | 15 |
| XALKORI.....                                                     | 19 | ZITHROMAX Z-PAK.....                                            | 15 |
| XARELTO ORAL TABLET 10 MG, 20 MG.....                            | 38 | ZMAX.....                                                       | 15 |
| XARELTO ORAL TABLET 15 MG.....                                   | 38 | ZOCOR ORAL TABLET 10 MG, 5 MG.....                              | 38 |
| XARELTO ORAL TABLETS,DOSE PACK.....                              | 38 | <i>zoledronic acid intravenous recon soln 4 mg</i> .....        | 46 |
| XENAZINE ORAL TABLET 12.5 MG.....                                | 31 | <i>zoledronic acid intravenous solution 4 mg/5<br/>ml</i> ..... | 46 |
| XENAZINE ORAL TABLET 25 MG.....                                  | 31 | ZOLINZA.....                                                    | 20 |
| XEOMIN.....                                                      | 50 | <i>zolpidem</i> .....                                           | 31 |
| XGEVA.....                                                       | 19 | ZOMETA INTRAVENOUS SOLUTION 4 MG/100<br>ML.....                 | 46 |
| XOLAIR.....                                                      | 56 | <i>zonisamide oral capsule 100 mg, 50 mg</i> .....              | 31 |
| XTANDI.....                                                      | 19 | <i>zonisamide oral capsule 25 mg</i> .....                      | 31 |
| XULANE.....                                                      | 52 | ZORTRESS ORAL TABLET 0.25 MG.....                               | 20 |
| XYREM.....                                                       | 31 | ZORTRESS ORAL TABLET 0.5 MG, 0.75 MG.....                       | 20 |
| XYZAL ORAL TABLET.....                                           | 56 | ZOSTAVAX (PF).....                                              | 50 |
| YERVOY.....                                                      | 19 | <i>zovia 1/35e (28)</i> .....                                   | 52 |
| YF-VAX (PF).....                                                 | 50 | <i>zovia 1/50e (28)</i> .....                                   | 52 |
| <i>zafirlukast</i> .....                                         | 56 | ZYDELIG.....                                                    | 20 |
| <i>zaleplon oral capsule 10 mg</i> .....                         | 31 | ZYKADIA.....                                                    | 20 |
| <i>zaleplon oral capsule 5 mg</i> .....                          | 31 |                                                                 |    |

|                                                                                        |       |
|----------------------------------------------------------------------------------------|-------|
| ZYPREXA RELPREVV INTRAMUSCULAR<br>SUSPENSION FOR RECONSTITUTION 210 MG,<br>405 MG..... | 31    |
| ZYPREXA RELPREVV INTRAMUSCULAR<br>SUSPENSION FOR RECONSTITUTION 300<br>MG.....         | 31–32 |
| ZYTIGA.....                                                                            | 20    |

|                                                             |    |
|-------------------------------------------------------------|----|
| ZYVOX INTRAVENOUS PARENTERAL SOLUTION<br>200 MG/100 ML..... | 15 |
| ZYVOX INTRAVENOUS PARENTERAL SOLUTION<br>600 MG/300 ML..... | 15 |
| ZYVOX ORAL SUSPENSION FOR<br>RECONSTITUTION.....            | 15 |



AMERIGROUP Texas, Inc. is an HMO plan with a Medicare contract. Enrollment in AMERIGROUP Texas, Inc. depends on contract renewal.

This information is available for free in other languages. Please contact our customer service number at **1-866-805-4589** or, for TTY users, **711**, 8 a.m. to 8 p.m., seven days a week (except Thanksgiving and Christmas) from October 1 through February 14, and Monday to Friday (except holidays) from February 15 through September 30

**Spanish (US):**

Esta información está disponible sin cargo en otros idiomas. Póngase en contacto con el Servicio de Atención al Cliente llamando al número **1-866-805-4589** o, para los usuarios de TTY, **711**, de 8 a. m. a 8 p. m., los 7 días de la semana (excepto en el Día de Acción de Gracias y Navidad) desde el 1° de octubre hasta el 14 de febrero, y de lunes a viernes (excepto feriados) del 15 de febrero hasta el 30 de septiembre.

This formulary was updated on August 1, 2015. For more recent information or other questions, please contact Amerivantage Classic (HMO) Customer Service at **1-866-805-4589** or, for TTY users, **711**, 8 a.m. to 8 p.m., seven days a week (except Thanksgiving and Christmas) from October 1 through February 14, and Monday to Friday (except holidays) from February 15 through September 30, or visit **[www.myamerigroup.com/medicare](http://www.myamerigroup.com/medicare)**.